BARR'S

HYACINTHS. NARCISSI. JONQUILS, TULIPS. CROCUSES. SNOWDROPS, WINTER ACONITES. CHIONODOXAS. SNOWFLAKES. = SCILLAS, PUSCHKINIA. MUSCARIS. LILIES OF THE VALLEY, DIELYTRAS. SPIRÆAS. IRISES. IXIAS. SPARAXIS. TRITONIAS. BABIANAS, RANUNCULUS, ANEMONES. CYCLAMEN, HYACINTHUS CANDICANS. GLADIOLI. AMARYLLIS. CAPE, CALIFORNIAN BULBS, &c., &c., &c.

BARR & SON,

12 & 13, King Street, Covent Garden, London.

HARDY TERRESTRIAL ORCHIDS.

These beautiful hardy Orchids should have a place in all good collections of plants. They are of easy culture and well repay the cultivator with their grand spikes of bloom, of exquisite beauty. A special bed should be made for this family of plants, say at the foot of a rockwork, in a damp and shady situation. The soil should be rough boggy peat to the depth of 18 inches. Most of the species will grow luxuriantly in such a situation, but there are a few that like a little different culture. We therefore indicate the treatment of

* Soil, peat and loam in a shady situation, with abundance of moisture.

* Soil, peat, loam, and leaf mould, in a well-drained shady situation, damp at all seasons.

| Plant between pieces of limestone, in a well-drained loam, and slightly shady situation. Soil, leaf mould, peat and sand, keep rather damp in summer but dryer in winter, shady situation. parviflorum, small showy bright yellow and purple-brown fragrant flowers, ht. § ft. pubescens, large yellow and brown flowers; a beautiful species of easy culture, ht. r ft... spectabile (Mocassin Flower), large pure white, and delicate rose flowers; the most beautiful of all, ht. r ft... 2/6 & One of each of the above named species of Cypripediums, 15s. situations ambriata (Fringed Orchis), one of the most beautiful of this family, and of very easy culture, spikes of flowers varying in colour from rose to crimson, and lasting long in bloom, Juneflowering 6 in 6 These are all curious and striking, some bearing flowers resembling bees and other insects.

Ophrys apifera (Bee Orchis), bright rose-purple, and rich velvety-brown, flowers closely resembling a bee in form and appearance..

BARR'S "PURE" GRASS SEEDS.

For producing Beautiful Lawns, on Tennis and Cricket Grounds, in Public Parks, Pleasure Grounds, etc.

SOW IN SEPTEMBER.

The following mixtures of Grass Seeds are all thoroughly cleaned, and cannot fail to give the greatest satis-

The following mixtures of Grass Seeds are all thoroughly cleaned, and cannot fail to give the greatest satisfaction. There is neither Clover nor coarse grasses in the mixtures.

To ensure a fine lawn, free from weeds and coarse grasses, it is most important that the soil to be sown should he quite clean, that is, free from the seeds of objectionable plants, and the grass seeds used should consist solely of the fine-leaved dwarf-growing grasses.

In sowing grasses.

In sowing grasses seeds always take advantage of rainy or damp weather, and after sowing, give a slight covering of clem finely-riddled soil; this, followed by rolling, will ensure a successful vegetation.

No. 1. Thames Embankment Lawn Grasses. This special mixture has been very successful on the Thames Embankment, and the various public and private parks and squares around London. It is well adapted for renovating or forming new pleasure grounds, Ornamental Parks, People's Parks, etc., in large towns, and for enclosures, such as Squares, in and about London, and other populous cities. Sow 60 pounds per acre if the ground is required to be covered quickly; and for renovating, 20 to 30 pounds per acre. Per lb., 1.3; per 10 lbs., 12; per 20 lbs., 22 6; per 56 lbs. and upwards, at the rate of 1/1 per lb.

No. 2. Fine Lawn Grass Mixture for Improving Old Lawns or Laying Down New Ones, Croquet Grounds, and Bowling Greens. In this mixture there is a larger quantity of small grasses than in No. 1, 70 lbs. is, therefore, required per acre if the ground is to be covered quickly; and for renovating, 20 to 35 lbs. per acre. Per lb., 1 1; per l0 lbs., 12 9; per 20 lbs., 24 6; per 56 lbs. and npwards, 1/2 per lb.

No. 3. Extra Fine Lawn Grass Mixture for Improving Old Lawns, or Laying Down New Ones, Croquet Grounds, and Bowling Greens. This is a specially line mixture of dwarf growing grasses only, which make a finer, closer, and smoother thaf, and does not require to be so often moved as Nos. 1 and 2; it is specially adapted for select lawns. 18 per 1b.; per 10 lbs., 15 6; per 20 lbs., 30; per 56 lbs. and upwards, 15 per lb. Sow 70 lbs. per acre if the ground is required to be covered quickly.

No. 4. Hunter's New Mixture of Dwarf Growing Grasses. Specially recommended, when an extra fine, smooth lawn is required; the grasses are of the finest leaved kinds, and dwarfest growers, so that in using this seed a great saving is effected in mowing, besides having a perfect lawn. Per lb., 2; per 10 lbs., 19; per 20 lbs., 37; per 56 lbs. and upwards, 19 per lb. Sow 80 lbs. per acre if the ground is required to be covered quickly.

Dutch Clover, Finest White. No Clover is included in above mixtures of Grasses, as we consider a lawn should consist of grass alone. If Clover is desired, however, it may be added to the Grass Seeds, at the rate of 3 to 5 lbs. per acre; but it is preferable to sow the Clover separately from the Grass Seed. Per lb. 1 6.

HOW TO DESTROY WEEDS ON LAWNS.

WATSON'S WEED DESTROYING LAWN-SAND will kill daisies, dandelions, plantains, etc., on Lawns, Croquet Grounds, etc., and is also a good fertilizer for the grass. Fuller particulars will be sent on application. Price for sample canister, 2 6 and 5 6; per 1 cwt., 9 6; 1 cwt., 18; 1 cwt., 3f.

BARR'S

DESCRIPTIVE CATALOGUE

OF

HYACINTHS,

AND

Narcissi, page 9.
Jonquils, page 10.
Tulips, page 10.
Crocuses, page 12.
Snowdrops, page 14.
Winter Aconites, page 14.
Chionodoxas, page 14.
Snowflakes, page 15.
Scillas, page 15.
Wood Hyacinths, page 15.
Puschkinia, page 16.
Muscaris, page 16.
Lilies of the Valley, page 16.

Dielytras, page 16.
Spiræas, page 16.
Irises, page 17.
Ixias, page 19.
Morphixias, page 20.
Sparaxis, page 20.
Tritonias, page 20.
Babianas, page 20.
Ranunculus, page 21.
Anemones, page 21.
Cyclamen, page 22.
Hyacinthus candicans, p. 23.
Gladioli, page 23.

Amaryllis, page 25.
Lilies, page 25.
Christmas Roses, page 26.
Lenten Roses, page 26.
Pæonias, page 26.
Cyprepediums, see opposite page Colchicums, page 28.
Crown Imperials, page 29.
Lachenalias, page 30.
Ornithogalums, page 31.
Tigridias, page 32.
Tropæolums, page 32.
Tuberoses, page 32.

A Sciection of Hardy, Cape-Pit, Greenhouse, and Stove, Beautiful and Rare Bulbous and Tuberous-Rooted Plants, for all Seasons.

Refer to DAFFODIL CATALOGUE

For Barr's Specialty Collections of DAFFODILS, Large and Small Flag Irises, Pæonias, Plantain Lilies, Christmas and Lenten Roses, Lilies, Michaelmas Daisies, Perennial Phloxes, Perennial Sunflowers, Day Lilies, and Special Collections, with Alphabetical List of the Best Hardy Perennials for Borders, Rockwork, and Cutting.

CONTENTS.

Part II.—Beautiful and Rare Bulbous and Tuberous-rooted Plants for all Seasons.

PAGE	PAGE	PAGE	PAGE	PAGE
Abobra 27	Buphanes 28	Cyrtanthuses 29	Hymenocallis 30	Peutlaudia 31
Achimeuos 27	Caladiams 28	Dahlias 29	Imantophyllums 30	Phædranassas 31
Agapanthus 27	Callas 28	Erythroniums 29	Ismones 30	Polygonatums 31
Albucas 27	Calliprora 28	Eucharis 29	Ixiolirion, 30	Richardias 31
Alliums 27	Calcehorti 28	Eucomises 29	Kollikeria 30	Rigidella 31
Alstrœmerias 27	Calydorea 28	Freesias 29	Lachonalias 30	Romuleas 31
Amorphophallus 27	Camassias 28	Fritillarias 29	Littonia 30	Salvias 32
Anomatheca 27	Chlidauthus 28	Galaxias 30	Lycorises 31	Sanguiuaria 32
Apios 27	Clivia 28	Gastronemas 30	Malvastrum 31	Sparaxis 32
Arums 27	Coburgias 28	Geissorhizas 30	Massouias 31	Star of Bethlehem 31
Begouias 27	Colchicums 28	Gelasiue 30	Meadow Saffron. 28	Stenomessou 32
Bellevalia 27	Commeliuas 28	Geranium 30	Melanthiums 31	Tecophylæa 32
Bossera 27	Conauthera 28	Gosneras 30	Methonicas 31	Tigridias 32
Bletia 27	Cooperias 28	Gloxinias 30	Millas 31	Tritouia 32
Bloomeria 27	Corydalises 29	Habranthuses 30	Modiola 31	Troppoluuis 32
Bohartia 28	Crinums 29	Hæmanthuses 30	Mouthretias 31	Tuberoses 32
Bouraroas 28	Crocosmia 29	Hodychiuus 30	Neurastylis 31	Tulbaghia 32
Boussingaultia 28	Crown Imperials 29	Hesperauthas 30	Norines 31	Urcooliua 32
Bravoa 28	Cummingia 29	Hessea 30	Ophrys 31	Uropetalums 32
Brodiæas 28	Cyanella 29	Hippeastrum 30	Ornithogalums., 31	Wachoudorfias 32
Brunsvigias 28	Cyclobothras 29	Homeria 30	Pancratiums 31	Watsonias 32
Bulbocodium 28	Cypolla 29	Hyaciuthusos 30	Pardanthus 31	Zephyranthes 32

Barr's "Pure" Grass Seeds for producing Beautiful Lawns, Sow September, Opposite page.

Beautiful Hardy Species of Terrestrial Orchids, See opposite page.

**Comparison of the Area of th

BARR & SON,

12 & 13, KING STREET, COVENT GARDEN, LONDON.

SPECIAL NOTICES.

1. Quality.—When the Dutch Bulbs are in flower, professionally we visit the principal "bulb farms" of Holland to inspect the crops, and our supply of Dutch-grown bulbs is drawn from the healthiest "stocks" of the most reliable growers; we can, therefore, recommend with confidence the bulbs, &c., offered, feeling sure that, if properly treated, they will give great satisfaction.

11. Experimental Grounds, Long Ditton Nursery, five minutes from Surbiton Station, S.W.R.—These are under the direction of Mr. J. W. Barr, who was specially trained in the Famed Dutch Bulb Gardens of the Messrs. de Graaff Brothers. Visitors will find something of interest in hardy bulbs, tubers or Perennial plants at all seasons, but in spring the brilliancy of the bulb fields surpass-description. From August to April one variety or another of our rare Species of Crocus, may be seen in flower, and our beautiful Meadow Saffrons in September and October.

111. In a separate Catalogue we have arranged some of our Specialties, such as Daffodlis, Iris, Doubles.

seen in flower, and our beautiful Meadow Saffrons in September and October.

III. In a separate Catalogue we have arranged some of our Specialties, such as Daffodils, Iris, Double Paonias, Single Paonias, Christmas Roses, Lenten Roses, Michaelmas Datsies, Phloxes, Day-Lilies, Plantain-Lilies, and many other beautiful hardy plants. We trust this separation of the collections we have devoted so many years to in forming, will be found convenient to our customers.

IV. Our Collection of Daffodils is the most complete ever brought together: embracing not less than 500 species and varieties. It includes the Weardale and Longford Bridge seedlings and hybrids, raised by Messrs. Backhouse and Leeds, which were arranged and named by Mr. Barr, and are now the favourite daffodils of the period. Since Messrs, Backhouse and Leeds have passed from our midst, Messrs. Nelson, Leichtlin, Rawson and de Graaff, have raised many fine Daffodils which are now coming into commerce. These Daffodils are all perfectly hardy, remaining uninjured in the open ground, during the most severe winters; out of doors, the different varieties maintain a succession of bloom from February to end of May, and are more decorative and useful for cutting than any other hardy spring flowers. Daffodils cultivated under glass, three to five bulbs in a 4 or 5-inch pot, are very decorative, and a constant succession of these flowers can be maintained from early in January. hardy spring flowers. Daffodis cultivated under glass, three to five builts in a 4 or 5-inch pot, are very decorative, and a constant succession of these flowers can be maintained from early in January, if cultivated in the same way as the Hyacinth. For full particulars and directions as to culture of these beautiful hardy spring flowers, see our Daffodil Catalogue.

V. Medals, Certificates, &c.—The Royal Horticultural Society for many years past have awarded to us, for our Exhibitions of New Daffodils, GOLD MEDALS, SILVER MEDALS, &c., with numcrous Votes of Thanks, and many First Class Certificates to individual new Daffodils. From the Royal Botanic Society, we have had many Medals and Certificates for Daffodils, and for many years our Daffodils.

Thanks, and many First Class Certificates to individual new Daffodils. From the Royal Botanic Society we have had many Medals and Certificates for Daffodils, and for many years our Daffodils have been the great feature of attraction at the Crystal Palace Spring Flower Show. Arrangements have again been made for a series of Exhibitions of Cut Daffodils in connection with the various Spring Flower Shows of the Royal Horticultural Society, the Royal Botanic Society, the Crystal Palace, etc., for 1890.

VI. Naming Daffodils.—It is not always possible for us to give the necessary attention to cut specimens of Daffodils that reach us for naming during our busy seed season. Our friends in future will do us a great kindness, to send their specimens to the Daffodil Committee of the Royal Horticultural Society. Dates when the Committee sit will be furnished by the Secretary of the R. H. S., 111, Victoria Street London, S. W.

Street, London, S.W.

VII. Cut Daffodil Flowers.—When in bloom out of doors, we are prepared to send cut specimens of new Daffodils, at the moment in flower, correctly named, including box and postage, as follows. Those who order these flowers with the object of adding to their collection, should send list of names not wanted.

12 0	it Daffodil	flowers	in 12 v	arieties	 2/6	30	cut DaffodiI	flowers	in 30	varietle	s	6/6
36			in 12		 6/	90	11		in 30	95		12/6
18	",		in 18		 3/6	50			in 50	1.1		12/6
E4	"	,,	in 18		8/6	150			in 50			25/-

VIII. Carriage by Rail may be deducted at settlement of account, on orders for Bulbs to any Railway Station in the United Kingdom, and to all ports on the Irish Coast.

IX. Orders, paid in advance.—If it is necessary to send such by Rail, carriage will be prepaid, if requested,

Orders, paid in advance.—If it is necessary to send such by Kall, carriage will be prepaid, if requested, or, if not requested, a liberal equivalent in goods will be added.
 Packages.—A small charge is made for these, and if returned within a fortnight, allowance will be made for the same. Returned empties should invariably have the sender's name on the address label for identification, and a notification be sent by post stating date of dispatch and name of Railway Company.
 Fruit and Forest Trees, Shrubs, Plants, Soils, Watson's Lawn Sand, Manures, Insecticides, Barr's Cut Flower and Fruit Conveyance Boxes, Barr's Improved Indoor Frames, Barr's Improved Hydropult

Garden Engines-on these we do not allow carriage.

X11. Five per cent. may be deducted from accounts if paid within one month from date of invoice.

X111. Post Office Orders and Postal Orders to be made payable at Post Office, Covent Garden, W.C., or any other Post Office, these and all cheques to be crossed, adding the words "and Co.," or by preference "London and County Bank." Small amounts in a Registered Letter may be remitted in Postage Stamps or coin.

PARCELS POST.

BULBS POST PAID TO ALL PARTS OF THE UNITED KINGDOM.

The Parcels Post offers great facilities in forwarding small packages to families residing a considerable distance from London, or outside the radius of the Railway delivery. We shall in all cases use the Parcels Post when cheapest, and the articles ordered weigh under eleven pounds, and admit of being packed for safe transmission by "Parcels Post." In the case of plants and heavy packages we shall send by Rail (see Par. VIII.)

All small Orders should be accompanied by a remittance.

NOTICES TO OUR FOREIGN & COLONIAL CORRESPONDENTS.

XIV. To insure attention, orders should be accompanied by a remittance, a draft, or an "order to pay," on a London agent; the remittance being sufficient to cover expense of cases, and also of carriage when

the freight is required to be paid in advance.

XV. SEEDS AND BULBS can now be despatched in cases to India at the rate of 1s. per Ib., through the Indian Parcels Post, or by "Eastern Express," through Messrs. Wheatley and Co., at the rate of 9d, per Ib. (up to 60 lbs.).

XVI. In shipping plants to india, great care is exercised by us in selecting, preparing, and properly packing the same. Still, there are so many contingencies, that we cannot, in any way, hold ourselves responsible for the condition in which plants or bulbs reach their destination.

XVII. Our experience in successfully preparing and shipping seeds and plants to India and the Colonies, extends

Barr and Son, over a long period.

A FEW SPECIALTIES.

1	Barr's Beautiful Rainbow Mixture of Hyacinths, Pirst Quality. A splendid mixture of Hyacinths. The colours are evenly blended, and include red, scarled, purple, layender, porcelatin, azure-	s.	d.
	blue, mauve, white, rose, blush, yellow, &c., very effective in flower beds and borders, fine large bulbs, per 100, 173. 6d.; per doz.	2	0
	NEW AND BEAUTIFUL HARDY DAFFODILS, for out-door or pot-culture.	3	Ŭ
2	Cyclaminance a great novelty, reintroduced into cultivation 1886, after a lapse of 200 to 300 years.		
	It is a heautiful dwarf Daffodil with gracefully reflexed periantly, trumpet very elegant, colour		
	full vellow per 100, 40s.; per doz. ss. od.; each	0	6
3	Johnstoni, Mrs. George Cammell, beautiful clear soit self-yellow, of elegant and fascinating form,	_	_
	The Great Spanish Bsauty, collected in Spring, 1888, by Mr. Barrper doz. 215; each Intermedius "Sunset," a beautiful small Tazetta, with canary-yellow perianth, and rich orange-	2	0
4	scarlet cup, remarkably beautiful and distinct, very hardyper doz. 10s. 6d.; each	ı	0
	For other Beautiful New Daffodils, see Daffodil Catalogue.		
	For Collections of Barr's Beautiful Hardy Daffodils, see page 9.		
	New and Beautiful Species of Crocus, figured in "Maw's Monograph of the Genus Crocus." See p. 13.		
-	Rare and Beautiful Single Tulips, all of great beauty, and little known as yet. See p. 11. New Large-flowered Paper White Polyanthus Narcissus, the trusses and blossoms are much		
5	than the old Paper White and flower earlier and freer per 100, 125, 0d. ; per doz.	2	0
6	Chloredova Lucilia (the Glory of the Snow). The most beautiful of hardy spring flowers, charming		
	as an edging or for masses in flower borders, colour intense nemophila-blue, with clear, show-		_
_	white centre. Home-grown bulbs, Selscted1st size, per 1000, 633.; per 100, 73. 6d.; per doz. Chionodoxa sardensis, rich full deep true blue, with small glistening white centre.	ı	3
7	Home-grown hills Selected 18t \$120, per 1000, 03s.; per 100, 7s. 0d.; per doz.	r	3
8	Chionodoxa Gigantea (new), a very beautiful variety, with large open flowers twice the size of		,
	C. Lucilia and with less white in the centre, Collected roots, Selected, per 100, 215.; per doz.	3	6
9	Elwes' Giant Snowdrop, the largest and most beautiful of single Snowdrops,		
	Collected bulbs, largest selected, per 1000, 45%; per 100, 5% 6d; per doz. Extra Strong Home-grown bulbsper 100, 10% 6d; per doz.	I	6
10	Puschisting Hannettee compacta a first-class spring-flowering bulb, flowers white, shaded blue, # ft.;		
10	charming in rockwork	0	4
	Museomi (Dyacinthus) very beautiful and rare species. See D. 10.		
11	Iris reticulata, Sweet-Scented, for Early-Porcing, 3 to 6 bulbs in a pot. The brilliant deep violet, golden blotched flowers of this beautiful lris may be had under glass in January, large bulbs, per doz.	7	6
	lade Decutiful New and Rate Killnoils and Tuberous-Loubeu Species. See U. 10.	1	J
12	There of me have conditioned the Great Snow-ruhite Summer-Howering Hydrinth). Flower stem 3 to 0		
	foot surmounted with 20 to 50 graceful pendant bell-shaped flowers, equally decorative for the		
	flower border and conservatory	3	0
13	flowers rich dazzling scarlet, with black central boss		
	English-grown roots, 1st size, per roo, 123, oa., per roz.	2	0
14	Anemone fulgens Aldborohensis, true, a very large handsome variety, with brilliant scarlet		6
25	flowers, very rare per doz. 15s.; each Anemone fulgens multipetala, an elegant flower, with a multitude of gracefully divided scarled.	1	0
15	netals: lasts long in water	2	0
16	petals; lasts long in waterper 100, 12s. 6d.; per doz. Anemone stellata, "Jewel" (new), a very lovely and striking variety, flowers ruby-violet, with glit-		6
	tering white centre	3	6
17	Anemone coronaria, "Victoria Giant" ("Empress"), a new race of single Poppy Anemones, with very large saucer-shaped flowers, in great variety of brilliant colours per 100, 6r. 6d.; per doz.	0	ro
18	Anemone coronaria "Blue Gem," large fine light-offic flowers, with elegantly cut foliage,		
	per 100, 7/6; per doz. New Double Anomone, "Rosette," white, flaked and shaded delicate rose-pink, very lovely colour	1	3
19	per 100, 10s, but, per doz,	1	6
20	New Double Anemone, "Chapeau de Cardinal," large intense rich scarlet flowers, p. 100,10/6; p. doz.	1	6
21	Mary Double Anomone "Rose de Nice" bright rose, very pretty and distinct, per 100, 10/0; per 402.	I	6
22	Gladiolus La Ville de Versailles, most beautiful variety, flowers white, with large rosy-crimson spots, per doz, 125, 6d.; each	ĭ	6
02	Autumn flowering Gladioli choicest unnamed American Seedlings producing fine bold spikes	•	•
23	of large handsome flowers of beautiful and striking colours and markings, in great variety		
	per 100, 213.; per doz.	3	0
24	Choicest unnamed French Seedlings, from the most advanced types, flowers large and of many beautiful coloursper 100, 215.; per doz.	3	0
	Now Hardy Hybrid Gladioli a beautiful new race of Gladioli. S. e page 24.	_	
	Gia Hall Dave and Requititif Cane Species Sec Dave 24.		
25	TITTING ATTO ACTION (The White Golden-raved Crimson-spotted Hill Liv of Japan). This is		
	indeed the Queen of Lilies. Strong English-grown Bulbs, each, 1s., 1s. 6d., 2s. 6d. and 3s. 6d.; per doz. 1os. 6d., 15s., 21s. & 3	20	0
0.0	Taken Tangtagrum Harrigit (The Bermuda or Easter Lily), a very beautiful and graceful Lily,	,-	
26	141 1- a bandsome enquality fragrant flowers. Strong billos for early-forcing, ber doz. 15/	1	6
27	Tuborose Double American "Excelsior Pearl." Howers large, snow white, produced in abundance;	^	6
00	dwarfper 100, 35s.; per doz. 5s. 6d.; each Freeslas, prized for the delightful fragrance of their flowers, which last very long when cut.		
28	the line for not culture and forcing Hyprids III Inixture	1	3
	Tachanaliae a heautiful and interesting class of billos for pot-culture. See page 30.		
	Tigridias, the most gorgeously coloured of all flowers. See page 32. Amaryllis, Greenhouse varieties, choicest unnamed seedlings, raised from the finest varieties in		
29	Europe, sure to give great satisfactionstrong flowering bulbs, per doz. 25s.; each	2	6
	Denn's greetelty collections of Figo Irisss Pagnias, Christmas and Lenten Kosss, Lilles,		
	The state of the s		
	and the Best Hardy Perennials for Borders, Rockwork, of Cutting, see DAFFORL		
	CATALOGUE, free on application.		
Λ	(ing Street, Covent Garden, 1889.]		

SPECIAL CHEAP OFFER

HARDY BULBS AND PLANTS,

FOR FORCING AND FOR PLANTING IN SHRUBBERIES, BORDERS, ON ROCKWORK, &c., AND NATURALIZING IN WILD GARDENS, WOODLAND WALKS, ON GRASS, &c.

per 1000, per 100, per doz.	per 1000, per too, per doz.
8, d. 8, d. 8. d.	8. d. 8. d. 8. d.
30 Alstræmerla, orange-colour 12 62 6 31 Anemones, double and single,	65 Ixia crateroldes, cerise-scarlet 5 6 1 0
	66 Lenten Roses, named, 12/, 18/, & 24/ doz.
in mixed colours30 o 3 60 8 32 Anemone single, "Blue Gem,"	67 Lilium, vars. of Davurleum,
4 41 1 7 11 4	mixed red shades
33 Anemone fulgens, rich bril-	ATT WHEN IN MAIN
liant scarlet, very hardy 8 6 I 6	
34 ,, Double of the Pyrenees 30 03/6&5/6	69 ,, auratum 6 70 Lily of the Valley, planting
35 Allium aureum, bright yellow 7 6 1 0	
36 ,, neapolltanum, pure white 5 6 1 0	71 Meadow - Saffron, autumn-
37 ,, trlquetrum, white & green 15 0 2 6	flowering, in mixture12 62 o
38 Camassia esculenta, purple12 62 0	72 ,, spring-flowering ,, 7 6 1 3
39 Chionodoxa luciliæ, the most	73 Milla hyacintha lactea.
beautiful blue spring flower,	beautiful white 35 05 6.
collected bulbs 38 o 4 6I o	74 ,, unifiora conspicua,
40 ,, sardensls, deep blue,	white and porcelain 3 6
strong collected bulbs 42 0 5 6 1 0	75 ,, lilacina, porcelain
41 Christmas Rose, white50 o 7 6	and violet 4 6
42 Crocosmla aurea, bright-orange 7 6 1 6	76 Myosotis dissitifiora, blue 21 03 6
43 Crocus, in mlxture	77 ,, alba, white 30 04 6
44 ,, golden yellow 9 6 1 3	78 Ornithogalum, Star of
45 ,, beautiful species in	Bethlehem, white 3 60 6
mixture, for rockwork 7/68-10/6 1 6	79 ,, nutans, white and green 10 6 1 6
46 Crown Imperlals, in mixture24 03 6	80 Romulea speciosa, carmine,
47 Daffodils, choice mixed, for	suitable for rockwork 7 6 1 6
naturalization30 o 4 6	81 St. Bernard's Lily, white 30 04 6
48 ,, fine mixed, to naturalize20 o 3 6	82 Schlasbirica, bright blue21 o 2 6 6
49 Dog's Tooth Violets, in mixture 5 61 o	83 ,, bifolia, deep bluc, dwarf 42 0 5 6 1 0
Forget-Me-Not, see Myosotis. 50 Fritillarlas, in mixture	84 ,, autumnalis japonica,
	rose, autumn-flowering 10 6 1 6
52 Funkia (the Plantain-Lily of	00 0 7
Japan), mixed varieties 21 03 6	86 Solomon's Seal
53 Gladlolus byzantinus and	88 , Elwes' Giant, the finest
"The Bride," mixed40 0 5 6 1 0	of all, strong bulbs38 o 4 6
54 ,, "The Bride," snow-white 65 0 7 6 1 0	89 Snowflakes, spring-flowering,
55 ,, "Brenchleyensls," scarlet 50 o 5 6 1 o	home-grown roots 8 61 6
56 Grape Hyacinths, blue 25 0 3 60 9	90 ,, summer-flowering 6 6 1 0
57 Hemerocallis mixed (Day-Lilles)21 03 6	91 Sternbergla lutea, yellow,
58 Hepaticas, blue or red plants21 03 6	autumn-slowering 10 6 1 6
59 Hyacinths, a beautiful mixture 12 62 0	92 Spiræa palmata, red 35 55 6
60 Hyacinthus candicans, snow-white 12 6 2 6	93 Wood Hyacinths, mixed21 o 3 6
61 ,, amethystinus, very	94 ,, blue21 0 3 60 8
beautiful sky-blue flower, hardy 10 6 1 6	95 ,, white 8 6 r 3
62 Bearded Flag Irls, in mixture 75 010 62 0	96 ,, red 8 6 r 3
63 English and Spanish Bulbons	97 Winter Aconites, yellow15 0 2 0
Irls, in mixture35 o 4 61 o	98 Zephyranthes candida, white,
64 Dwarf Flag Irls, in mixture15 02 6	autumn-flowering 10 6 1 6

FRUIT TREES.

Strong healthy selected plants, ready November to March. Early orders solicited.

	Fine Trained	Untrained	Fine Trained	Untrained	Fine Trained
	Trees.	Trees.	Trees,	Trees,	Trees,
	Standards.	Standards.	Dwarfs,	Dwarfs,	Pyramids,
APPLES APRICOTS CHERRIES NECTARINES PEACHES. PEARS PLUMS	s. d. s. d. 12 6 to 15 6 7 6 ,, 10 6 12 6 ,, 15 6 7 6 ,, 10 6 7 6 ,, 10 6	s. d. s. d. 26 to 36 36 26, 36 36 36 26, 36 26, 36	s. d. s. d. 4 6 to 5 6 5 6 ., 7 6 4 6 ., 5 6 5 6 ., 7 6 4 6 ., 5 6 4 6 ., 5 6	s. d. 2 6 2 6 2 6 2 6 2 6 2 6 2 6 2 6	s, d. s. d. 2 6 to 3 6 3 6 ,, 5 6 3 6 ,, 5 6

| S. d. s. d. | S. d.

For other Fruit trees, etc., prices can be had for any special kind, on application.

Strawberry Plants, a select list of these will be found on page 32.

[Earr and Son,

COLLECTIONS OF BULBS.

Orders accompanied by a remittance are sent carriage paid if requested, or if not, a liberal equivalent in goods will be added,

(A) COLLECTIONS FOR THE CONSERVATORY, SITTING-ROOM, Etc.,

Consisting of Winter and Spring Blooming Bulbs.
In the Collections 6, 7, 8, 9, and 10, the varieties are more choice than in 1, 2, 3, 4, and 5.

		FINE C	COLLEG	CTIONS,	E	EXTRA FINE COLLECTIONS.					
	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	
	£4 45.	£3 35.	£2 25.	LI 15.	ros.6d.	£5 55.	£4 45.	£3 35.	LI IOS.	155.6c.	
Hyacinths, in named varieties	50	40	30	15		50	40	30	15		
Polyanthus Narcissi ,, ,,	30	20	15	10		30	24	18	10		
Daffodils, named varieties	30	20	15	10	Col	30	20	15	10	0	
Tulips, named varieties	100	70	50	24		100	70	50	24	0	
Jonquils, sweet-scented	30	24	18	12	Jo.	30	24	18	12	0	
Ixias, mixed varieties	2.1	12	9	6	5+	2.1	18.	12	6	2.4	
Sparaxis ,, ,,	24	12	9	6	quantit	24	18	12	6	2 5	
Tritonias ,, ,,	24	12	9	6	22.2	24	18	12	6	lall a	
Babianas ,, ,,	24	12	9	6	up.	24	18	12	6	969	
Crocus, choice named varieties	200	150	100	50	the	200	150	100	50	000	
Elwes' Giant Snowdrop	200	150	100	50		200	150	100	50	=	
Scilla sibirica, the richest blue	50	40	25	12	alf	50	40	30	15	Fe.	
Freesia refracta alba, sweet-scented	12	9	9	6	Ħ	12	9	9	6	H	
Chionodoxa Luciliæ(Glory of the Snow)	50	40	30	20		50	40	30	20		
Iris Persica, violet-scented	12	9	6	3		12	9	6	3		

(B) COLLECTIONS FOR THE CONSERVATORY, SITTING-ROOM, Etc., Arranged for those who prefer simply a few sorts of easily cultivated Winter and Spring-flowering Bulbs.

If the Chiramins to, 11, 12, 12, 12, 12, 12, 12, 12, 12, 12												
		FINE (COLLEC	TIONS.		E:	XTRA F	INE COL	LECTIO	vs.		
	11. 12. 13. 14. 15. 16.					16.	17.	18.	19.	20.		
	£4 45.	£3 35.	£2 25.	£1 15.	10s.6d.	£5 55.	£4 45.	£3 35.	£1 10s.	155.6d.		
Hyacinths, in named varieties	75	60	40	20	10	75	60	40	20	10		
Polyanthus Narcissi ,, ,,	40	30	20	15	8	40	30	20	15	8		
Daffodils, named varieties	30	20	15	10	5	30	20	15	10	5		
Tulips ,, ,,	100	70	50	30	18	100	70	50	30	18		
Jonquils, sweet-scented	50	30	20	12	6	50	30	20	12	6		
Crocus, choice named varieties	200	150	100	50	25	200	150	100	50	25		
Elwes' Giant Snowdrop	150	100	75	50	25	150	100	75	50	25		
Scilla sibirica	50	30	20	12	6	50	30	20	12	6		
Chionodoxa Luciliæ(Glory of the Snow)	50	40	30	20	10	50	40	30	20	10		

(C) COLLECTIONS FOR THE FLOWER GARDEN,

Best adapted for out-door decoration, all Spring-flowering.

In the Collections 21, 22, 23, 24, and 25, the Hyacitalis, Polyauthus Narelssus, Tulips, Crocus, Anemones, Rammentus, and Crown Imperiatawill each his seat in mixed colours. In the collections 26, 27, 28, 29, and 30, these blus will be more select, and sent in separate colours.

Will eded the sear in invent colonia. The color			COLLEC		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	EXTRA FINE COLLECTIONS.						
	21.	21. 22. 23.			24. 25.		27.	28.	29.	ε0.		
	£4 4s.	£3 35.	£2 25.	LI IS.	10s.6d.	£5 55.	£4 45.	£2 15s.	£1 105.	15s.6d.		
Hyacinths, in beautiful colours	100	75	50	25	12	100	75	50	25	12		
Polyanthus Narcissi ,, ,,	30	20	12	6	3	30	20	12	6	3		
Daffodils, various	100	75	50	30	12	100	75	50	30	12		
Tulips, various colours	300	200	150	100	50	300	200	150	100	50		
Crocus ,, ,,	500	400	200	100	50	500	400	200	100	50		
Anemones ,, ,,	200	100	75	50	25	200	100	75	50	25		
Ranunculus,, ,,	200	150	100	50	25	200	150	100	50	25		
Snowdrops, single and double	300	200	150	100	50	300	200	150	ICO	50		
Elwes' Large Single Snowdrop	50	20	15	10	5	50	20	15	10	5		
Spring Snowflake(Leucojum vernum)	18	12	9	6	3	18	12	9	6	3		
Fritillaria, mixed	18	12	9	6	3	18	12	9	6	3		
Crown Imperials, various colours	9	9	6			9	9	6	3			
Scilla sibirica, the richest blue	30	20	15	6	3	30	25	20	12	6		
Chionodoxa Luciliæ(Glory of the Snow)	30	20	15	12	6	30	20	15	12	6		
,, Sardensis, dark blue and white	30	20	15	12	6	30	25	15	12	tı		

(D) COLLECTIONS FOR NATURALIZATION IN WOODLAND WALKS AND

WILD GARDENS. Ready to send out in October.
In the Collections 31, 32, 33, 34, and 35, the Daffadils, Crocus, Soillas, Lilles, and 1rls will each be sent in mixed colours;
those in 36, 37, 38, 39, and 40, will be sent in squarate colours.

	1	FINE	COLLEC	CTIONS.		EXTRA FINE COLLECTIONS.						
	31.	32.	33.	34.	35.	36.	37.	38.	39.	4.0.		
	£4 45.	£3 35.	£2 25.	LI Is.	105.6d.	£5 55.	£4 45.	£3 35.	£1 10s.	155.0d.		
Daffodils, mixed varieties	300	200	150	70	30	300	200	150	70	30		
Winter Aconites, yellow	300	200	150	80	40	300	200	150	80	40		
Star of Bethlehem, white	100	75	50	30	20	100	75	50	30	20		
Crocus, mixed varieties	400	300	200	100	50	400	300	200	100	50		
Scillas ,	300	200	150	100	50	300	200	150	100	50		
Snowdrops, Single and Double	200	150	100	80	40	200	150	100	.80	40 0		
Day Lilies and Plantain-Lilies	30	20	15	10	6	30	20	15	, 10	6		
Lilies, mixed varieties	30	20	15	10	6	30	20	15	10	6		
Iris barbata, mixed shades	25	15	10	8	6	25	15	10	8	6		
Crown Imperials, in mixture	20	16	12	6	3	20	16	12	6	3		
Colchicum (Meadow Saffron), mixed	18	12	9	6	3	18	12	9	6	3_		

King Street, Covent Garden, 1889.]

The Order Sheet which accompanies this Catalogue will facilitate the making out of a general order, as the marginal numbers on the Order Sheet correspond to the marginal numbers of the Catalogue, therefore it is simply necessary to fill in the quantities. 217

N.B.—The Order Sheet has the Marginal Numbers as in Catalogue, and these are annually changed.

BARR'S SELECTED BEDDING HYACINTHS.

SPECIALLY SELECTED FOR OUT-DOOR CULTURE IN BEDS. RIBBONS, OR GROUPS

The best of the control of the best of the	
When in Holland last spring, we selected these varieties of Hyacinths, as being most suitable for bedding	
having distinct and bright colours, a fine papit, and large flower spikes. They will also be found in the large	
filling rustic baskets, flower boxes, vases, etc. £ s. d.	ľ
150 150 in 8 heavitful distinct colours	L.
100 100 m o beautiful distinct colours I IO O 152 50 in 8 healtiful distinct colours	
101 10 III 0 15 0 103 25 IN 8 ,, ,, ,, ,, 0 5 (6
The bulbs are large, and of best quality.	
and of best quality.	
per too and a	

		or best quality.				
	per dos.	· · ·	per r	100.	per de	oz.
154 Delicate Pale Rose	8. d.	Full Downslader Division	s.	d.	s.	d.
155 Rich Deep Rose	0 6 350	Pich Porcelain-Blue, beautiful	20	0	. 3	0
157 Fine Light Azure-Blue 17 6.	2 6 161	White sheded Deer	23	o	• 3	6
			21	o	• 3	0
RARR'S REDDING H	IVACINTUC	IN CDECLLE MINMUDE				

BARR'S BEDDING HYACINTHS, IN SPECIAL MIXTURE.

FOR OUT-DOOR CULTURE IN BEDS, BORDERS, EIC. 162 "BARR'S BEAUTIFUL RAINBOW MIXTURE OF HYACINTHS." This beautiful mixture of Hyacinths was specially arranged for by our Mr. Barr on the occasion of his visit to one of the large Dutch Bulb Farms. The colours are evenly blended, including red, scarlet, purple, lavender, porcelain, azure-blue, mauve, white, rose, blush, yellow, &c., producing a fine effect in flower beds and

POMPON, OR MINIATURE HYACINTHS.

These Miniature Hyacinths can be grown in small glasses, fancy pots, old china bowls, crystal dishes, jardinets, etc., alone or associated with Scilla sibirica, Chionodoxas, Crocus, Snowdrops, Dwarf Tulips, and Daffodils, Iris reticulata, etc., planted in "Barr & Son's Prepared Mixture of Charcoal and Cocoa Fibre" (21. per peck, 62. per bushel), the surface being covered with fresh green carpet-moss.

in children's gardens and small flower beds, these Miniature Hyacinths, intermingled with other dwarf

spring-flowering bulbs, make a fine display throughout the Spring months.

164 18 in 6 vars. pretty Pompon 165 12 in 6 vars.	Hyacinths	8. d. 5 6 3 6	166 167	Fine mixed Choice ,,	varieties,	3s. I	per 100		
168 Achilles, soft rose-scarlet	NA:	MED V		TIES.				J-	

oft rose-scarleteach o 171 Queen of Lilacs, beautiful soft lilac-blue cach o 169 Juno, brittiant scarlet 172 Medusa, pure white 0 4 170 Orpheus, glowing purple 173 Apollo, pure yellow.... 0 4

BULBS FOR EARLY-FORCING.

174 Dwarf White Sweet Scented Early Roman Hyacinth now universally prized in bouquets, and may be had in flower during October, November, and December. Pot the bulbs 3 to 6 in a pot at intervals during August, September, and October, then place out of doors on a bed of ashes and cover with 6 inches of cocoa fibre, there to remain till the bulbs are well rooted and have started at the top; the pots inches of cocoa fibre, there to remain till the bulbs are well rooted and have started at the top; the pots should then be placed in a moderately warm and moist temperature, and forced gently, water being given freely. Extra fine bulbs, 21s. p. 100, 3s. p. doz.; good selected bulbs, 15s. p. 100, 2s. 6d. p. doz.

175 Rosy White Early Roman Hyacinth, flowers from a fortnight to three weeks later than the White Roman Hyacinth, and should be cultivated in the same way. 12s. 6d. per 100, 2s. per doz.

176 Blue Roman Early Hyacinth, flowers from a fortnight to three weeks later than the White Roman Hyacinth, and should be cultivated in the same way. 12s. 6d. per 100; 2s. per dozen.

177 Paper White Early Narcissus, Sweet-Scented. A beautiful snow-white Narcissus, in flower with the Roman Hyacinth, and should be cultivated in the same way. 8s. 6d. per 100; 15 6d. per 100;

177 Paper White Early Narcissus, Sweet-Scented. A beautiful snow-white Narcissus, in flower with the Roman Hyacinth, and should be cultivated in the same way. 8s. 6d. per 100; 1s. 6d. per doz.
178 , New Large-Flowered, very early and free-flowering, per 100, 12s. 6d.; per doz., 2s.
179 Double Roman Early Narcissus may be had in flower with the Paper White Narcissus. The individual blossoms are large, very double, and when used in small bouquets and for buttonholes, are separately mounted. Cultivation same as for the Roman Hyacinth. 8s. 6d. per 100; 1s. 6d. per doz.
180 Chionodoxa Luciliæ, the most beautiful of all blue Spring-flowers, intense Nemophila-blue, with large clear white centre. Culture same as for Roman Hyacinth. Home-grown bulbs, extra strong, per 100, 10/6;

				Tomes and the state of the stat	700 4-1/-
	per			ne sojo teman lijutinin. Home-grown bulbs, extra strong, per	100, 10/0;
181	Single	Duc Van Ti	hal Tuling	, scarlet, edged yellow, 5s. 6d. per 100; 10d. per doz.	
- 00			-or - diripo	, scarict, eagon yellow, 53. oa. per 100; 10a. per doz.	
104	* *	**	F1	scarlet, 6s. per 100; 1s. per doz.	
183	**	,,		rose, 10s. 6d. per 100; 1s. 6d. per doz.	
184				relless 61	0 11
		11	11	yellow, 12s. 6d. per 100; 1s. 9d. per doz.	Culture
185		**		white, 17s. 6d. per 100; 2s. 6d. per doz.	
	• • • • • • • • • • • • • • • • • • • •	• • • • • • • • • • • • • • • • • • • •	**	"2100, 1/3. Oil. per 100, 23. Oil. per doz.	same as
186		11		violet, dark cerise, margined white, 12s. 6d. per 100; 2s. per doz.	firthe
187	Cympat	Goontad Gin	mla tamer	ils, extra strong bulbs, per 100, 7s. 6d.; per doz., 1s. 3d.	
TOI	DAGOO.	premed 210	Rie aonda		White
188	Sweet-	-Scented Do	nh!a Jona	uils, ,, ,, ,, ,, ,, ,, ,, ,, ,, ,, ,, ,, ,	D
	0 -111-	-43-41	abic bonq	125. 04.	Roman
193	вища	sidilica. Int	ense rich h	vacinth-blue tieru lavae bulbe se 6d t	Hya-
700	Firmon'	Giant Cina	la Cmamda	op, home-grown bulbs, extra strong, 12s. 6d. per 100; 2s. per doz.	
					cinlh.
191	Iris ret	ticulata (nic	let scented	h, intense violet-blue, blotched golden-yellow, large bulbs, 7/6 p. doz.	
	Total Da		TOTAL SOLVETER	intense violet-bide, biotelied golden-yellow, large bulbs, 7/6 p. doz	
192	IIIS Pe	ISICA (violet	·scented). v	white, inlaid with blue, purple, and gold, 3s. 6d.	
	ACTOR D			of Champel 1 10	

Barr's Prepared Mixture of Charcoal and Cocoa Fibre is recommended when Bulbs are grown in silting rooms, 2s. per teck; 6s. per bushel. See directions for use, page 33. [Barr and Son,

BARR'S NAMED HYACINTHS.

FOR CULTURE IN GLASSES, JARDINETS, POTS, AND FOR EXHIBITION.

#3º The * indicates the single-flowering and semi-double varieties; these we specially recommend for early forcing in pots, and for growing in glasses, jardinets, &c.

The + denotes varieties with double flowers. These are unsuitable for growing in glasses and jardinets, or for forcing. The double varieties enumerated are a selection of the finest in cultivation, and we should recom-

mend them to be grown in pots.

CULTURE.—Immediately the Hyacinth is potted, which may be done from September to December, place the pots out of doors on a bed of ashes, and cover with six inches of the same material, but a covering of cocoa fibre is preferable if it can be had; then the bulbs should remain exposed to all weathers until the pots are full of roots, and the tops are sprouted about an inch, which will be in about eight or ten weeks after potting. A portion may then be removed indoors, and if forced, should be done gently in a moist atmosphere, and plentifully watered at the roots. To maintain a succession, remove indoors a portion once a fortnight. If finely developed trusses and rich colours are preferred to very early flowers, the Hyacinth should not be forced, but when brought indoors be placed on the shelf of a greenhouse, in a sitting-room window, or in a cold frame, close to the glass, always in the most genial and sunniest situation at command, and the plants allowed to develope their flowers gradually and naturally, water being given regularly and freely, as it is well known to professional cultivators that failures, for the most part with Hyacinths, arise from allowing the soil to become dry. Abundance of air is necessary, and a moderately moist atmosphere; a dry atmosphere and a draughty situation cause the flower buds to shrivel.

If the Hyacinth is grown in glasses, the base of the bulb should just touch the water, and a little charcoal be placed in the glass to keep the water sweet. It is, however, preferable to fill the glasses with the prepared Mixture of Charcoal and Cocoa Fibre (see page 33 for directions). Place the glasses in a room without a fire, or, better still, in the shady part of a greenhouse, and when the plants have filled the glasses with roots, and have made a little top growth, then place them in the sunniest situation at command, till the flower spikes are well developed; the glasses may then be removed to where the flowers are to be enjoyed. Avoid a dry atmosphere or draughty situation, as these conditions often cause the flower buds to shrivel.

When cultivated in jardinets, the Hyacinth may be associated with other early-flowering bulbs, such as Scilla sibirica, Tulips, Snowdrops, Crocus, Narcissus, Iris reticulata, &c. Barr & Son's prepared Mixture of "Charcal and Cocoa Fibre" should invariably be used (see page 33 for directions); the preparation must always be kept moist, and when the jardinet is removed to the sitting-room the surface should be covered with fresh green carpet moss.

BARR'S CHOICE NAMED HYACINTHS.

The varieties of Hyacinths described, and included in the selections offered, are those which Mr. Barr has personally selected during his many visits of inspection to the bulb farms of Holland, and which from experience, have proved the most worthy of cultivation.

When an order is given for any of the under-mentioned "Selections," and it is stated they are for glasses, jardinets, or exhibition, single kinds only will be sent. If this is not specified, the selection will include a proportion of double varieties,

OIT	NS OF NAMED HYACINTHS.
0 0 0	199 25 extra fine varieties of Hyacinths 1 1 0 200 12 3 3
S OF	F RED, SUCH AS ROSE, ROSE-PINK, BLUSH, Etc.
8 36 8 9	214 *Kenan Hasselaar, pale rose, fine spike
0	223 +The Competitor, blush-rose, large bells, and large handsome truss
. svc	CH AS CARMINE, CRIMSON, SCARLET, LAKE, Etc.
4 8 10 6 6 6	232 *Josephine, deep crimson-scarlet, good compact truss, early 09 233 *King of the Belgians, brilliant deep red, fine bold spike 13 234 *King of Reds (new), deep scarlet, white centre, compact truss, splendid 36 235 *Koh-i-noor, bright salmon-pink, large truss, model form, semi-double 26 236 *Lord Macaulay, carmine, changing to vivid crimson-scarlet, large truss 08 237 *Mr. Robert Stelger, rich rose-carmine, large compact truss 04
	d. 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0

	WHITE SHADED R	OSE,	BI	LUSH,	WAXY	WHITE,	Etc.			
307	+Anna Maria, blush, neat bells, violet centre	0	6	313	+La Virg	inité. 80	sh-white	very large bells	0	
308	*Anna Paulowna, while, shaded rose, large			314	*Mammo	th, while	e, tinged	rose, very large	•	
	compact truss	0	6		bells, le	arge truss			0	
309	*Dolly Varden, waxy white, fine truss	0	8	315	"Princes:	s Amalia	blush, lar	ee bells and spike	I	
310	*Giganteus, blush, large compact truss	0	5	316	*Princes	Marie,	white, ro	se-shaded, large		
311	*Grandeur à Merveille, white, shaded rose,				compac	t truss			ī	
	immense compact trnss	0	6	317	*Tubæflo	rus, blus	sh-rose, la	rge bells, large	_	
312	*La Franchise, waxy white, very fine bells,				handson	me trnss	***************************************		0	
	good truss	0	8	318	*Voltaire	, white,	shaded ros	e, large bells	0	
	8004 171133	O	0	310	Voltaire	o, wirtte,	snaaea ros	e, large bells	0	

YELLOW, CITRON, PRIMROSE, SALMON, Etc.

319	BILD OF Paradise, bright yellow, fine trass	2	0	327 †Minerva, orange-red, fine truss	o 327 †Minerva. c	r c
320	*Citronnière, citron-vellow, fine truss	0	8	328 *Primrose Perfection (new), de	8 328 *Primrose 7	dech
321	*Duc de Malakoff, salmon, striped rose-lake,			large bells, fine truss		
	large fine truss	0	Q	329 *Queen of Yellows (new), clea	o 329 *Oueen of	lear
322	*Heroine, primrose, large trnss	0		fine compact truss		
323	*Herman, apricot-salmon, fine trnss	0	6	330 *Rowland Hill, fine yellow, fine		ctru
324	*Ida, rich primrose, large truss	I	0	331 *Sonora, rosy salmon, good compa		hart :
	*King of Holland, apricot colour, distinct.		8	332 *Van Vondel (new) heavillet so		

326 *Obelisque, pure yellow, large truss.... 1 3

chrome-[Barr and Son,

vellow, large handsome truss

yellow, yellow,

uss truss ... 5

6

BARR'S HARDY DAFFODILS (Narcissi).

Bulbs Supplied September to end of December.

In a separate catalogue the descriptive list of Daffodils will be found, re-arranged into two groups. The First Group embraces only the high class and distinct varieties. The Second Group includes all the cheap kinds, of which we have large stocks, and these are offered at greatly reduced prices, to encourage extensive naturalization, also as they are all beautiful sorts, we recommend them for filling flower beds, and "boxingto force for cut flowers.

In the Daffodil Catalogue, we have arranged our grand collections of Irises, Lilies, Pæonias, Hellebores, Michaelmas Daisies, Perennial Sunflowers, Phloxes, Plantain-Lilies, Day-Lilies, and Hepaticas, with a comprehensive list of beautiful hardy perennials, decorative in flower borders, shrubberies, large beds, and to cut

for table bouquets.

*** Naming cut specimens of Dassodils, see Paragraph VI., Special Notices, page 2.

Terms on which Cut Specimen slowers of Dassodils are supplied, see Paragraph VII., Special Notices, page 2.

The Dassodil is the most beautiful of all hardy Spring slowers, and the most popular; it has for centuries

adorned our gardens, and withstood uninjured our severest winters.

adorned our gardens, and withstood uninjured our severest winters.

For filling beds and planting in groups in mixed borders and shrubberies, no flowers of spring can eompare with the Daffodil, and when naturalized in woodland walks, or forming large groups in grass, or planted on sloping banks, the effect is splendid. All the strong growing Daffodils are adapted for naturalization, including such fine sorts as Emperor, Empress, Horsfieldii, Moschatus varieties, etc.; their noble or chastely coloured flowers, in such situations, are seen to great advantage. The slender, and dwarf-growing sorts, such as Minor, Nanus, Minimus, Juncifolius, Triandrus albus, Corbularias, Cyclamineus, etc., could be naturalized on rockwork, and in almost all mountainous districts, on slopes facing the south. For edgings these dwarf Daffodils are gems. For culture under glass, in pots, the Daffodil ranks with the Hyacinth, and when 3 to 6 bulbs are grown in a pot, the effect is very fine. As a cut flower the Daffodil is unsurpassed, and greatly in demand.

186 Daffodil Seed in mixture, for Autumn sowing, saved from our magnificent collection, p. packet, 15. & 25. 6d.

SELECTIONS.

For names and descriptions, see Daffodil Catalogue.

BARR'S HIGH-CLASS AND DISTINCT HARDY DAFFODILS, FROM No. 1 LIST.

EMBRACING GROUPS I., II., and III.

The varieties embraced in these assortments consist largely of the fine hybrids and varieties raised by Mr. William Backhouse and Mr. Edward Leeds; they are all distinct one from the other, so that buyers cannot fail to be fully satisfied with them. They may be used for pot-culture or forced for cut flowers. Being hardy they are suitable to plant in flower beds and borders, in the grass, or to naturalize in orchards.

333	- 3	3 each of	100	varieties	150/, 200)/, 250/,	& 300/.	338	- 1	each of	25	varieties	7/6,	10/6,	16/, & 20	1-
334	. 1				55/, 7	0/, 90/,	& 105/.	339	10	.,,	12	3)	30/,	42/,	60/, & 84	1/-
335	3		50		63/, 84								15/,	21/,	30/, & 42	1/-
336	1									.,		11	10/6,	15/,	21/, & 30	1/.
			25										3/6,	5/6.	7/6, & 12	1/.
336 337	1	. ,,	25	**	21/, 30	/, 42/,	& 63/.	341	3	"	11	11		15/,	21/, &	30

SPECIAL SELECTIONS FROM THE SEPARATE GROUPS.

12 e	acı	16	specie	s Hoop Petticoat Da	noans,	18/		1	eacn	T3.	variet	les barr a mybrid Danouris, 12/6
6	,,	6	- 11	9 77 9 9 9	11	9/6		1	,,	18	,,	Leeds' ,, ,, 42/
3		6	,,	,,	,,	5/		1	.,	11	,,	Hume's, Backhouse's, and
1	11	39	variet	ics Yellow Trumpet	11	55/						Neison's hybrid Daffodils,30/
1	,,	14	,,	Two-coloured ,,	,,	18/		1	**	8	22	Macleay's, Sabin's, Ber- nard's and Tridymus
1		26		White & Suiphur,		65/						hybrid Daffodils, 25/
1			,,	Double Daffodils		7/6		1		18		Burbidge's , , , 18/6
1	,,	30	,,,	Incomparabilis hyb	rid ,,	40/	,	1	11	23	_ 11	Many-flowered ,, 9/
Con	nin'	7 00	iontin	ng marr he had for g	necific	numa	non				/10	103 /21 /30 /40 & /50

In Orders for Daffodils to the value of 21s, and upwards, there will be enclosed in the package two large illustrations of Goups of Daffodils, sketched and arranged by Miss Agnes Barr for The Gardeners Chronicle of 1888 and 1889.

BARR'S HARDY BEAUTIFUL DAFFODILS AT REDUCED PRICES.

FROM No. 2 LIST.
EMBRACING GROUPS I., II., and III.

To plant in Grass, Orchards, Woodland Walks, Shrubberies, and by Streams and Lakes,

343 1000 in 10 var. 75/, in 20 var. 105/, in 30 var. 130/. 346 50 in 10 var. 4/6, in 17 var. 5/6, in 25 var. 344 500 in 10 var. 37/6, in 20 var. 55/, in 30 var. 70/. 347 30 in 10 var. 3/6, in 15 var. 5/6, in 30 var.	8/6.
344 500 in 10 var 37/6 in 20 var 55/, in 30 var 70/. 347 30 in 10 var 3/6, in 15 var 5/6, in 30 var	8/6.
	4/6.
345 100 in 10 var. 8/6, in 20 var. 11/6, in 30 var. 15/. 348 12 in 12 varieties	
349 Choice mixed for naturalization	
350 Fine ,, ,, ,, ,, 9d	,
351 Great Nonsuch (Incomparabilis), single vellow varieties, in mixture, for lattifalization in grass	,
etc. these Daffodils cannot be surpassed for their grand effect, neither can their value be over	-
estimated as cut flowersper 1000, 63/; per 100, 7/6; per doz. 1/3	
352 Pyrenean mixed, Trumpet Daffodile, for naturalization ,, 63/; ,, 7/6; ,, 1/3	
3521 Burbidgel and early-flowering Poeticus in mixture ,, 63/; ,, 7/6; ,, 1/3	

POLYANTHUS OR BUNCH-FLOWERED NARCISSI.

			1.0	or namea	varieties, se	e var	e 10), I 10 t	HOC PROTE	2 101 TO 0-CU1	.uui o,			
			\-	••	,	- 7-0		/					S.	a
						8. 0	a.						1.7 0	Cras
							. 1	DEC	0	tibecoins or	mamiatian	2/2-	11	Λ
353	6 Aacl	ı 20 smi	endid	varieties		42	U	300	3 eacn	12 spienuiu	Autrentes	8/ &	7.7	0
000	0 0002		0,14,012.00					0.55		-		5/C 8-	7	6
354	3					21	0	357	2		1.1	5/6 &		0
001	٠,,	11	11	,,,				050	_ ′′			2/6 80	8	6
355	6	12			15/ 82	21	U	308	1	11	9.7	3/6 &	0	U
000	٠,,	20	"	"	==/				- "					
			CAL	addama for	" Dode Dow	nwof	D11	atte D	aglzata	Flower Box	es &c.			
			Serie	ecmons to	r Deus, Dur	Terp'	Tr U	TO TO TO	AOLCUD,	110 11 01 202	00,000			
			- A2C-4	maniation		0.1	0	200	2 anah	5 hogutifui	varieties		3	6
309	zu eaci	i b beai	ıtııuı	varieties		21	U	304	3 each	o beautiful	100100		_	
000	= 0					10	C	202	Chaine	mivad T	ner 100 12	/6 ·mer doz	2	0
360	10	**				TO	U	000	OHOICE	титуси	, , , , , ,	6 per doz.		
	,,	,,	• •					204	Time w	hovin	10	/6; ,,	- 1	6
361	b					D	0	304	L ITTA II	ILACU	,, 10	10, 11	-	•
	. "			. "	2			•						

King Street, Covent Garden, 1889.]

POLYANTHUS, OR BUNCH-FLOWERED NARCISSI.

FOR POT-CULTURE, FLOWER BEDS, BORDERS, RUSTIC BASKETS, FLOWER BOXES, ETC.

The Polyanthus Narcissus has rich golden-yellow or snow-white sweet-scented flowers, and is specially

The Polyanthus Narcissus has rich golden-yellow or show-unite sweet-scenced howers, and its specially adapted for winter and spring decoration in pots and jardinets. The effect is greatly enhanced when three bulbs are grown together in a 6 or 7-inch pot. The culture is the same as that of the Hyacinth.

Where flowers are in demand in November, December, and early in January, the Paper White and Double Roman Narcissi are invaluable. Pot them early in autumn, and when well rooted commence forcing as required. Thus treated, these and the Roman Hyacinths (see page 6), can be had in bloom from October.

The Polyanthus Narcissus is a very effective plant in flower beds and mixed borders.

Wh	ite, with Citron, Yellow, or Or	ran	ige Cu	p.	Yellow, with Yellow or Orange Cup.
	, , , , , , , , , , , , , , , , , , , ,		doz. ea		per doz. each.
		8.	d. 8.	d.	8. d. 8. d.
874	Bszelman major, broad, large white		_		386 Apollo, perianth primiose, cup deep
		15	61	6	yellow 4 60 6
375	Gloriosus, perianth white, cup				337 Bathurst, perianth primrose, cup
	orange	2	00	3	orange 3 60 5
376	Grand Monarque (floribundus),				388 Charles Dickens, perianth sulphur,
	broad white perianth, cup yellow	3	60	5	cup orange, distinct 3 60 5
377	Her Majesty, broad white perianth,				389 Grand Soleil d'Or, perianth rich
	cup orange	7	60	9	yellow, cup deep orange, early 2 60 4
378	Louis le Grand, perianth u hite, cup		_	_	390 Jaune Supreme, perianth primrose,
	sulphur	4	60	6	cup orange 3 60 5
379	Orientalis (Muzart), perianth				391 Sir Isaac Newton, perianth yellow,
200	white, cup stained orange	3	60	5	cup orange 3 60 5
380	Paper White (papyraceus), pure				Intermedius, beautiful small Tazettas.
	white, valuable for very early-				392 Bifrons, ferianth, full yellow, cup
001	forcing per 100, 8/6	I	60	3	orange, very showy per 100, 15s. 2 60 3
381	Paper White New Large-flowered,				393 "Sunset," perianth canary-yellow,
	a great acquisition, having larger				cup rich orange scarlet, remarkably
	flowers and blooming earlier than				beautiful and distinct, very hardy 10 6 1 0
	the preceding variety; very free				Double-flowering Polyanthus Narcissus.
000	p. 100, 12s. 6d.	2	00	4	
382	Sir WsIter Scott, perianth white,	_		_	394 Double Roman Narcissus, double
202	cup orange	5	60	0	white with orange nectary, in-
383	Staten General, perianth white,	_			valuable for early-forcing, the
204	Cup yellow	2	60	4	individual flowers being used in
204	The Scilly White, perianth white,				buttonhole bouquets, etc.
205	cup sulphur-whiteper 100, 15s.	2	60	4	per 100, 8s. 6d. 1 60 3
300	White Perfection (new), pure white,	0	6 -		395 Nobilissimus, double white with
	perianth and cup, beautiful		60	-	yellow centre 4 60 6
	For collections a	nd 1	mixtur	es of	Polyanthus Narcissi, see page 9.

SWEET-SCENTED JONQUILS.

The Double and Single Jonquils are prized for their graceful sweet-scented flowers. For indoor decoration, three to six should be grown in a 4 or 5-inch pot, and cultivated the same as the Hyacinth.

396	Jonquil, single, rich full yellow, largest bulbsper 100, 7s. 6d.		. :	399	Jonquil, double flowers of a rich full yellow, small and very elegant	per	d.
397 398	, smaller bulbsper 100, 5s. 6d. Jonquilla minor, single yellow	0 10	5	4 00	per 100, r	ro/6 12/6	

401 The Green-flowered Jonquil (Jonquilla viridiflora), a very rare small species, flowering under glass in autumneach

THE TULIP.

The Tulip is extremely hardy, and of easy culture, flowering as freely in the shade as in the sunshine, and producing as fine flowers in a confined town garden, as in more favoured places. Double and single Tulips, when mixed together and planted in front of shrubs, maintain a longer display, than if either are separately planted. In gardens where the flower beds must be kept gay from the carliest dawn of Spring, plant between the lines of Tulips, Scilla sibirica, Chionodoxa luciliæ, Snowdrops, or Crocus, and as these flower first, they can be removed or cut down when the Tulip is coming into bloom.

EARLY SINGLE TULIPS.

The Single Tulip has a greater variety of rich, delicate, and attractive colours than any other section of spring-flowering bulbs. Those only who have massed the different varieties, planting the bulbs 5 inches apart, can form an idea of their beauty and great diversity in shade and colour, and the grand effect they produce grouped in flower beds or borders. The Single Tulip is extensively grown tor indoor decoration, three or five bulbs in a pot, and cultivated in the same way as the Hyacinth. (See page 7 for cultural directions.)

SINGLE TULIPS, SELECT VARIETIES, FOR OUT-DOOR CULTURE, OR FOR POTS INDOORS.

BARR AND SON'S SELECTIONS OF SPLENDID VARIETIES FOR BEDS, GROUPS, RIBBONS, RUSTIC BASKETS, FLOWER BOXES, POTS, ETC.

						,	8,	d.							s.	d.
402	5	each	30	splendid	named	varieties	25	5 0	406	10 each of	£ 20	beautiful	varieties		25	0
403	3	each	30	,,	,,	12	16	0	407	5 each of	20	**				
404	3	each	20	.,		- ,,	10	6	408	3 each of	20		11	************	8	6
405	3	each	10		- 11					1 each of					3	0
		41	L C	hoice mix	ted Sing					10d. per de			••		5	
					,			•		F			f.	Barr and	Son	,

EARLY SINGLE TULIPS—continued.

412 Early Duc Van Thol, scarlet, with yellow edge. The growers for Covent Garden plant this Tulip thickly in shallow boxes and force it gently in a moderately moist atmosphere giving plenty of water. As the blossoms colour, the plants are arranged in pots or jardinets as required. 55. 6d. per 100, 10d. per dozen.

AT For other varieties of Early Duc Van Thol Tulips, see Nos. 428 to 433	NI	For other varieties of	f Early Duc	Van Thol Tulis	s. see Nos. 428 to 420
--	----	------------------------	-------------	----------------	------------------------

per too, per doz.

per 100, per doz.	per 100. per doz.
413 Adeline, deep rose-carmine, large s. d. s. d.	s, d, s, d.
handsome nower 17 62 6	436 Jules Janin, rich dark scarlet,
414 Artus, dark scarlet, showy 6 6 I o	very large flowers 15 02 6
415 Bacchus, rich dark crimson 6 6 I o	437 Keizerskroon, crimson-scarlet, deeply
416 Bride of Haarlem, scarlet, feathered	edged bright yellow, very large
white, handsome 18 02 6	handsome flowers 12 62 0
417 Brutus Red, orange-scarlet, edged	438 La Belle Alliance, brilliant
yellow, forces well	erimson-scarlet 10 61 6
418 California, fine full yellow, large	439 La Laitière, pure white, flushed
and handsome	
and handsome 15 02 6	azure-blue, distinct and beautiful 21 03 6
419 Canary Bird, fine pure yellow 12 62 0	440 Pottebakker Yellow, clear yellow 12 61 9
420 Corise Grisdeline, purple-cerise,	441 ,, Scarlet, rich scarlet r2 61 9
edged white, very beautiful 10 6 1 6	442 ,, White, pure white, bold
421 Chrysolora, pure yellow, large and	handsome flower 15 02 3
handsome 12 61 9	443 Princess Ida, white, shaded delicate
422 Claremont, rose, flushed white,	creamy yellow, very beautiful 18 02 6
large handsome flower 18 02 6	444 Princess Marianne, pure white, dies
423 ,, white, very handsome 21 03 6	off rose, very effective 15 02 6
424 ,, gold-striped 15 02 6	445 Proserpine, rose-carmine, magnificent
425 Cottage Mald, rose-pink, shaded white 15 02 3	large flower 17 62 6
white 15 02 3	446 Queen Victoria, white, tinged rose 8 6 1 3
426 Couleur Cardinal, crimson-scarlet.	447 Rose Grisdeline, rose, tinged white 12 61 9
a most valuable variety for beds 8 6 1 3	448 Rose Luisante, beautiful rose, large 17 62 6
427 Couleur Ponceau, rich cerise 6 6I o	449 Rosamundi, fine rose-pink, shaded
428 Duc Van Thol, blush-rose 10 61 6	white TO 6 T 6
429 , brilliant scarlet 6 o 1 o	white
430 , bright yellow 12 61 9	feathered pure white 8 6 I 3
431 , pure white 17 62 6	451 Thomas Moore, terra-cotta colour,
420	quite distinct
tinct and beautiful 12 62 0	452 Van der Neer, rich violet, very hand-
The varieties of the Duc Van Thol Tulip flower to-	
gether and are of the same height therefore	some, large flower 7 6 I 3
gether, and are of the same height, therefore, are	453 Van Vondel, crimson-scarlet, flushed
valuable for beds and borders, where an early	white, handsome large flower 10 6 1 6
Spring display is required, also for forming	454 Vermilion Brilliant, dazzling ver-
designs. For early-forcing they are invaluable.	milion-scarlet, splendid colour 15 02 6
433 Duchesse de Parma, bright-scarlet,	455 Vesuvius, rich, deep vermilion
margined and flushed gold 8 61 3	scarlet 10 61 6
434 Fabiola, rose-violet, striped and	456 Wouwerman, rich dark purple, fine
feathered white, splendid large	handsome flower 5 61 0
flower 10 61 6	457 Yellow Prince, pure yellow, a fine
435 Golden Prince, pure yellow II 6I 9	bedding variety 11 61 9
7-00 t Ch Markey Burney 1 to 1 - 1 - 1	W WARTS GIVEN MILETON

BEAUTIFUL NEW AND RARE EARLY SINGLE TULIPS.

1877 These are of great beauty, and we recommend them to our customers for pot-culture, with every confidence, also for flower garden decoration.

perd	doz. eac	d.
h		
	60	8
t, 7	60	9
d		
đ		
	3	0
	60	6
	s. h l. 6 l. 7 d r d	7. 6 60 7. 7 60 d r d 3

e	m to our customers for pot-culture, with eve	ry co	onfiden	ce,
i		per	doz. ead	ch.
ı	462 Nelly, large handsome pure white	8.	d. s.	d.
1	flower, forces well	7	60	9
ı	463 Ophir d'Or, deep rich golden-yellow,			
ı	large handsome flower. The fines			
ł	of all the yellows		60	6
ı	464 Roi Pepin, white, striped red, large			_
ı	and handsome		60	0
1	465 Van Vondel white, very large hand			
ı	some pure white flowers. The fines			_
ı	of all single white Tulips		01	3
ı	466 White Hawk, pure white, extra fine		6 0	
ı	large flower	- 3	0,,,0	4

DOUBLE TULIPS.

Double Tulips have massive flowers of brilliant, diversified, and beautiful colours, and are suitable for beds on the lawn, terrace, etc., also as edgings to Rose beds and shrubberies. Planted in groups of three or more in flower and shrubbery borders, they are very effective.

For sectional lines, where the Single Tulip is planted in designs, the Tournesol, No. 488, is most valuable; it is also the best to force for early-flowering, and is extensively grown for Covent Garden Market. Imperator Rubrorum is the best scarlet, and Tournesol Yellow the best of the yellows. For indoor decoration, the Double Tulip should be planted three bulbs in a pot, and receive the same cultural treatment as the Hyacinth. For beds or masses, Rex Rubrorum, scarlet, is the best to associate with La Candeur, white, and, so arranged, the effect is unrivalled amongst Spring flowers. Plant the bulbs six inches apart.

OUR OWN SELECTIONS.						
		8	. d.		. d.	
487 5 each 15 splendid	varieties	10	6	470 1 each 12 splendid varieties 2	0	
468 3 15 .,	,,	6	6	471 Choice mixed5s. 6d. per 100, 10d. per doz.		
469 2 15	,,	4				

472 Early Double Duc Van Thol, red, margined yellow. This dwarf showy very early Tulip is useful for edgings and broad marginal lines. 45. 6d. per 100; 9d. per dozen.

King Street, Covent Garden, 1889.]

TULIPS, GESNERIANA, MAY-FLOWE	CRING, PARROT AND SPECIES, CROCUS.
DOUBLE TULIPS—continued. per 100. per doz. s. d. s. d.	per 100. per doz. s. d. s. d.
174 Couronne de Cerise, decp cerise,	483 Overwinnaar, white, striped rose-
very beautiful	violet, handsome
with bright yellow, fine 6 61 0	scarlet, splendid 9 6 1 6
477 Imperator Rubrorum, rich crim-	486 Rose Blanche, the purest white 12 62 0
son-scarlet, beautiful	488 Tournesol, scarlet, edged yellow,
479 Lac d'Haarlem, beautiful rose-cerise 10 6 480 Leonard de Vinci, rich searlet,	very beautiful
480 Leonard de Vinci, rich scarlet, margined gold, fine flower	orange, very fine
striped cerise 18 62 6	yellow flowers, fragrant
482 Murillo, rose and white, beautiful 11 61 9	SINGLE TULIPS.
	ng a great variation in colour; they follow in succession
the early Single Tulips, and are planted to form a connect 491 Choice Mixed, all colours of Bizarres, Byblæmer	eting link between the spring and summer flowers. s. d. as and Rosesper 100, 7s. 6d.; per doz. 1 3
PARROT TULIPS, WITH	I LACINIATED PETALS.
Tulips are strikingly effective in flower borders, and in ha	ed shades of rich colours, in the same flower. These unging baskets he drooping flowers look like orchids, selected from good flowering Stocks.
per doz.—s. d.	per doz.—s. d.
492 Admiral de Constantinople, red, slightly tipped orange	496 Monster Rouge, large deep crimson, very handsome
493 Coffee-Colour, crimson-brown, striped	497 Markgraaf Van Baden, bright yellow,
yellow and green	striped bright scarlet and green 1 6 498 Perfecta, yellow, striped green, tipped scarlet 1 3
crimson and green	499 Splendid Mixedper 100, 5/6 r o
BEAUTIFUL SINGLE	SPECIES OF TULIPS.
500 Gesneriana major. The tallest, largest-flowered,	and showiest of all Single Tulins, rich crimson-scarlet.
	ng; valuable for distant effect in beds, lines, or ribbons. per 100, 8s. 6d.; per doz., 1s. 3d.
The following species are all beautiful. Clusiana,	with Ixia-like flowers, is a gem; Cornuta, with twisted tiful showy flowers with very striking spotted foliage;
Kolpakowskiana and Lanala are charming species; Lin	vifolia is very distinct and bandsome: Oculus Solis, has
a emmson-black centre; <i>Persica</i> , is dwarf, fragrant, floring have gracefully recurved petals: Sylvestris major is a	iferous, and useful for edgings; Retroflexa and Elegans fine cultivated form of the sweet-scented Wood Tulip;
Viridiflora has peculiar green flowers; and the varie	ty Viridifora pracox has large, handsome, green and
pale yellow flowers. per doz.—each. s. d. s. d.	per doz.—cach. s. d. s. d.
501 Clusiana, white, striped red, with	508 Linifolia, a beautiful new dwarf
violet centre, beautiful	species from Bokhara; narrow foliage and bright searlet flowers,
503 Elegans, dark crimson	foliage and bright searlet flowers, ht. 3 to 4 in
scarlet flowers, with yellow spotted	509 Oculus Solis, crimson, black centre 2 60 3 510 Orphanides, a new species from
black centre, foliage spotted like Orchis maculata. The most showy	Greece, bright orange-yellow, with black centre 1 6
of all the Tulip species,	oll Persica, yellow fragrant, dwarf.
Strongest Bulbs 18 01 9 505 Haageri, dark red, black and yellow	good for edgings p. 100, 7/6 1 3 512 Retroflexa, beautiful yellow, large
506 Kolpakowskiana, a species from	elegantly formed flowers 7 6 0 9
Turkestan, much varying in	513 Saxatilis, rose, with bright yellow centre 4 60 6 514 Sylvestris major, yellow, sweet-
colour, from clear yellow to scarlet, with black centre 1 6	scented 2 6.0 3
507 Lanata, a new species from Bokhara,	515 Viridiflora, green, edged yellow 1 60 3 516 , præcox, splendid large
bright orange-red, centre more or less spotted black 2 6	flowers, green and pale yellow 7 6 0 9 517 Vitellina, beautiful lemon-colour 1 6
	and the second s

CROCUS.

The Crocus is one of the earliest flowers of Spring, and occupies a prominent place in every garden. When planted as an edging in triple lines of one or more colours, the effect is striking. No Spring display surpasses that of broad wavy bands of golden-yellow, striped, purple, or of pure white Crocus, when they expand their blossoms in February and March. In lawns and pleasure parks, planted in the grass, the Crocus is extremely effective. For several years past in "Rotten Row," and other of the Royal Parks, Crocus, Snowdrops, Daffodils, &c., have been planted in the grass, to the great delight of visitors, and the enhanced decoration of the parks. In wild gardens, woodland walks, etc., the Crocus should be associated with the violet, the primose and the oxlin. violet, the primrose, and the oxlip.

CHEAP DUTCH CROCUS, FOR LARGE PLANTINGS.

To encourage extensive planting in shrubberies, woodlands, wild gardens, in grass, on lawns, pleasure parks, etc., Crocus are quoted by the thousand cheaply. One season, at the lower grounds, Aston, about 50,000 Golden-Yellow Crocus were used to edge off beds cut in the grass, and the gorgeous effect produced in February and March was such that the skill of the artist failed to portray it. On another occasion, 20,000 purple, white, and striped Crocus were planted in alternate lines with Early Tulips, and the effect was matchless.

8. d.	8	. d	l.
518 1000 in 8 varieties	4	2 /	6
519 500 in 8 8 0 521 100 in 8	2		0
522 Mixed, all colours	s. 6d.		
[Paul	and Car		

CHOICE NAMED LARGE-FLOWE	RED AND SPECIES OF CROCUS. 13
CROCUS—continued. per 1000. per 100, per doz.	per 1000. per 100. per do2. s. d. s. d. s. d.
523 Blues and Purplee, mixed 13 61 60 4	530 Cloth of Gold, golden-yellow,
524 Stripee, mixed 13 61 60 4	striped brown
525 Whites, mixed	531 Scotch, white, striped purple 18 02 00 4 532 Sulphureue concolor, beau-
527 Large Golden-Yellow 15 02 00 4	tiful sulphur colour3 60 9 533 ,, etriatus, sul-
528 Extra large Golden-Yellow 25 03 00 6 529 Cloth of Silver, white, striped	phnr, striped crimsou-brown 3 60 9
purple or lilac 16 62 00 4	TO DAY OF COME A
CHOICE NAMED LARGE-FLOWER	ccommended for planting in groups, edgings, select beds,
and in designs. There are purples and blues of shades. I	oure whites, rich vellow, light and dark, striped sorts, &c.
When the crocus is grown in pots, plant thickly, and tre in-doors on page 7. When removed from under the ash	eat as recommended for the cultivation of the Hyacinth es, place in an airy situation, and give water very freely.
BARR AND SON	S SELECTIONS.
From the following fine sorts, which were specially selected, s. d.	for their targe powers, varied colours, and rooust growin. 8. d.
534 1000 in 10 splendid varleties	538 250 in 10 eplendid varieties
535 500 in 10 ,,	coloursper 100, 21, 6d., per 1000, 241.
539 Barr's New Golden-Yellow, roote s. d. s. d.	550 Ne Plus Ultra, fine deep purple, s. d. s. d.
very large, producing a great	tipped white 2 00 0
quantity of flowers	551 Pride of Albion, white, striped violet, large and fine 3 00 6
541 David Rizzio, deep pur ple 2 60 6	552 Purple Albion, splendid large deep purple flowers
542 Diamond (new), pure white, splendid large flowers	553 Purple Gem (new), splended dark
543 Emiliue, white, striped rosy lilac 3 00 6	purple, large flowers
545 La Neige, snow-white 4 00 8	purple, very large and splendid 2 60 6
546 Madame Mina, white, striped lilac 2 60 6 547 Mr. Thackeray, rich dark purple,	555 Queen Victoria, pure white
large globular flowers 3 60 6	white flowers 4 60 9
548 Mrs. Beecher Stowe, pure white 3 60 6 549 Mont Blanc, large pure white 2 60 6	557 Sir Walter Scott, beautifully pen- cilled lilac, very large 2 60 6
3 1	SPECIES OF CROCUS.
Autumn Winter, an	d Spring-Flowering.
There beautiful Crocus many of which are rare	
Sowers especially those that flower in Autumn and W	species, will be very acceptable to cultivators of hardy inter, forming, as they do, a connecting link between the
flowers, especially those that flower in Autumn and W	inter, forming, as they do, a connecting link between the
dowers, especially those that flower in Autumn and W bulbous plants of Summer and those of Spring. In Crocus in bloom from September to April. The first the blossory followed by Speciagns of the Ripe Country of the Ripe Countr	inter, forming, as they do, a connecting link between the bur Experimental Grounds we have one or other of these to flower in September is C. nudiflorue , with large violeting of the beautiful soft rose-lilac flowers of C.
dowers, especially those that flower in Autumn and W bulbous plants of Summer and those of Spring. In Crocus in bloom from September to April. The first the blossory followed by Speciagns of the Ripe Course blossory followed by Speciagns of the Ripe Course blossory followed by Speciagns.	inter, forming, as they do, a connecting link between the bur Experimental Grounds we have one or other of these to flower in September is C. nudiflorue , with large violeting of the beautiful soft rose-lilac flowers of C.
dowers, especially those that flower in Autunn and W bulbous plants of Summer and those of Spring. In a Crocus in bloom from September to April. The first purple blossoms, followed by Speciosus, "the Blue longiflorue, the charming C. Iridiflorus, the lovely C. mediue, and the characteristic C. Imperati, etc.	unter, forming, as they do, a connecting link between the bur Experimental Grounds we have one or other of these to flower in September is C. nudifiorue, with large violet-Crocus," and the beautiful soft rose-lilac flowers of C. pulchellue, the exquisite C. zonatus, the beautiful These Crocus are all perfectly hardy, but those which people enjoyed, if grown in pots, or in frames, or on rock-
dowers, especially those that flower in Autunn and W bulbous plants of Summer and those of Spring. In a Crocus in bloom from September to April. The first purple blossoms, followed by Speciosus, "the Blue longiflorue, the charming C. Iridiflorus, the lovely C. mediue, and the characteristic C. Imperati, etc. flower in November, December, and January, will be myork, than in the flower border, where they are frequently that the state of the stat	unter, forming, as they do, a connecting link between the bur Experimental Grounds we have one or other of these to flower in September is C. nudificrue, with large violet-Crocus," and the beautiful soft rose-lilac flowers of C. pulchellue, the exquisite C. zonatus, the beautiful These Crocus are all perfectly hardy, but those which have enjoyed, if grown in pots, or in frames, or on rockently damaged by heavy rains. We recommend the noble
dowers, especially those that flower in Autunn and W bulbous plants of Summer and those of Spring. In a Crocus in bloom from September to April. The first purple blossoms, followed by Speciosus, "the Blue tongiflorue, the charnning C. Iridiflorus, the lovely C. mediue, and the characteristic C. Imperati, etc. flower in November, December, and January, will be n work, than in the flower border, where they are freque "Monograph of the Genus Crocus," by George Maw, Ess. BARR AND SON	inter, forming, as they do, a connecting link between the bur Experimental Grounds we have one or other of these to flower in September is C. nudiflorue, with large violet-Crocus," and the beautiful soft rose-lilac flowers of C. 2. pulchellue, the exquisite C. zonatus, the beautiful These Crocus are all perfectly hardy, but those which have enjoyed, if grown in pots, or in frames, or on rockintly damaged by heavy rains. We recommend the noble 7. S SELECTIONS.
dowers, especially those that flower in Autunn and W bulbous plants of Summer and those of Spring. In a Crocus in bloom from September to April. The first purple blossoms, followed by Speciosus, "the Blue of longiflorue, the charning C. Iridiflorus, the lovely of C. mediue, and the characteristic C. Imperati, etc. flower in November, December, and January, will be n work, than in the flower border, where they are freque "Monograph of the Genus Crocus," by George Maw, Ess. BARR AND SON 8. d.	inter, forming, as they do, a connecting link between the bur Experimental Grounds we have one or other of these to flower in September is C. nudiflorue, with large violet-Crocus," and the beautiful soft rose-lilac flowers of C. pulchellue, the exquisite C. zonatus, the beautiful These Crocus are all perfectly hardy, but those which have enjoyed, if grown in pots, or in frames, or on rockintly damaged by heavy rains. We recommend the noble of the process of the proc
dowers, especially those that flower in Autunn and W bulbous plants of Summer and those of Spring. In a Crocus in bloom from September to April. The first purple blossoms, followed by Speciosus, "the Blue of longiflorue, the charning C. Iridiflorus, the lovely of C. mediue, and the characteristic C. Imperati, etc. flower in November, December, and January, will be n work, than in the flower border, where they are freque "Monograph of the Genus Crocus," by George Maw, Ess. BARR AND SON 8. d.	inter, forming, as they do, a connecting link between the bur Experimental Grounds we have one or other of these to flower in September is C. nudiflorue, with large violet-Crocus," and the beautiful soft rose-lilac flowers of C. pulchellue, the exquisite C. zonatus, the beautiful These Crocus are all perfectly hardy, but those which have enjoyed, if grown in pots, or in frames, or on rockintly damaged by heavy rains. We recommend the noble of the process of the proc
dowers, especially those that flower in Autunn and W bulbous plants of Summer and those of Spring. In a Crocus in bloom from September to April. The first purple blossoms, followed by Speciosus, "the Blue of longiflorue, the charning C. Iridiflorus, the lovely of C. mediue, and the characteristic C. Imperati, etc. flower in November, December, and January, will be n work, than in the flower border, where they are freque "Monograph of the Genus Crocus," by George Maw, Ess. BARR AND SON 8. d.	inter, forming, as they do, a connecting link between the bur Experimental Grounds we have one or other of these to flower in September is C. nudiflorue, with large violet-Crocus," and the beautiful soft rose-lilac flowers of C. pulchellue, the exquisite C. zonatus, the beautiful These Crocus are all perfectly hardy, but those which have enjoyed, if grown in pots, or in frames, or on rockintly damaged by heavy rains. We recommend the noble of the process of the proc
dowers, especially those that flower in Autunn and W bulbous plants of Summer and those of Spring. In a Crocus in bloom from September to April. The first purple blossoms, followed by Speciosus, "the Blue of longiflorue, the charining C. Iridiflorus, the lovely of C. mediue, and the characteristic C. Imperati, etc. flower in November, December, and January, will be m work, than in the flower border, where they are freque "Monograph of the Genus Crocus," by George Maw, Ess. BARR AND SON 8. d. 558 3 each of the Collection 126 0 559 1 1560 3 each 30 varieties 125., 185., & 22 6 63 1 1, 30 1155., 185., & 22 6 64 indicates the Autumn-flowering Crocus, (w) per doz. each	unter, forming, as they do, a connecting link between the bour Experimental Grounds we have one or other of these to flower in September is C. nudiflorue, with large violet-crocus," and the beautiful soft rose-lilac flowers of C. Dulchellue, the exquisite C. zonatus, the beautiful These Crocus are all perfectly hardy, but those which nore enjoyed, if grown in pots, or in frames, or on rock-ently damaged by heavy rains. We recommend the noble of the control of the con
flowers, especially those that flower in Autumn and W bulbous plants of Summer and those of Spring. In a Crocus in bloom from September to April. The first purple blossoms, followed by Speciosus, "the Blue of longiflorue, the charming C. Iridiflorus, the lovely of C. mediue, and the characteristic C. Imperati, etc. flower in November, December, and January, will be n work, than in the flower border, where they are freque "Monograph of the Genus Crocus," by George Maw, Ess. BARR AND SON 8. d. 558 3 each of the Collection 126 o 559 1 126 o 559 1 1560 3 each 30 varieties 125 o 550 1 1550 3 each 30 varieties 125 o 550 1 1550 1550 1550 1550 1550 1550	inter, forming, as they do, a connecting link between the bur Experimental Grounds we have one or other of these to flower in September is C. nudiflorue, with large violet-Crocus," and the beautiful soft rose-lilac flowers of C. 2. pulchellue, the exquisite C. zonatus, the beautiful These Crocus are all perfectly hardy, but those which core enjoyed, if grown in pots, or in frames, or on rockintly damaged by heavy rains. Selections
dowers, especially those that flower in Autunn and W bulbous plants of Summer and those of Spring. In a Crocus in bloom from September to April. The first purple blossoms, followed by Speciosus, "the Blue of longiflorue, the charning C. Iridiflorus, the lovely of C. mediue, and the characteristic C. Imperati, etc. flower in November, December, and January, will be n work, than in the flower border, where they are freque "Monograph of the Genus Crocus," by George Maw, Ess. BARR AND SON 8. d. BARR AND SON 8. d. BARR AND SON 8. d. Son 30 acach 30 varieties 450 0. 559 1 450 0. 560 3 each 30 varieties 450. Son, & 63 0. 561 1 , 30 , 158., & 22 6 (a) indicates the Autumn-flowering Crocus, (w) per doz. each s. d. s. d. s. d. 566 Alatavicus, white, feathered and freekled with purple-black (s). 10 61 0	inter, forming, as they do, a connecting link between the bur Experimental Grounds we have one or other of these to flower in September is C. nudiflorue, with large violet-Crocus," and the beautiful soft rose-lilac flowers of C. 2. pulchellue, the exquisite C. zonatus, the beautiful These Crocus are all perfectly hardy, but those which have enjoyed, if grown in pots, or in frames, or on rockingly damaged by heavy rains. We recommend the noble of Selections. 562 3 each 20 varietiee
flowers, especially those that flower in Autunn and W bulbous plants of Summer and those of Spring. In a Crocus in bloom from September to April. The first purple blossoms, followed by Speciosus, "the Blue of longiflorue, the charming C. Iridiflorus, the lovely of C. mediue, and the characteristic C. Imperati, etc. flower in November, December, and January, will be n work, than in the flower border, where they are freque "Monograph of the Genus Crocus," by George Maw, Es. BARR AND SON 8. d. 558 3 each of the Collection 126 o 3. d. 559 1 1 45 o 559 1 560 3 each 30 varieties 42s., 50s., & 63 o 561 1 , 30 1 15s., 18s., & 22 6 (a) indicates the Autumn-flowering Crocus, (w) per doz. cach s. d. s. d. 566 Alatavicus, white, feathered and freekled with purple-black (s) 10 6 1 o 567 Ancyrensie, self-coloured orange (s) 10	inter, forming, as they do, a connecting link between the bur Experimental Grounds we have one or other of these to flower in September is C. nudiflorue, with large violet-Crocus," and the beautiful soft rose-lilac flowers of C. pulchellue, the exquisite C. zonatus, the beautiful These Crocus are all perfectly hardy, but those which have enjoyed, if grown in pots, or in frames, or on rock-intly damaged by heavy rains. We recommend the noble of the control of the cont
dowers, especially those that flower in Autunn and W bulbous plants of Summer and those of Spring. In a Crocus in bloom from September to April. The first purple blossoms, followed by Speciosus, "the Blue of longiflorue, the charning C. Iridiflorus, the lovely of C. mediue, and the characteristic C. Imperati, etc. flower in November, December, and January, will be n work, than in the flower border, where they are freque "Monograph of the Genus Crocus," by George Maw, Ess. BARR AND SON 8. d. MARR AND SON 8. d. Son 126 o 559 1 1. 45 o 559 1 1. 45 o 560 3 each 30 varieties 42s., 50s., & 63 o 561 1 1. 30 1. 15s., 18s., & 22 6 (a) indicates the Autumn-flowering Crocus, (w) per doz. each s. d. s. d. 566 Alatavicus, white, feathered and freekled with purple-black (s). 10 6 10 568 Asturicue, purple-lilac, dorker stripes at base (a)	inter, forming, as they do, a connecting link between the bur Experimental Grounds we have one or other of these to flower in September is C. nudiflorue, with large violet-Crocus," and the beautiful soft rose-lilac flowers of C. 2. pulchellue, the exquisite C. zonatus, the beautiful These Crocus are all perfectly hardy, but those which force enjoyed, if grown in pots, or in frames, or on rockintly damaged by heavy rains. We recommend the noble of the second se
flowers, especially those that flower in Autumn and W bulbous plants of Summer and those of Spring. In a Crocus in bloom from September to April. The first purple blossoms, followed by Speciosus, "the Blue of longiflorue, the charming C. Iridiflorus, the lovely of C. mediue, and the characteristic C. Imperati, etc. flower in November, December, and January, will be n work, than in the flower border, where they are freque "Monograph of the Genus Crocus," by George Maw, Ess. BARR AND SON Compared to the Collection 126 of 3 each 30 varieties 126 of 3 each 30 varieties 126 of 4 of 1	inter, forming, as they do, a connecting link between the bour Experimental Grounds we have one or other of these to flower in September is C. nudiflorue, with large violet-Crocus," and the beautiful soft rose-lilac flowers of C. pulchellue, the exquisite C. zonatus, the beautiful These Croeus are all perfectly hardy, but those which have enjoyed, if grown in pots, or in frames, or on rock-ently damaged by heavy rains. We recommend the noble of the control of the con
dowers, especially those that flower in Autumn and W bulbous plants of Summer and those of Spring. In a Crocus in bloom from September to April. The first purple blossoms, followed by Speciosus, "the Blue of longiflorue, the charning C. Iridiflorus, the lovely of C. mediue, and the characteristic C. Imperati, etc. flower in November, December, and January, will be n work, than in the flower border, where they are freque "Monograph of the Genus Crocus," by George Maw, Ess. BARR AND SON 8. d. BARR AND SON 8. d. Son 126 o 559 1 126 o 550 3 each 30 varieties 126 o 551 128 o 560 3 each 30 varieties 126 o 551 128 o 560 3 each 30 varieties 126 o 550 a 60 o 6	inter, forming, as they do, a connecting link between the bur Experimental Grounds we have one or other of these to flower in September is C. nudiflorue, with large violet-Crocus," and the beautiful soft rose-lilac flowers of C. Dulchellue, the exquisite C. zonatus, the beautiful These Crocus are all perfectly hardy, but those which force enjoyed, if grown in pots, or in frames, or on rock-ently damaged by heavy rains. We recommend the noble of Selections. 5. SELECTIONS. 5. SELECTIONS. 5. d. 5. d. 5. SELECTIONS. 5. d. 5. d. 5. SELECTIONS. 5. d. 5.
dowers, especially those that flower in Autumn and W bulbous plants of Summer and those of Spring. In a Crocus in bloom from September to April. The first purple blossoms, followed by Speciosus, "the Blue of longiflorue, the charming C. Iridiflorus, the lovely of C. mediue, and the characteristic C. Imperati, etc. flower in November, December, and January, will be n work, than in the flower border, where they are freque "Monograph of the Genus Crocus," by George Maw, Ess. BARR AND SON 8. d. 558 3 each of the Collection 126 0 559 1 126 0 560 3 each 30 varieties 126 0 561 1, 30 126 125, 185, 185, 8 22 6 (a) indicates the Autumn-flowering Crocus, (w) per doz. each s. d. s. d. 566 Alatavicus, white, feathered and freekled with purple-black (s). 10 61 0 567 Ancyrensie, self-coloured orange (s) 568 Asturicus, purple-lilac, durker stripes at base (a)	inter, forming, as they do, a connecting link between the bour Experimental Grounds we have one or other of these to flower in September is C. nudiflorue, with large violet-Crocus," and the beautiful soft rose-lilac flowers of C. pulchellue, the exquisite C. zonatus, the beautiful These Croeus are all perfectly hardy, but those which have enjoyed, if grown in pots, or in frames, or on rock-ently damaged by heavy rains. We recommend the noble of the control of the con
dowers, especially those that flower in Autumn and W bulbous plants of Summer and those of Spring. In a Crocus in bloom from September to April. The first purple blossoms, followed by Speciosus, "the Blue of longiflorue, the charming C. Iridiflorus, the lovely of C. mediue, and the characteristic C. Imperati, etc. flower in November, December, and January, will be n work, than in the flower border, where they are freque "Monograph of the Genus Crocus," by George Maw, Ess. BARR AND SON 8. d. MARR AND SON 8. d. MARR AND SON 126 O 559 1 1. 45 O 559 1 1. 45 O 550 3 each 30 varieties 126 O 559 1 1. 45 O 6 O 651 1, 30 1. 158., 188., & 22 O 6 (a) indicates the Autumn-flowering Crocus, (w) per doz. each s. d. s.	inter, forming, as they do, a connecting link between the bour Experimental Grounds we have one or other of these to flower in September is C. nudiflorue, with large violet-Crocus," and the beautiful soft rose-lilac flowers of C. Dulchellue, the exquisite C. zonatus, the beautiful These Croeus are all perfectly hardy, but those which nore enjoyed, if grown in pots, or in frames, or on rock-intly damaged by heavy rains. We recommend the noble of the control of the con
flowers, especially those that flower in Autumn and W bulbous plants of Summer and those of Spring. In C Crocus in bloom from September to April. The first purple blossoms, followed by Speciosus, "the Blue of longiflorue, the charming C. Iridiflorus, the lovely of C. mediue, and the characteristic C. Imperati, etc. flower in November, December, and January, will be n work, than in the flower border, where they are freque "Monograph of the Genus Crocus," by George Maw, Ess. BARR AND SON 8. A. 558 3 each of the Collection 126 0 559 1 126 0 560 3 each 30 varieties 125, 505, & 63 0 561 1, 30 125, 505, & 63 0 561 1, 30 125, 185, & 22 6 (a) indicates the Autumn-flowering Crocus, (w) per doz. each s. d. s. d. 566 Alatavicus, white, feathered and freekled with purple-black (s). 10 6 10 567 Ancyrensie, self-coloured orange (s) 568 Asturicue, purple-lilac, dorker stripes at base (a) 10 10 10 10 10 10 10 10 10 10 10 10 10	inter, forming, as they do, a connecting link between the bur Experimental Grounds we have one or other of these to flower in September is C. nudiflorue, with large violet-Crocus," and the beautiful soft rose-lilac flowers of C. Dulchellue, the exquisite C. zonatus, the beautiful These Croeus are all perfectly hardy, but those which have enjoyed, if grown in pots, or in frames, or on rock-intly damaged by heavy rains. We recommend the noble of the control of the cont
dowers, especially those that flower in Autumn and W bulbous plants of Summer and those of Spring. In a Crocus in bloom from September to April. The first purple blossoms, followed by Speciosus, "the Blue of longiflorue, the charming C. Iridiflorus, the lovely of C. mediue, and the characteristic C. Imperati, etc. flower in November, December, and January, will be m work, than in the flower border, where they are freque "Monograph of the Genus Crocus," by George Maw, Ess. BARR AND SON 8. d. 558 3 each of the Collection 126 o 559 1 126 o 559 1 126 o 6 11	inter, forming, as they do, a connecting link between the bour Experimental Grounds we have one or other of these to flower in September is C. nudiflorue, with large violetic Crocus," and the beautiful soft rose-lilac flowers of C. pulchellue, the exquisite C. zonatus, the beautiful These Croeus are all perfectly hardy, but those which nore enjoyed, if grown in pots, or in frames, or on rockingly damaged by heavy rains. We recommend the noble of the control of the co
dowers, especially those that flower in Autumn and W bulbous plants of Summer and those of Spring. In a Crocus in bloom from September to April. The first purple blossoms, followed by Speciosus, "the Blue of longiflorue, the charming C. Iridiflorus, the lovely of C. mediue, and the characteristic C. Imperati, etc. flower in November, December, and January, will be n work, than in the flower border, where they are freque "Monograph of the Genus Crocus," by George Maw, Fis. BARR AND SON BARR AND SON BARR AND SON 558 3 each of the Collection	inter, forming, as they do, a connecting link between the bur Experimental Grounds we have one or other of these to flower in September is C. nudiflorue, with large violet-Crocus," and the beautiful soft rose-lilac flowers of C. Dulchellue, the exquisite C. zonatus, the beautiful These Croeus are all perfectly hardy, but those which nore enjoyed, if grown in pots, or in frames, or on rock-intly damaged by heavy rains. We recommend the noble of the second secon
dowers, especially those that flower in Autumn and W bulbous plants of Summer and those of Spring. In a Crocus in bloom from September to April. The first purple blossoms, followed by Speciosus, "the Blue of longiflorus, the charming C. Iridiflorus, the lovely of C. mediue, and the characteristic C. Imperati, etc. flower in November, December, and January, will be m work, than in the flower border, where they are freque "Monograph of the Genus Crocus," by George Maw, Ess. BARR AND SON 8. d. 558 3 each of the Collection 126 o 0 559 1 126 o 0 559 1 126 o 0 126	inter, forming, as they do, a connecting link between the bour Experimental Grounds we have one or other of these to flower in September is C. nudiflorue, with large violetic Tocus," and the beautiful soft rose-lilac flowers of C. pulchellue, the exquisite C. zonatus, the beautiful These Croeus are all perfectly hardy, but those which nore enjoyed, if grown in pots, or in frames, or on rockingly damaged by heavy rains. We recommend the noble of the control of the con
dowers, especially those that flower in Autumn and W bulbous plants of Summer and those of Spring. In a Crocus in bloom from September to April. The first purple blossoms, followed by Speciosus, "the Blue of longiflorue, the charming C. Iridiflorus, the lovely of C. mediue, and the characteristic C. Imperati, etc. flower in November, December, and January, will be n work, than in the flower border, where they are freque "Monograph of the Genus Crocus," by George Maw, Eis. BARR AND SON 8. A. BARR AND SON 8.	inter, forming, as they do, a connecting link between the bur Experimental Grounds we have one or other of these to flower in September is C. nudiflorue, with large violet-Crocus," and the beautiful soft rose-lilac flowers of C. Dulchellue, the exquisite C. zonatus, the beautiful These Croeus are all perfectly hardy, but those which nore enjoyed, if grown in pots, or in frames, or on rock-intly damaged by heavy rains. We recommend the noble of the control of the cont
dowers, especially those that flower in Autumn and W bulbous plants of Summer and those of Spring. In a Crocus in bloom from September to April. The first purple blossoms, followed by Speciosus, "the Blue of longiflorue, the charming C. Iridiflorus, the lovely of C. mediue, and the characteristic C. Imperati, etc. flower in November, December, and January, will be m work, than in the flower border, where they are freque "Monograph of the Genus Crocus," by George Maw, Ess. 558 3 each of the Collection	inter, forming, as they do, a connecting into Edweren the bour Experimental Grounds we have one or other of these to flower in September is C. nudiflorue, with large violetic Tocus," and the beautiful soft rose-lilac flowers of C. pulchellue, the exquisite C. zonatus, the beautiful These Croeus are all perfectly hardy, but those which nore enjoyed, if grown in pots, or in frames, or on rockingly damaged by heavy rains. We recommend the noble of the control of the con
flowers, especially those that flower in Autumn and W bulbous plants of Summer and those of Spring. In a Crocus in bloom from September to April. The first purple blossoms, followed by Speciosus, "the Blue of longiflorue, the charming C. Iridiflorus, the lovely of the Comment of the Comment of the Comment of the Comment of the Work, than in the flower border, where they are freque "Monograph of the Genus Crocus," by George Maw, Essanda of the Collection	inter, forming, as they do, a connecting link between the bur Experimental Grounds we have one or other of these to flower in September is C. nudiflorue, with large violet-Crocus," and the beautiful soft rose-lilac flowers of C. pulchellue, the exquisite C. zonatus, the beautiful These Croeus are all perfectly hardy, but those which have enjoyed, if grown in pots, or in frames, or on rock-ently damaged by heavy rains. We recommend the noble of the construction o
dowers, especially those that flower in Autumn and W bulbous plants of Summer and those of Spring. In a Crocus in bloom from September to April. The first purple blossoms, followed by Speciosus, "the Blue of longiflorus, the charming C. Iridiflorus, the lovely of C. mediue, and the characteristic C. Imperati, etc. flower in November, December, and January, will be m work, than in the flower border, where they are freque "Monograph of the Genus Crocus," by George Maw, Ess. BARR AND SON 8. d. 126 o 559 1 1. 126 o 1559 1 126 o 1559 1 1. 1	inter, forming, as they do, a connecting into between the bour Experimental Grounds we have one or other of these to flower in September is C. nudiflorue, with large violetic Tocus," and the beautiful soft rose-lilac flowers of C. pulchellue, the exquisite C. zonatus, the beautiful These Croeus are all perfectly hardy, but those which nore enjoyed, if grown in pots, or in frames, or on rockingly damaged by heavy rains. We recommend the noble of the control of the con
dowers, especially those that flower in Autumn and W bulbous plants of Summer and those of Spring. In a Crocus in bloom from September to April. The first purple blossoms, followed by Speciosus, "the Blue of longiflorue, the charming C. Iridiflorus, the lovely of the Comment of the Work, than in the flower border, where they are freque "Monograph of the Genus Crocus," by George Maw, Ess. BARR AND SON 8. A. S58 3 each of the Collection 126 0 0 559 1 1. 45 0 0 559 1 1. 45 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	inter, forming, as they do, a connecting link between the bur Experimental Grounds we have one or other of these to flower in September is C. nudiflorue, with large violet-Crocus," and the beautiful soft rose-lilac flowers of C. pulchellue, the exquisite C. zonatus, the beautiful These Croeus are all perfectly hardy, but those which have enjoyed, if grown in pots, or in frames, or on rock-ently damaged by heavy rains. We recommend the noble of the construction o
dowers, especially those that flower in Autumn and W bulbous plants of Summer and those of Spring. In a Crocus in bloom from September to April. The first purple blossoms, followed by Speciosus, "the Blue of longiflorus, the charming C. Iridiflorus, the lovely of C. mediue, and the characteristic C. Imperati, etc. flower in November, December, and January, will be m work, than in the flower border, where they are freque "Monograph of the Genus Crocus," by George Maw, Ess. BARR AND SON 8. d. 126 o 559 1 1. 126 o 1559 1 126 o 1559 1 1. 1	inter, forming, as they do, a connecting link between the bour Experimental Grounds we have one or other of these to flower in September is C. nudiflorue, with large violet-Crocus," and the beautiful soft rose-lilac flowers of C. Dulchellue, the exquisite C. zonatus, the beautiful These Croeus are all perfectly hardy, but those which nore enjoyed, if grown in pots, or in frames, or on rock-intly damaged by heavy rains. We recommend the noble of the control of the con

			oz. ea		per doz. each
597	Lævigatus marginatus, crimson	•	w. 	٠.	615 Sieberi, bright purple (w) 4 60 6
	. edged white, inner segments				616 Speciosus, blue, very effective in lines
	lilac, shading to white (a)	10	61	0	and masses (a)per 100, 5/6 1 0
598	striatus, white, feathered				617 Stollaris, orange, feathered purple-
	lilac (a)	7	60	9	brown (s)per 100, 3/6 0 9
599	Longmorus (Odorus), soft rose-				618 Suaveolens, violet fawn, & purple (w) 7 60 9
	lilac (a)per 100, 15s.	2	60	3	619 Suterianus, orange, very early (w) 6
	Medius, purple-lilac, lighter at base(a)	7	60		620 Tommasinianus, pale sapphire-
	Minimus, violet, fawn, and black (s)		10		lavender (s)per 100, 21/ 3 60 4
	Nudiflorus, violet-purple(a)p. 100, 15/	2	60	3	621 Tournefortii, delicate rose-lilac (a) 4 60 6
003	Obesus, purple, shading to darker		,		622 , splendens, delicate
204	purple at base (s)per 100, 10/6	I	60	3	rose-lilac, very large (a) 2
204	Ochroleucus, creamy white, bright	_	۷.	,	623 Vernus George Maw, white; a
SO.	orange base (a)		60		bright golden stigmatic
SOS SOS	Olivieri, bright orange (w)		60		band runs up the centre of
307	Pulchellus, lavender-blue (a)	10	61	0	each outer segment (s) 25 o2 6
	white anthers (a)		_	6	621 ,, Leedsii, rich purple, apex white (s) 5 60 6
808	Reticulatus, white striped crimson-	•••	3	Ü	625 ,, Leucorhyncus (Pheasants'
	brown, inner segments lilac (s)	7	60	^	Feather), white, feathered
609	Salzmanni, lilac, darker feathered (a)		60		purple, very distinct and
10	Sativus, purple (a)per 100, 3/		6,		beautiful (s) 10 61 0
11	" Cartwrightianus, lilac,	•	·		626 ,, leucostigma, rich purple,
	stigma scarlet (a) 1	ro	61	0	white stigma (s) 7 60 9
12	" Elwesii, red-lilac (a)		2		627 , Petro-Polowsky (s) 7 60 9
13	, Pallasii, lilac, delicately				628 Vitellinus, orange, fine species (w) 15 o 1
	veined (a)		1	0	629 Zonatus, rose-lilac, with scarlet zone,
14	Serotinus, lilac, shaded lavender (a)	7	6 0	0	most beautifut (a) 5 60 6

SNOWDROP (Galanthus Nivalis).

In the early Spring months, there is nothing more beautiful than a sheet of the snowy graceful blossoms of the snowdrop. In planting an edging, mass, or a bed, whether under the turf of the lawn or in the flower garden, the bulbs should almost touch each other. A bed of surpassing beauty may be arranged, Snowdrops in the centre, with a deep fringe of bright blue Scilla sibirica, or Chionodoxa Luciliæ or Sardensis; a charming effect is also produced by intermingling in the proportions of two-thirds Snowdrops to one-third Scilla sibirica or Chionodoxa Luciliæ or Sardensis. When practicable such plantings of the Snowdrop should be permanent, and the surface of the soil in Summer, top dressed and sown with annuals, such as Nemophila, Leptosiphon rosea, etc., or planted with surface rooting bedding plants. The Snowdrop and the Crocus when planted in alternate circles are very effective, and follow each other so closely, that no gap is left in the succession. In beds of Tulips and Hyacinths, Snowdrops are very effective between the lines; they flower while these bulbs

In beds of Tulips and Hyacinths, Snowdrops are very effective between the lines; they flower while these bulbs are just moving the surface, and when the flowers are over there remains an elegant groundwork of green foliage.

The Snowdrop is most generally used as a permanent edging, and in masses, or in the fringes of lawns, where the grass need not be cut till May, and in pleasure parks, nestling in the grass it looks charming. In planting, the turf need not be disturbed, but holes five inches deep should be made with a dibber, dropping in two inches of fresh soil, then three or more bulbs, keeping the boles about three inches apart. Snowdrops when planted on banks and grass slopes, look lovely. The New Giant Single Snowdrop, Galanthus Elwesii, should be extensively used, the flowers being large and most valuable for cutting. The Chionodoxa Luciliae and Sardensis are charming companions to Elwes' Giant Snowdrop; both are found wild together, and as nature is never found out of harmony, the information may be suggestive to those who follow natural arrangements in their garden.

	8				
			s. d.	s. d.	s, d.
630	Donple-Ho	wering Snowdrops per 1000	22 0 per 100	o 2 6 per do	Z. O E
631	Single-flo	wering ,,,		2 6	.,
620	Dauble de		21 0 ,,	2 0 ,,	0 5
032	DOMDIG-IIO	wering, extra large selected roots	30 o ,,	3 6 ,,	o 6
633	Single-flo	wering	30 0	3 6	0 6
634	Galanthu	s Elwesil (Elwes' Giant Single Snowdrop), a distin	act and boardiful co	Accies from the m	
	*************	at we correct the west of the state of the s	ici ana veaucijui sj	pecies from the m	runtains
		near Smyrna, very large pure white globular segm	ents, with richeme	rald-green and wh	ite tube;
		when first opening, the shape of the flower reminds	one of the Fuchsia	globosa in form.	although
		much larger; Collected bulbs, largest selected			
				1 100, 5/0, per d	02. 1/-,
		strong selected, per 1000, 38/-; per 100, 4/6; per			
635	23	Elwesii, home-grown bulbs, recommended for	mixing with the ea	arly forced bulbs	in pots.
		jardinets, etc., strong selected bulbs, per 100, 1			
636		nlicetus (The Ciest Colores Ciests Constant	ojo, per doz. ijo.	ent	, u,
	31	plicatus (The Giant Crimean Single Snowdrop), w	nite, very targe not	wers, p. doz. 3s. o.	1. 0 4
637	2.1	Imperati, fine large white flowers		25. 6	d. 0 3
638	21	latifolius, white, a very distinct species, with broad,	light areen foliage		1. 0 6
	"	white, a ver raistinct species, with orvan,	ugui green jourage	,, 55. 0	, U U

WINTER ACONITE.

Early in Spring the golden blossoms of the Winter Aconite look charming, resting on an emerald-green cushion of leaves and forming a striking contrast to the pure white Snowdrop, the lovely blue Seilla sibirica and bifolia, Chionodoxa Luciliae and Sardensis, and the Spring Snowflake. The green carpet of foliage remains long after the flowers, and thus makes the plant valuable, especially in situations where it is difficult to clothe the ground, such as undor trees, and in moist situations, which the Winter Aconite enjoys, and where few other flowering plants will thrive.

639 Winter Aconite, golden-yellow, Fine roots, per doz. 6d.; per 100, 2s. 6d.; per 1000, 21s.

Roots for naturalization, per 100, 2s.; per 1000, 15s.

CHIONODOXA (Glory of the Snow).

640 Chlonodoxa Luciliæ (The Glory of the Snow). Mr. Maw, in describing the circumstances under which he found the Chionodoxa Luciliæ, says, "At the lower level it was out of flower, but near the summit of the mountain a mass was met with in full splendour, forming one of the most sumptuous displays of floral [Barr and Son,

CHIONODOXA-continued. beauty I ever beheld; a mass of blus and white, resembling Nemophila insignis in colour, but more intense and brilliant." The Chionodoxa Luciliae was figured in The Garden, July 3rd, 1880, and in 1878 the Floral Committee of the R. H. S. awarded to our specimens a First-Class Cartificats. Amongst the collected roots will be found a small percentage of a beautiful dark variety of Scilla bifolia; the two plants grow together, and although great care is taken to separate them, a few of the Scillas still remain, but

collected roots will be found a small percentage of a beauthful dark which of schill shift will be found a small percentage of a beauthful dark which of the Scillas still remain, but in very small proportion; collected bulbs, strong selected, per 1000, 38s.; per 100, 4s. 6d.; per doz., 1s. 641 Chionodoxa Luciliae, home-grown bulbs, these will be found free from the Scillae bifotia; recommended specially for mingling with early forced bulbs in pots, jardinets, etc.

Selected bulbs, 1st sizs, per 1000, 63s.; per 1000, 7s. 6d.; per doz., 1s. 3d.

2nd., 2nd., 45s.; ,5s. 6d.; ,1s. 1s.

642 Chionodoxa sardensis, introduced by us in 1883. A First-Class Certificate was awarded to our plants, 1885, by the R. H. S., also by the Royal Botanic Society. J. G., in The Garden of 14th March, 1885, writes:—

"Chionodoxa sardensis is a gem among spring bulbs—one of the rare really blus flowers. Compared with C. Luciliae . it is much brighter and deeper in colour, and a good sized patch is strikingly brilliant, the petals are coloured nearly to the centre. . Must become a great favourite."

Collected bulbs, strong selected, per 1000, 42s.; per 100, 5s. 6d.; per doz., 1s. 6d.

643 Chionodoxa sardensis, home-grown bulbs, specially recommended for mingling with early forced bulbs in pots, jardinets, ctc.

Selected bulbs, 1st sizs, per 1000, 63s.; per 100, 5s. 6d.; per doz., 1s. 3d.

2nd., 45s.; ,5s. 6d.; ...

2nd., 45s.; ,5s. 6d.; per doz., 1s. 3d.

2nd., ,6s. 2nd., ,7s. 6d.; per doz., 1s. 3d.

2nd., ,7s. 6d.; per doz., 1s. 3d.

2nd., ,7s. 6d.; per doz., 1s. 3d.

644 Chionodoxa cretensis, a beautiful dwarf variety, from the mountains of Crete, with rich deep purplish blue flowers, home-grown bulbs, per 100, 2s.; per doz., 3s. 6d.

albifiora, a very rare variety, flowers clear white, tipped rosy-litac.

Home-grown bulbs, per 100, 3s.; per doz., 4s. 6d.

Home-grown bulbs, per 100, 3s.; per doz., 4s. 6d.

Home-grown bulbs, per 100, 30s.; per doz., 4s. 6d. glgantsa (new), a valuable introduction; large open flowers twice the size of C. Luciliæ, and 646 with less white in the centre, very heautiful.

Collscted roots, selected, per 100, 21s.; per doz., 3s. 6d.

SNOWFLAKES (Leucojum).

649 Æstivum, white, 1½ ft.
650 Pulchellum, white, 1½ ft.
651 Vernum, white, ½ ft.; fine Cultivated Bulbs (preferable to collected bulbs),
661 per 1000, 75s.; per 100, 8s. 6d.; per doz., 1s. 6d.
662 per 1000, 75s.; per 100, 8s. 6d.; per doz., 1s. 6d. carpathicum, considered by many finer than the type per 100, 215.; per doz., 35. 6d. o

SCILLAS, Early-Flowering.

The effect in early Spring can hardly be over-estimated of the intense rich blue of Scilla sibirica, and the beautiful ultramarine-blue of Scilla bliolia, contrasting with the snow-white of the Snowdrop, and the varied hues of the Crocus. As permanent edgings these two carly-flowering Scillas are most valuable. Grown in pots or jardinets, alone, or with other bulbs, they form a pleasing variety amongst indoor plants. In flower beds and masses, the blossoms are so abundantly produced as to carpet the ground. Bifolia is the first in bloom, and is closely followed by Sibirica.

....per 1000, 21/-; per 100, 2/6; per doz., 6d.

8. d. 8. 656 Bifolia alba, white4/6 per doz., each o 6 | 657 Bifolia rosea, pale rose...p. doz., 10/6; each 658 Unifolia (One-leaved Scilla), rich blue flowers, resembling S. bifoliap. doz., 4/6; ,,

SCILLAS, May-Flowering (Wood Hyacinths).

The Wood Hyacinth is the most decorative of May-flowering bulbs. Our native species, Scilla nutans abounds in most parts of the country, and many suppose it to be the "Culver keys" referred to by Izaak Walton. The fine Spanish varieties (S. campanulata) of the Wood Hyacinth which we offer, have larger flowers, are stronger growers, and handsomer than our native plants. Campanulata Emperor and grandiflora, when on good soil, are as effective as Dutch Hyacinths. They are very effective in flower and shrubbery borders, and most valuable for wild gradens, weedlend welks, and to naturalize a less effective in flower bads. The white most valuable for wild gardens, woodland walks, and to naturalize; also effective in flower beds. The white varieties are greatly in demand to cut for table bouquets and vases. These beautiful Wood Hyacinths make also charming pot-plants, and may be forced into bloom by March.

WI30	011111111111111111111111111111111111111	per 1co, per doz.	per 100. per dez.
		s, d. s, d.	s. d. s. d.
650	Campani	ilata grandiflora, bells very	664 Campanulata rosea, fine rose 15 02 0
003	vampane	large, clear blue 15 0 2 6	665 Patula, major, dark porcelain vells,
660		aparta, blue, striped white,	very large and handsome 15 02 0
000	3.1	pretty and distinct 15 02 6	666 Nutans carnea, bells beautiful flesh
661		alba, beautiful pure white	colour
OOT	31	bells, fine 15 02 6	6661 lilacing, bells soft pale liluc 20
662		compacta, pure white	667 grandiflora alba, large spike
004	11	bells, compact truss, very fine 15 02 6	of rehite bells, invaluable for
000		Emperor, porcetain,	houquets per 1000, 705. 10 01 b
663	3.1	lined blue, very large	668 rosea, fine rose coloured bells 10 01 0
			669 , rubra, large red bells 10 6 1 6
		and beautiful 21 03 6	1, 2, 2, 2, 3, 4, 5, 6, 6, 6, 6, 6, 6, 6, 6, 6, 6, 6, 6, 6,

King Street, Covent Garden, 1889.]

16	PUSCHKINIA, MUSCARI,	LILY OF TH	E VALLEY,	DIELYTRA, A	ND SPII	RÆA.
	MAY-FLOWERING SCILLAS—conti	nued.			per	100. per doz.
670		, for naturalization	n in shrubberie	s, etcper	1000, 305.	4 60 10
671 672		**	**		,, 215,	
673		"	"			3 6o 8
674	,, ,, Red Scillas	n ii	"			
	Dominiono en i Ciliania en de		RIOUS SPECIE			77. 77
pla	Peruviana and Ciliaris are the gints. Autumnalis japonica has be	ant-nowering Sc autiful rose-coloi	uas of Summer tred flowers, an	, and when establis	shed are g	mand border
		each-s. d				each-s. d.
676	Autumnalis, purple-blueper do	z. 15.6d. 0 3	678 Peruvia	na, large spreading blue flowers		
	per 100, 10/6; per	doz., 1/6 o 3		alba, white	,, (7s. 6d. 0 9
677	Ciliaris, large spreading heads of l	ight blue	680 Verna,	lilac-blue, p.100, 12s	.6d.; ,,	2s. o 3

PUSCHKINIA.

This beautiful variety of Puschkinia is a first-class dwarf hardy April-flowering bulb, and should be represented in every garden; on rockwork it is charming, and is also found a valuable pot-plant (6 bulbs in a pot) under glass. A coloured plate of it appeared in *The Garden*, 1878 and 1881.

681 Puschkinia libanotica compacta, white, deeply shaded and striped blue, ht. 4 to 6 in.,

per 100, 215.; per doz. 35. 6d.; each o

MUSCARI.

M. botryoides, the Grape Hyacinth, has a neat dwarf compact growth, with flower spikes of dark blue, clear pearl-blue, rose, or pure white. It is an admirable plant for edgings to permanent beds, and beautiful under glass, 6 bulbs in a pot. M. raesmosum, the Starch Hyacinth, is in bloom with M. botryoides, but differs in having a larger flower spike and the foliage being recumbent. M. moschatum, the Musk-Hyacinth, and its varieties have delightfully fragrant flowers, and are recommended for pot-culture. M. plumosum monstrosum, the plume-like appearance of its handsome flowers has secured to it the name Feathered Hyacinth; it is the last in this section to flower, and deserves a place in every flower border and rockery. The Museari, like the Wood Hyacinth, is a fine plant for naturalization, continues long in bloom, and is not particular as to soil or

situ	ation.			ong in bloom, and is not particular as to soil	OF
		per 100, per do	Z.	per 100. per c	doz.
682	Argori, i.	ntense dark blue, a very fine s. d. s. d		Commutatum, light blue, a remark- s. d. s.	d.
683	Armonia	oum alter marine blue	6	ably neal dwarf species 10 6I	6
000	arr menio	cum, ultra-marine blue,	691	Heldreichii, long spikes of fine large	
	very vee	autiful, ht. 6 in 5	6	blue flowers, ht. 8 in	6
684	Atlantic	um, sky-btue, large and	692	Moschatum, the Musk-Hyacinth,	
	beautif	ul	6	very fragrant, ht. 8 in5	6
685	Aznreum	1, sky-blue, earliest of all the	693	" major, the Large Musk-	
	Muscar	ris	0 (Hyacinth, fragrant 9	0
686	Botryold	es cœruleum (Grape Hya-	694	,, flavum, the Large Yel-	
	cinth),	aark olue, ht. 6 in 2 60	6	low Musk-Hyacinth, dense spikes,	
687	22	album, white, beautifut 21 03	0	2 to 3 inches long, of fine yellow	
688	11			fragrant flowers, new and rare, ea.7/6	
		very pretty 2	6 695	Plumosum monstrosum, purpte-lilac 10 61	6
689	***			Racemosum, very dark blue, ht. 8 in. 5 6 1	
_					

LILY OF THE VALLEY. For forcing, and making plantations out-of-doors.

The clumps of Lily of the Valley quoted, have been specially prepared, and cannot fail to give abundance of flowers. In potting, the top of the crowns should be one inch below the rim of the pot; tight potting is of great importance, and care should be taken, in the first watering, that the moisture penetrates to the centre of the clump. Prepared crowns are now extensively used by the growers for Covent Garden Market, who put 20 to 30 in a 5-inch pot. The Berlin crowns are best for very early work; the Devonshire crowns force best after Christmas. The prepared clumps we think will be found by private growers preferable to crowns. The supply of Extra Selected clumps being limited, orders should be booked early, for dispatch in November.

CULTURE.—A moist atmosphere and abundance of water is indispensable to success in forcing Lily of the Valley: therefore, to encourage simultaneously the development of flower and foliage, most growers place the

Valley; therefore, to encourage simultaneously the development of flower and foliage, most growers place the pots in a shady damp part of the house, or invert a flower-pot over the crowns, till the flower and the foliage have made some progress, then they are removed to a less shady situation. If they are grown in a dry atmosphere, or get an insufficient supply of moisture, the crowns, technically speaking, "go blind."

```
each-s. d.
697 Fine strong clumps .....per doz. 125. od. 1 3 698 Extra selected clumps .....pr
                                                                 700 Strong Devonshire Crowns, "Victoria,
                                                                         extra fine variety for forcing later,
                                                 I 55.
699 Strong Berlin Crowns, specially selected
                                                                          per 100, 8s. 6d.; per bundle of 25,
        for early-forcing, per 100, 7s. 6d.; per bundle of 25, 2s. 6d.
                                                                 701 Dutch Crowns, for out-door planting,
                                                                                     per 100, 5s. 6d.; per 1000, 42s.
```

DIELYTRA (LYRE FLOWERS). For forcing and planting out.

The most elegant of all forced plants for conservatory and room decoration, also to cut for furnishing vases. The graceful pendant branches are loaded with beautiful red heart-shaped flowers, and furnished with the most delicate rich green foliage. In shrubberies or herbaceous borders, few plants in summer are so attractive as the Lyre Flower.

SPIRAEA (THE MEADOW SWEET). For forcing, and planting out. The large graceful, feathery, pure white, fragrant flowers of Spiraea japonica surpass all else in this way

to cut for furnishing vases, and the plant is one of the most decorative for the conservatory and room. In forcing, a moist atmosphere and abundance of water is necessary. Spirae palmata has bright red feathery flower spikes, [Barr and Son,

Spir & A - continued.

which are strikingly beautiful. Spirae japonica fol. aureo-reticulatis is a unique plant, forces the same as S. japonica, and is remarkable for the fine yellow veining or reticulation of the leaves. In sheltered moist borders japonica, and is remarkable for the line, out of doors, these plants are very decorative.

each—s. d. 710 Palmata, clumps for forcing, per doz., 7/6 0 9 703 Japonica, strong clumps, specially pre-pared for forcing...p. doz., 7/6 o 9 709 ... fol. aureo-reticulatis, leaves reticutated yetlow and green, ,, alba (new), elegant light-green foliage 711 with large spreading plumes of snow-white flowers

prepared clumps per doz. 10/6 1 0 For other Species of Spiracas, see DAFFODIL CATALOGUE.

IRISES.

The Iris is the "Orchid" of the flower garden; its blossoms are the most rich and varied in colour of hardy plants. It should be extensively planted in flower and shrubbery borders, and naturalized in wild gardens. hardy plants. It should be extensively planted in flower and shrubbery borders, and naturalized in wild gardens. As a cut-flower the Iris is invaluable, competing in richness and variety of colour with the choicest and the most beautiful Orchids. A judicious selection of Iris should include not only the rich colours and the æsthetic combinations of colours but such varieties that will ensure a succession from Christmas to August, and this is achieved at an outlay not exceeding the cost of one specimen Orchid. Iris Alata, Vartani, Histrio, Stylosa, Reticulata, and its varieties, Rosenbachiana and Bakeriana, flower in winter, followed by the violet-scented Iris Persica, also Iris caucasica, orchioides, tuberosa, and Sindjarensis. Next in succession come the beautiful Iberica varieties and Susiana, with its large, dusky, curiously and beautifully reticulated flowers, Gatesii and Suworowi, then Pumila and the other early-flowering Dwarf Iris. Close after these follows the Iris Barbata group, with an almost endless variation in colour, from white and the richest golden-yellow, to rose, intense purple, pale blue and beautiful bronzes. The Beardless section continues the succession in Sibirica, Orientalis, Graminae, Versicolor, Virginica, etc.; and are succeeded in July by the elematis-flowered Japanese Iris Kæmpferi. The Spanish bulbous Iris flowers in June, and is followed by the English bulbous Iris; thus the succession, in conjunction with I. Kæmpferi, is carried to August, the close of the Iris season. We must not forget in the category the pretty Peacock Iris, the charming spring-flowering Iris cristata, a glorious plant on dry banks, nor the beautiful June-flowering species, Juncea, Tingilana, Boissieri, Lusitanica, and Lusitanica sordida; these, with the handsome Beardless and sub-aquatic trises, are links in an unbroken chain.

To cut for filling vases and for table bouquets, all the Iris are admirably adapted, and when necessary to forward the flowers to a distance, gather the buds just before expanding, and

ENGLISH IRIS (THE LARGE BULBOUS IRIS OF THE PYRENEES). Bulbs supplied September to December.

This magnificent Iris thrives best in a well-drained soil; when planted in heavy soil, surround the bulbs with sand. When convenient plant as soon after the beginning of September as possible, although we have planted as late as December, and even in January; but the earlier the planting is done the better. The varieties offered are distinct, and as strikingly beautiful and varied in colour as the most sumptuous orchids of the hot-house.

We exhibit annually cut flowers of this grand Iris at the Meetings of the Royal Horticultural Society, &c. BARR AND SON'S SELECTIONS OF BEAUTIFUL ENGLISH IRIS.

	s. d.		74								
712	3 each of 24 magnificent varieties 15 o 715 Fine mixedper 100, 5/6; pe	er ac	z. I								
713	1 each of 24 5 6 716 Choice mixed , 7/6	2.2	I								
714	2 coch of 10 8 o 717 Named vars., mixed 12/0	,,	2	0							
ILT	3 0001 01 12										
	The descriptions were made by our Mr. Barr from the flowers.	202 4	loz, ea	ch							
	S. is used to signify Standards, or the erect petals; F. Falls, or the drooping petals.		d, 8.								
	10 5. 18 used to signify Standards, or the erest peters, 1. Land of the mottled wield		-								
718	Abigail, S. crimson-purple, edged and splashed lavender, F. delicate lavender, mottled violet.	3									
719	Adrian S satin-rose and magenta. F. delicate tilac, spotted crimson-purple	3									
720	Amphimachus S purple-black F. rich velvely purple	3	60	4							
721	21 Amusant S violet-purble, F. rich deep blue, spotted dark purple										
722	Armida S purple, splashed black, F. rich crimsou-purple, spotted black	3	60								
723	Blanche, S. and F. white, tinged rose	3	60								
724	Blanche Fleure, S. white, with rosy tinge, F. white	3	60	.4							
725	Cavaignac, S. rosy litac, F. rose-lilac, tinged blue	3	60	4							
726	Cleo, S. violet-purple, flaked black, F. rich violet-blue	3	60	4							
	Gertrude, S. fine manve, flaked purple, F. lavender, spotted violet	3	60	4							
727	Graaf Bentink, S. magenta, flaked white, F. white, spotted crimson	3	60	4							
728	Graat Bentink, S. magenta, juakea white, 11. White, spotted it miss	4	60	6							
729	Grande Celeste, S. deep azure, F. celestial blue, very large	3	60								
730	Grande Blanche, S. white, slightly feathered purple, F. white, slightly blotched purple	3	60								
731	Henri IV., S. lavender, streaked purpte, F. delicate lavender, slightly spotted lilac	3	60								
732	Hypocrates, S. soft mauve, F. mauve, tinged blue										
733	King of the Blues, S. rich violet-purple, F. violet, shading to blue, with conspicuous white eye	3	60								
734	La Charmante, S. deep lavender-blue, F. white, margined light lavender	3									
735	Le Lihan S. magenta-burble, splashed white, F, white, heavily flaked, purple-magenta	3	60								
736	Ta Superbe S race-burble, P. while, edged rose	3	60								
737	Ta Vierge S deep agure-blue, staked dark violet, F. violet and black	3	60								
738	Lilacinus S deep lavender, splashed violet, F, bale lavender	3	60								
739	L'Unique S claret-burble, l., burble, shading to blue	3	60								
740	Mountain of Snow, S. and F. white, very large	5	60	0							
741	Mont Blanc, S. and F. pure white, very handsome	3	60	4							
742		3	60	4							
	Peleus, S. ruby-purple, shaded black, F. velvety crimson-violet	3	60	4							
743		3	60	4							
744	Periecta, S. mauve, flaked parpie, P. mauve, shall with the largery specified and vellow eve	3	60								
745	Pharon, S. ruby-purple, F. velvety crimson-purple, with blue lustre, and white and yellow eye Romulus, S. violet and black, F. rich blue, spotted dark violet	3	6 0								
746	Romulus, S. violet and black, F. rich blue, spotted dark violet	3	6 0								
747	Simon, S. pale lavender, feathered purple, F. delicate lavender, slightly spotted violet	3	60								
748	Vainqueur & Joet lanender, feathered molet, F. delicate lavender, slightly spotted violet	3	60								
749	Viotoria S magenta flaked unkite li unkite marbled rosv-purple	3									
750		3	60	4							
,	C. Grand Carden =00m]										

King Street, Covent Garden, 1889.]

SPANISH IRIS (THE SMALL BULBOUS IRIS OF SPAIN).

Bulbs supplied September to December.

The Spanish Iris are in flower a fortnight before the English, and differ considerably, the flowers being smaller, and the combination of colours quite different; the blendings of the colours are more curions, and in this respect may he compared with the more rare of the curiously coloured orchids. They require the same cultural treatment as the English Iris. See coloured plate in *The Garden*, 1881.

We exhibit annually cut flowers of the Spanish Iris at the Meetings of the Royal Horticultural Society. BARR AND SON'S SELECTION OF BEAUTIFUL SPANISH IRIS.

	s. d. }			
751	3 each of 24 magnificent varieties 12 6 754 Fine mixed p 1000 15/2 p 100 2/2		8.	d.
752		p. a	oz. o	4
753	5 0 [100 CHOICE MIXED 22]		. 0	6
100	3 each of 12 6 6 756 Named varieties, mixed ,, 10/6			6
	The descriptions were made by our Mr. Barr from the flowers			- 1
	and by our state bound the nowers.	per	doz,—ea	cn.
757	3 seach of 12 ,	s.	a. s.	α.
758				
759		2	60	3
	alusta, S. Peuri-viue, F. Veilow and orange	_	6 0	-
760	Dadition, S. Primrose, P. rich vellow and orange	-	6 0	_
761				
762	California, S. rich yellow, F. yellow, spotted orange	2	00	3
763	Clean C wield the dale 1 17 11	3	60	4
764	Jacob, D. vivici. viuce, nakea parvie, r. viive and viilom	_	6 0	_
	J. Date titat, P. White and vellon	_	6 ^	-
765				3
766			6 0	
767	Diomedes, S. dark porcelain, F. sulphur and yellow Florence Nightingale S. sulphur F. sulphur and yellow	2	00	3
768	Florence Nightingale Caulaban English	2	60	3
769			60	4
770				4
	Tavolock, S. olue, Shading to applie. P. applie and oringe	0	6 0	3
771	ach. Wyhunain, S. othe, linged sulphur, F. vellow and orange	-	6 0	4
772	Jupiter, S. violet, F. violet, spotted orange.	3	60	
773	La Seduisante, S. chestnut-purple, F. olive and orange	2	60	3
774	La Vestale S enormantità E achita and I Vestale	2	00	3
775	La Vestale, S. snow-white, F. white and yellow	2	60	3
376	Louis le Grand, S. lavender-blue, F. pearl and yellow	2	60	3
	Addis a minippe, S. tight purple. P. chesinul and orange	_	6 0	~
777	210 2100 Oluta, S. Hent office-primiose. P. colden-vellong and orange	_	6 0	^
778	and thore, S. thesinul, F. thesinul and vellors	^	6 0	
779	Regulus, S. violet, F. azure-blue and orange	2	60	3
780	Romulus S office bronce E wellow and over	2	00	3
781	Romulus, S. olive-bronze, F. yellow and orange	2	60	3
782	The state of D. ototet, P. othe and orange	-	6 0	3
	San ball, S. pure white, shaded violet at base, it, white with conshirmous golden blotch	0	6 0	
783	volus, S. olive-yellow, P. rich orange	0	6 01	2
784	Victoria, S. white, flaked blue, F. primrose and orange	-	6 0	
	VADIOUS DEAUGUSTI DAY DOME OF THE PROPERTY OF	3	00	4,
	VARIOUS BEAUTIFUL BULBOUS & TUBEROUS-ROOTED IRIS SPI	EC1	ES.	
	These Iris Species are all hardy and beautiful, flowering variously from November to June.	ata	Histri	•

These iris species are all hardy and beautiful, flowering variously from November to June. Atata, Itistrio, and Vartani, are charming winter-flowering species, and are followed in February by the Reticulata varieties, and Vartani, are charming winter-flowering species, and are followed in February by the Reticulata varieties, with their lovely violet-scented blossoms, the sweet-seented Persica, also the beautiful new species Rosenbachiana and Bakeriana. Next in succession come the interesting and charming Caucasica, Orchioides, the curious Snakeshead Iris Tuberosa, and the new species Sindjarensis. These are followed closely by Susiana and Iberica, with their beautifully netted large handsome blooms. The two new varieties of Iberica are great acquisitions. These, with Iris Gatesii, Suvorovi, and Susiana surpass in beauty any written description that can be given of them. The charming dwarf Iris Arenaria with its small bright yellow flowers, and the pretty Peacock Iris, Pavonia, flower in May, and are followed in June by Iris Juneca, Tingitana, Boissieri, Lusilanica, and Lusitanica sordida, all species of great beauty and interest. Iris Iberica, and its varieties, Susiana, Arenaria, Gatesii, Paradoxa, and Suvorovi, require special treatment; Dr. Foster grows these beautiful Iris successfully planted out, and covered with a frame from the middle of June to the middle of October, thus securing to them a period of rest; from October till in flower, the lights are removed, and the October, thus securing to them a period of rest; from October till in flower, the lights are removed, and the plants exposed to all weathers. From a very small space, Dr. Foster cuts multitudes of flowers of the finest 0 6

plants exposed to all weathers. From a very small space, Dr. Poster cuts indictaces of howers of the quality from these, and other kindred species, by this simple treatment.

86 Alata, flowers pale blue of similar shape to 1. reticulata, winter-flowering, ht. \(\frac{1}{2}\) ft....

87 Arenaria, a rare and beautiful dwarf species, with anary-yellow flowers in May, ht. 1 ft.

88 Bakeriana (new), a most lovely and striking species, flowers of similar form to 1. reticulata, S. skyblue, F. white, blotched and spotted dark violet, sweet-scented, flowers February and March, \(\frac{1}{2}\) ft...

88 Boissieri (new), S. and F. rich purple, with a golden-yellow blotch, \(\frac{1}{2}\) fune-flowering, a very handsome species, ht. 9 in. 789 790 791 792 793

6

6

6

6

6

Juncea, S. and F. brilliant golden-yellow, most beautiful ... per doz. 55. 6d.
Lustanica, S. and F. rich yellow ... per doz. 5/6 794 795 0 Lusitanica sordida (Thunderbolt Iris), S. chestnut-brown, F. bronze-purple, with rich golden blotch, 796 handsome _______ per 100. 18 |; per doz. 36
Orchioides (new), this species resembles 1. caucasica, but flowers are larger and of a bright goldenyellow colour, and produced in the axils of the leaves, April-flowering, 1 ft.

Pavonia major (Peacock Iris), pure white, petals blotched clear celestial blue, for pots or the open
ground. 1 ft. handsome 797 3 6 798

ground, 1 ft.per doz. 1/6 Paradoxa (new), flowers of a uniform black-purple, with darker veins, May-flowering, ht. 8 in..... Persica, white, the petals marked blue, purple, and gold, very fragrant, 1 ft.....per doz. 3/6 0 4 Barr and Son,

		eac	n.
000	Reticulata, brilliant deep violet, blotched golden-yellow, very fragrant, \(\frac{3}{2}\) ft. Figured in "The	δ.	d.
800		0	9
	cyanea, S. sky-blue, F. dark-blue, dwarf and free-flowering	- 5	6
801	cyanea, S. sky-otue, F. dark-otue, awary and free-free sky	ŏ	
802	Krelagei, red-purple, blotched golden-yellow, very fragrant, Iftper doz. 7s. 6d.	•	7
803	December hinny (new) relief and right in may if I. PCISICA, out with much larger howers, quite		-
	Land and and hearthful to hirst-class terminate A. A. S. and Dot. Botter, 1009	5	0
	naray, very early, and beauty at, a second in a leavestica in form but howers white shading to		
804	Sindjarensis (new), a charming species, resembling 1. caucasica in form, but flowers white shading to	7	6.
		-	
805			-
		0	0-
	Suworowi, a fine Iris of the Iberica class, but more hardy, S. and F. varying from red-purple to		
805	Suworowi, a fine tris af the toetica trias, but have have	2	6.
	lovender, or grey, conspicuously reticulated with deep veins		
808	Tuboroon (Snokeshood Iris) wery striking howers rich velvely violet viate and free, it.		-
000			
	Tingitana, purple, spotted orange, June-flowering, 1 ft. per doz. 10/6	I	0.
807	Tingitana, purple, spotted orange, fune-holotting, this grow commanded vecentling I Reticulata.		
808	Vartani. A new species from l'atestine, flowers bluish grey, somewhal resembling I. Reticulata,	3	6
	but flowering in November or December, \frac{1}{2} ft.	3	

FLAG IRIS.

For descriptions of varieties, cultural directions, and general information, see Daffodil Catalogue.

IRIS BARBATA, THE BEARDED IRIS, COMMONLY CALLED GERMAN IRIS.

Our collection of Bearded Iris is the most complete in Europe, and in "The Florist and Pomologist" of December, 1884, a lengthened, classified, and descriptive list is given of the varieties we flowered the preceding summer.

For descriptive list of varieties and collections, see Daffodil Catalogue.

DWARF IRIS, INCLUDING PUMILA, OLBIENSIS, Etc.

Charming Iris, growing 6 to 12 inches high, and flowering during March, April, and May. They succeed in almost any soil and situation, and are valuable for groups in mixed borders and as edgings.

For descriptive list of varieties and collections, see Daffodil Catalogue.

IRIS KEMPFERI (the Clematis flowered Japanese Flag Iris).

The magnificence of these splendid new Japanese Iris, surpasses any written description that we could give of them. The large flat flowers measure from 6 to 8 inches in diameter, with a breadth of petal 3 to 3\frac{3}{2} inches; the prevailing colours being white, magnits, crimson, rose, lilac, lavender, French grey, purple, violet and blue, each flower usually representing several shades, while close under the petaloid stigma there is a brilliant yellow or orange blotch or feather, more or less conspicuous, and almost always surrounded except in the whites by a halo of blue or violet.

For descriptive list of varieties and cultural directions, see Daffodil Catalogue.

BEARDLESS SPECIES OF FLAG IRIS.

The Iris offered in this section are quite distinct from the Bearded group. Most of them make grand aquatics, especially Aura, Monneri, Ochroleuca, Gueldenstuedtii, and the varieties of Pseudo-Acorus, and Spuria, which in water are not only majestic in growth, but have flowers surpassingly beautiful. The varieties of Sibirica, including Orientalis, are graceful in water. All the other Iris in this group, with the exception of Cristata, Ruthenica, Stylosa, and Tectorum, may be grown as marsh aquatics, Cristata is charming on dry banks and rock-work in sunny sheltered places. For further information on this interesting section of hardy Iris, see the Daffodil Catalogue, where the species are all fully described.

IXIAS, MORPHIXIAS, SPARAXIS, TRITONIAS, AND BABIANAS.

King Street, Covent Garden, 1889.]

CULTURE IN-DOORS.—From September to December plant in a four or five-inch pot five or six bulbs, using a compost of turfy loam, leaf soil, and silver sand. Make the soil firm about the bulbs, then plunge the pots in ashes in a cold pit or frame, and withhold water till the plants appear, then at first give sparingly. Except during wet or frosty weather, the lights should be left off. Early in February, the plants having made sufficient growth, remove them to the greenhouse, and carefully attend to the watering.

CULTURE OUT-DOORS.—Plant from October to January, at a depth of three to four inches, and two to three inches apart, in a prepared light loamy soil, thoroughly drained, the bed raised six inches above the general level, with a due south aspect. Should the earlier plantings make foliage in autumn, protection must be given during severe frost, and this is best done by hooping the beds over, and, when necessary, covering with general level, with a due south aspect. Should the earlier plantings make foliage in autumn, protection must be given during severe frost, and this is best done by hooping the beds over, and, when necessary, covering with mats; or tiffany may be used, and can remain on till the danger from severe frost has passed. The plantings made in December and January need no protection beyond a little fern, which gradually remove in spring, as the plants spear through it; as these late plantings will flower later in summer than the carlier ones, select a situation for them where the sun's rays will be somewhat broken, and the blooming period will thereby be prolonged.

The lxia is a slender graceful growing plant, with long loose spikes of bloom. The colours are rich, varied, and beautiful, the centre always differing in colour from the other parts of the flower, so that the blossoms expanding in the sun's rays, present a picture of gorgeous beauty.

The descriptions refer to the flowers when open; when closed, most of the yellows and the whites have the outside of the petals red or purple; thus, the more brilliant display is when the flowers are fully expanded.

the of the perces rea or finifical				
BARR AND SON'S SELECTION	ONS O	F BEAUTIFUL IXIAS.		
				d.
S. U.	919	1 each of 12 splendid varieties 1/6 &	2	6
3 each of 30 spiendid varieties 15	010	an in mirrod per 100 7/6 : Det doz.	T	6
3 each of 20 10 6	813	Choice mixedber 100, 7/6, per doub		
2 anch of 10	814	Fine mixedper 100, 5/0, ,,	A	U
out of the second of the secon	a mas	at distinct and beautiful in cultivation.		
The varieties of Ixias enumerated are to	е шог	nor doz		a
per doz. s. d.		per doz.	٥.	us
Alice Aure robite nelvety crimson centre 2 6	821	Crateroides, rich cerise-scarlet, early, and		
Among part white, belong training		greatly valued for cutting per 100,5/6	I	0
Azurea, azure otue, violet tentre	822	Duchess of Edinburgh, bure white, striped		
Beauty of Noriolk, canary, centre otack 2	022	Duchobs of Education Series	2	6
Bucephalus, magenta-purple, beautiful 1 6		rose-purple		
Comet vellow black centre I 6	823	Ella, pure white, crimson centre	4	2
Conqueror vellow shaded red I 6	824	Elvira, French-grey, violet centre	I	a
	BARR AND SON'S SELECTION 3 each of 30 splendid varieties 15 o 6 3 each of 20 , 10 6 3 each of 10 , 5 6 Beauty of Norfolk, canary, centre black 2 6 Bucenalus, magenta-purple, beautiful 1 6	BARR AND SON'S SELECTIONS O 3 each of 30 splendid varieties	BARR AND SON'S SELECTIONS OF BEAUTIFUL IXIAS. 3 each of 30 splendid varieties	BARR AND SON'S SELECTIONS OF BEAUTIFUL IXIAS. s. d. 3 each of 30 splendid varieties

825	IXIAS—continued. per doz	-s.	d.		per doz.	—s.	d.
	Emperor of China, yellow, centre black	3	6	838	Pallas, pale prinirose, purple centre	1	6
826	Erubescens major, deep rose-carmine,			839	Pearl, white, violet centre, large	I	6
	black ceutre	1	6	840	Prestics, the largest of the Ixias, pure		
827	Glory, bronze-crimson, black centre	1	6		white, velvety crimson centre		6
828	Golden Drop, golden-yellow, purple centre	I	0	841	Proestans, vuby-crimson		6
829	Gracchus, canary-yellow, crimson centre	1	6	842	Rosea plena (Wonder), bright rose-pink,		
830	Hector, rose-purple, dark centre	1	6		double sweet-scented flowers		6
831	Hercules, white tinged rose, deep rose			843	Sarnia's Glory, rich yellow, black centre		6
	centre, fine	Y	0	844	Smiling Mary, rosy-pink		6
832	Josephine, striped rose and white, pretty	Y	6	845	Sunbcam, orange, striped crimson		
833	Lady Carey, buff-orange, black centre	Ŷ	6	846	Titania, white passing to rose	-	0
834	Today Clode Land Cott 1	î	3	847	Virgiling As to Animuses winted and		0
835	Magnifica, rich deep yellow, chocolate centre		3	848	Virgilius, pale primrose, violet centre	_	6
836					Viridiflora, sea-green, black centre, distinct		6
837	Nitens, intense deep magenta, handsome	1	6	849	Vulcan, orange-red, black centre	2	6

These have the same graceful habit as the Ixia, and are very floriferous; they come into bloom later than the Ixias, and continue in flower frequently till August.

950	Pomiowlete I. CC 17 or 1	per doz.—s.	d.			per dozs.	d.
851	Paniculata, beautiful buff colour alba, white, black centr	I	6	852			
	s wast, white, but a center	· · · · · · · · · · · · · · · · · · ·	U	1 009	 mixed	2	0

SPARAXIS.

It would be difficult to conceive colours more diversified and gorgeous than is represented by the Sparaxis, and one can well appreciate Mr. Saunders' observation, "that he has seen the knee of an enthusiast bent and gymnastics performed over a bed of these, without feeling at liberty to condemn the performer." The fine compact dwarf growth of the Sparaxis, and its rich beautiful colours, mark its suitability for pot-culture.

EARR AND SON'S SELECTIONS OF BEAUTIFUL SPARAXIS.

854 855	5 each of 12 splendid varieties			1	856 857	2 each of 12 splendid varieties 4	d. 6 6
858 859 860 861 862 863 864 865	Choice mixed	1 1 2 5 2	6 0 6 6 0 6		866 867 868 869 870 871	Maculata, white, purple and primrose. 2 Nain, white and crimson, primrose centre, 1 Queen Victoria (ucw), white, spotted black 2 Tricolor, scarlet, marbled crim., centre yet. 1 ,, alba, white, black, and yellow. 2 grandiflora, rich crimson, yellow centre, fine 1	6

TRITONIAS.

The habit and growth of these resemble the Sparaxis, but the prevailing colours differ, and flowering later they form a most important succession. The colours range from buff to rose and the richest glowing orange, the flowers always having a beautiful transparency. At Cliveden, the late Mr. Fleming was in the habit of growing hundreds of pots of Crocata for furnishing jardinets.

BARR AND SON'S SELECTIONS OF BEAUTIFUL TRITONIAS.

873 874	5 ea	ch of	10		varietle	s	15			6 1 each of 10 splendid varieties	d.
875		• 5	10	**	• • • • • • • • • • • • • • • • • • • •	•••••		-	87		6
0.0		7.1	10	31	11	••••••	7	6	1 87	Fine mixedper 100, 5s. 6d., per doz. x	0
883	Croc Ecla: Eleg	uant, ata, ir, <i>br</i> ans,	ric brig ight orat	th luminou tht orange t scarlet . uge-ccrise.	s orangepci	per de -white -scarlet 100, 10/6	5 2 1 3	6 6 6		per doz. s. Incomparable (new), bright orange-scarlet, largest-flowering of all 5 Julia (new), delicate flesh-salmon 5 Leopard, salmon, streaked orange, fine 4 Prince Alfred, white, very large 4 Speciosa, brilliant orange-scarlet 4	

BABIANAS.

The flowers of the Babiana range in colour from blue to the richest crimson-magenta, and set off by a dark green hirsute foliage, they form a striking contrast both in flower and foliage to the Sparaxis and Tritonia. The Babiana has the same fine dwarf compact growth, and is a good companion plant to Sparaxis and Tritonia, in pots or out of doors.

BARR AND SON'S SELECTIONS OF BEAUTIFUL BABIANAS.

891 892 893	3 ,,	of 10 : 10 10	splendid ''	varieties		8 5	6	895	1 each of 10 splendid varieties	3	6
897 898 899 900 901 902 903	Celia, 7 General General General	ose, no l Froc l Scot l Slad	lark blue, earked wh ome, viole t, lavend e, brillia	vigorous ; tite t, spotted : er, suffused int mageut	per do d white habit white i white d a id blue	2 3 2 4 4	6 6	904 905 906 907	Kermesina, rich crimson-magenta Lady Carey, rose, marked white Rubro-cyanea, blue, crimson centre, beautiful Speciosa, mauve, suffused blue Villosa, blue	z. 8. 2 2 4 2	<i>d</i> .

[Barr and Son,

DOUBLE PERSIAN RANUNCULUS FOR BEDS, RIBBONS, AND MASSES.

The named varieties have been selected on account of their large flowers and fine colours.

	BARR AND SON'S SELECTIONS OF BEAUTIFUL PERSIAN RANGUEOUS.		3
	ε . d .		d.
909	each 25 spiendid named varieties 15 0 911 1 each 25 splendid named varieties	3	6
	25 10 0 912 Mixed Scotch spotted vars.p.100, 5/6; doz.	I	0
	913 Superfine mixed varietiesper 1000, 25s.; per 100, 3s.; per dozen 0 6		
	914 Fine ,, 16s.; ,, 2s.; ,, 0 4		

DOUBLE TURBAN OR TURKISH RANUNCULUS.

The flowers of the Turban Ranuncuius differ from the Persian in being larger, more rose-like, and selfin beds, ribbons, and masses, the rich yellow, bright orange, brilliant searlet, and pure white flowers, coloured. are very effective in Spring. BARR AND SON'S SELECTIONS OF BEAUTIFUL TURBAN RANUNCULUS.

	pilkii iiiib boii b baarie iii						
		S.	d.			8.	d.
915	50 each 8 splendid varieties	21	0	917	20 each 8 spiendid varieties	9	0
916	30 ,, 8 ,,	13	0	918	10 ,, 8 ,,	4	6
010	919 Spieudid mixed per	100	n 2	rs. no	r 100, 2s. 6d.; per dozen, 6d.		
				rae! Isc	1 100, 25, 601, 1 150, 40000, 200	100, p. d	0.4
	p. 100.	p. a	oz.				
	s. d.	8.	d.			d. 8.	
920	Bright Yellow 3 6	0	6	925	Orange 3	60	6
	Carmine (new), a beautiful colour				Scariet, splendid 2	60	6
					Variegated, mottled red and yellow 3	60	6
		0	0				
923	Crimson-brown or black 3 6.	0	6	928	White, beautiful	2	6
924	Golden-Yeliow 3 6.	0	6				

NEW LARGE-FLOWERING TURCO-PERSIAN RANUNCULUS.

This new race of Ranunculus is remarkable for a vigorous growth, and is profusely floriferous; the plants attain a height of about 18 inches, and produce from 10 to 15 blossoms each. Where cut flowers are in demand, these new Ranninculus are most valuable, as flowers may be gathered from the same bed several times a week, during the flowering period, without impairing the display.

	929 5 each of the 12 spiendid	distinct	varie	ties er	numerated 10 6	
	930 3 12				7 6	
	931 Choice Wived from a lurge	enllection	ດກໍ່າ	ner. Too	00, 42s.; per 100, 5s. 6d.; per doz. 1 0	
					305: 35. 6d.: 0 9	
	932 Fine Mixed	11	***			
		p. 100. p	doz.		p. 100. p. doz.	
		8. d.	2. 11.		s. d. s. d.	
023	Carmina-Rad	8 6	T 6	1 939	Rich Deep Scarlet 7 6 3	
333	Oaimine-iven	0 0		040	Rich Crimson, very fine 4 6	
	French-Grey, tinged Violet				Rich Crimson, very fine	
935	Yellow, Striped Orange-Red	8 6	I 6	941	Rose, shading to Pink 5 61 0	
936	Yellow, Shaded Orange-Scariet		26	942	Rich Clear Yellow 6	
					Videota Ordenson handanas vo 6 2 0	
937	Primrose, a delicate shade		2 0	943	Veivety Crimson, handsome 12 62 0	
938	Pure White, very beautiful		2 6	944	White, tipped Carmine 12 62 0	

THE ANEMONE, OR WINDFLOWER.

Anemone flowers embrace scariets, roses, blues, and purples of the most dazzling hucs, also the purest whites, and endless variations in stripes. The habit of the plant is excellent, and the foliage elegant. For beds,

edgings, and masses, where Spring flowers are grown it is matchless, and may be had in bloom, weather permitting, from November to July, according to situation, locality, and time of planting.

CULTURE.—Any good soil, moderately well drained, suits the Anemone. In its native habitat it grows mostly in vineyards and oliveyards, where it is partially protected from the sun's rays and parching winds, the most potent enemies of Spring flowers. Plant in succession from August to May, the roots four to six inches apart, and at a depth of two to three inches; this should be done when the ground is in good working condition and on a dry day. The plantings for Summer and Autumn-flowering, must be in a situation where the ground is moist, and in shade from after 10 or 11 a.m.

NEW DOUBLE POPPY ANEMONES, FOR BEDS AND MASSES.

The flowers of the Double Poppy Anemone resemble a semi-double Hollyhock, and are extremely hande. When planted from September to December, they flower in succession during the early Spring months, those planted from January to April flower in succession from April to July.

and		. 100.		
	s. d.			
045	5 each 25 new spiendid varieties 15 0 948 New varieties in mixture	8 6	I	3
	DAG Now blue wemiching	12 6	5I	9
	in the second se	10 E	51	6
947	1 ,, 25 ,, 3 6 950 New scarlet varieties	6		6
951	New Doublo Ancmone, "Rosettc," white, flaked, and shaded delicate rose-pink, beautifut	10)1	0
952	"Chapeau de Cardinal." Large cerise-scartet Howers, very free	10	J L	U
953	"Rose de Nice" bright rose heautiful and distinct	10 (JI	6
954	Double Anemones, fine mixed Scarlets of shades	7 6	5I	3
	aniendid mived all colours	5 6	5I	0
955				
956	fine mixed, all colours	4 ,	,,,,,	

King Street, Covent Garden, 1889.]

22 ANEMONE SINGLE, STELLATA, FULGENS, & SUNDRY SPECIES, & CYCLAMEN.
NEW DOUBLE CHRYSANTHEMUM-FLOWERED FRENCH ANEMONES. A new section of the double Poppy Anemone, remarkable for large Chrysanthemum-shaped handsome flowers. per doz. each. ** d. ** d. ** d. ** d. ** d. ** d. ** d. ** d. ** d.
987 Gloire de Nantes, rich violet 3 60 4 958 La Brillante, cerise-scarlet, with black boss, large and handsome 4 60 6 961 Splendid varieties, in mixture 5 6 9
These handsome Single Anemones have large beautiful saucer-shaped poppy-like blossoms, and during mild seasons, or in sheltered situations, are flowering continuously throughout the Winter, Spring, and early Summer. 962 Fine mixed, all colours, 21/per 1902: 2/6 per 1902: 3/7 per 1
Fine mixed Scarlets in sbades, 2/6 per 100; 5d. per dozcn. 964 Fine mixed Blues in sbades, 8/6 per 100; 1/3 per doz. 965 "Blue Gem," flowers, fine blue, elegant, finely-cut foliage, per 100, 7/6; per doz., 1/3. 966 New large-flowered Varieties, in mixed colours, 3/6 per 100: 8d, per doz.
967 "The Bride," flowers snow-white, large and very beautiful, per 100, 7/6; p. doz., 1/3. 968 Intense Brilliant Scarlet, per 100, 3/6; 8d. per doz. 969 Splendid mixed French Varieties, per 100, 5/6; per doz., 9d.
970 Vietoria Giant (Empress), a new race, with very large and brilliantly coloured flowers, in great variety of shades, per 100, 6/6; per doz., 10d.
ANEMONE STELLATA (THE STARRY WINDFLOWER OF THE RIVIERA). These Starry-flowered Anemones are remarkable for variety of brilliant colours, elegant flowers, and graceful foliage. The varieties offered were selected by us from a very large collection; they make good potplants with six roots in a pot.
971 3 each of 12 varieties
975 Anemone Stellata Jewel (new), ruby-violet, glittering white centre, a most beautiful flower, p. 100, 21/3 6
Anemone fulgens is the most brilliant and graceful of all Winter and Spring-flowering Anemones. The rich dazzling scarlet flowers, and light elegant growth, render it the most attractive scarlet flower of Spring. It is invaluable for table bouquets or vases, as it lasts a long time in water. If the roots are planted early, flowers may be gathered from Christmas, and, by successional plantings, made from August to May, a continued display is maintained till late in autumn. The plantings made for summer and autumn-flowering must be in a situation where in summer the ground is moist, and in shade, from after 10 or 11 a.m. (Figured in The Garden, 1877.) per 1co per doz.
976 Fulgens, rich dazzling scarlet, with black central boss, English-grown roots, 1st size
978 , Aldborohensis, true, a very large handsome variety, with brilliant scarlet flowers,
979 per doz. 15s.; each 1s. 6d. 980 multipetala, an elegant flower, with a multitude of gracefully divided scarlet petals lasts long in water 12 62 0
SUNDRY ANEMONES
Anemone apennina, the blue Mountain Windslower forms a dense cushion of rich blue, and is one of the loveliest dwarf Spring flowers, and, when associated with Triteleia conspicua, the delicate porcelain flowers of the one blend most charmingly with the rich bright blue of the other. A. blanda resembles A. apennina, but flowers a month earlier. The varieties of Anemone nemorosa are most charming, and no flower border should be without its clumps of these, as they literally carpet the ground with their neat flowers. A. nemorosa Robinsoniana is remarkably beautiful, and Anemone nemorosa bracteata may be called "the Jack in the Green" of Anemones, the white petals resting on a profusion of green bracts. A. Pulsatilla flowers spring and autumn, and makes a charming role later.
and makes a charming rock-plant. A. rivularis is a very ornamental spring-flowering variety. A Pensylvanica

and makes a charming rock-plant. A. rivularis is a very ornamental spring-flowering variety. A Pensylvanica is a graceful plant, producing its charming white flowers in June. As pot-plants these Anemones are very charming. A. japonica, white, rose and red, are the most decorative of Autumn-flowering herbaceous plants. each-s. d.

981	Apennina, rich blue, & tt., per 100, 10s.6d.;			990	Nemorosa Robinsoniana, sky-blue, very		
000	per doz. 1/6	0	3		beautiful, 1 ft.	1	0
982	alba, whiteper doz. 10/6	1	0	991	Palmata, yellow, 3 ftper doz. 3/6	0	1
983	Blanda, orilliant blue, resembles Apennina.			992	,, alba, pure white ,, 7/-	0	7
	but flowers a month earlier, & ft	т	6	993	Pensylvanica, white, 11st	~	9
984	Japonica alba, pure white per doz. 5/6	â	6	994	Pulgotilla (The Press Elma)	O	9
985	elegans rose	_	-	331	Pulsatilla (The Pasque Flower), flowers		
986	elegans, rose, 7/6	O	9		deep purple, with downy foliage and stems,		
	rubra, rose-purple , 5/6	0	6		very beautiful, \frac{1}{2} ftper doz. 5/6	0	6
987	Nemorosa bracteata fi. pl , white florets,			995	Ranuneuloides, yellow, ½ ft ,, 3/6	0	1
	resting on green bracts, ½ ft.,			996	Rivularis, large pure white flowers, 11 it.		-4
	per 100, 18/6; per doz. 2/6	0	3		per doz. 10/6	т	0
988	., alba fl. pl., double, pure white,			997	Sylvestris (The Snowdrop Windflower),	•	-
	very beautiful, p. 100, 10/6; p. doz. 1/6	0	2		Apriors have white shing and summer		
989	,, rubra fi. pl., double pink, att. ,, 3/6	0	-		flowers pure white, spring and summer-		
	,, 3/0	O	4	1	flowering per doz. 7/6	0	9

CYCLAMEN.

CYCLAMEN PERSICUM (Greenhouse varieties).

From November to March, Cyclamen persicum is brought in large quantities to Covent Garden Market, many of the specimens having upwards of two hundred flowers, and realizing high prices. This Cyclamen is an indispensable plant for indoor decoration, and few flowers are more highly prized for button-hole bouquets, ladies' dresses, and finger-glasses. It may be cultivated in a cool greenhouse, or cold frame, with a little winter protection; but it is in a temperature of 45° to 60° the Covent Garden growers produce their fine plants, and these are mostly from seed sown in November, and not allowed to go to rest till they have flowered the following winter.

[Rarr and Son] [Barr and Son,

CYCLAMEN-continued,

Cyclamen persicum, very fine varieties for Greenhouse decoration, per doz., according to size, 15s., 21s., 25s., and 30s.; each, 1s. 6d., 2s., 2s. 6d., and 3s. 6d. Larger specimens, each, 5s. 6d., 7s. 6d., 10s. 6d., 12s. 6d., 15s., and 21s. Plants in flower can be supplied from December at market prices.

999 Cyclamen persicum, white, tipped rose, pure white, rose, or red, each, 1s. 6d., 2s. 6d., to 3s. 6d. 1000 , glanteum varieties, each, 2s. 6d., 3s. 6d., to 5s. 6d. 1001 , grandiflorum varieties, each, 2s. 6d., 3s. 6d., to 5s. 6d. 1002 sed from Larger Flowered Price Varieties, each, 2s. 6d., 3s. 6d., to 5s. 6d. 1005 sed from Larger Flowered Price Varieties, each, 2s. 6d., 3s. 6d., to 5s. 6d. 10s. 6d. 10

1000

1001 1002 Seed from Large Flowered Prize Varieties of Cyclamen persicum, 2s. 6d. and 3s. 6d. per packet.

Seedling plants, when properly cultivated, make fine specimens in 12 to 15 months.

CYCLAMEN HARDY, for Rockwork out-of-doors.

All the Hardy Cyclamen are Europæan; they require perfect drainage, and shelter from the cutting winds of March and April, and the hot rays of the Summer sun; at the bottom of old walls and on rockwork they are very beautiful; or nestling in the grass, near the roots and under the shelter of old trees, the effect they are very beautiful; or nesting in the grass, near the roots and under the shelter of old trees, the effect is most charming. C. Europeum (roots from the open ground, 25/- per 100) commences flowering in July, and the blossoms are very fragrant, the varieties of C. Hederafolium, in Autumn, and have beautiful Ancectochilus-like variegated leaves; these again are succeeded by the winter flowering varieties—Alkinsi, fbericum, and Coum, which bloom from December to March; Repandum and Vernum close the Cyclames season in April, and as these two are Italian species, they should be planted in sheltered nooks on rockwork, and protected with leaves till March. We have all the varieties of Hardy Cyclamen naturalized under large elm trees, and they may be seen flowering from July to April.

The Cyclamen hederafolium varieties, with their heautiful Ancectochilus-like varietated leaves, are

The Cyclamen hederæfotium varieties, with their beautiful Ancectochilus-like variegated leaves, are unusually decorative throughout Autumn and Spring, and often have we felt surprised that not more advantage has been taken of these for Winter beds, intermingling with them for succession Scilla bifolia, Scilla sibirica,

Chionodoxas, Leucojum vernum, Narcissus nanus, Snowdrops, Muscaris, &c.

These hardy Cyclamen are kept in pots ready for despatch at all seasons, C. Europæum, at 25s. per 100, are lifted from the bed out of doors as wanted.

1003 Hardy Cyciamen, Autumn, Winter, and	Spr	ung	-nowering, 12 varieties, 3 roots of each, 30s.
1004			12 ,, 10s. 6d.
			cach—s, d,
each-	− 3.	d	
1005 Atkinsi, white, crimson centre	I	0	1012 Europæum, in potsper doz., 10/6 1 0
1008 . roseum		0	1013 Hederæsolium, rosy pink, 10/6 I o
1007 rubrum		0	1014 album, pure white1/& 1 6
		_	1015 , græcum, reds of shades,
1008 Coum, bright red	I	0	1010
1009 Coum and Atkinsi, in mixture, p. doz. 7/6,	0	9	flowers large and beautiful. 1 6
1010 Ciusii, dark carmine, fragrant, leaves sil-		-	1016 Ibericum, purple 2 6
very, dark green zone, per doz., 10/6, 1/ &	I	6	TOTA TOO PARTICULAR, PRESENT FOR
1011 Europæum, red, sweet-scented, autumn-			1018 Vernum, bright red I 6
		-	1
flowering25/ per 100, 4/6 per doz.	0	0	1019 ,, album, pure white 2 0

HYACINTHUS CANDICANS.

THE GREAT SNOW-WHITE SUMMER-FLOWERING HYACINTH.

1020 Hyacinthus Candicans, attains a height of 3 to 6 feet, according to soil and situation, and is surmounted with 20 to 50 graceful pendant pure white bell-shaped flowers, equally decorative for the flower border in summer or the conservatory. Figured in The Garden, 1881.

Fine Flowering buibs per 100, 12/6.; per doz. 2/6; each o Extra large buibs per 100, 15/-; per doz. 3/-; each o

GLADIOLI.

EARLY-FLOWERING HARDY GLADIOLI.

These beautiful Early-flowering Giadioli are greatly prized as cut flowers in July, and on this account should be largely planted, as also for the fine effect they produce in the flower garden. G. Colvilli, "The Bride," is exceptionally valuable, and is extensively grown in pots to cut during April, May and June for Covent Garden Market. All these may be grown in pots for indoor decoration, or to cut for filling vases, etc.

CULTURE.—Trench the ground, working in plenty of rotten manure in the underspit; plant the varieties of Colvill, Cardinaits, and Byzantinus from the beginning of October, and the others from November till March, at a depth of six inches. If the summer is dry and the weather hot, a good soaking of water or liquid manure

twice a week greatly benefits the growing plants.

twice a week greatly benefits the growing plants.

CULTURE FOR CONSERVATORY DECORATION.—Plant three to five, according to the size of root, in a five or six-inch pot, and plunge in ashes in a cold frame or pit, and withhold water till the bulbs have started into growth; or, the pots may be buried in ashes out of doors, as recommended for the Hyacinth, and there allowed to remain undisturbed till ready to remove indoors. It is customary with some to plant several bulbs close together in the open border, and when the flower begins to colour, lift without breaking the ball, pot, and place indoors. So treated, the flowers expand as if the bulbs had not been disturbed.

BARR AND SON'S SELECTIONS OF EARLY-FLOWERING GLADIOLI, Bulbs Ready from October.

BARK AND SON'S SELECTIONS OF LARRITHES	s. d.
s. d.	
1021 6 each of 15 varieties 21 0	1 1024 Spiendid mixedper 1co, 10/6; per doz. 1 6
1022 3 ,, 15 ,, 10 6	1025 Fine mixedper 100, 7/6; p. doz. 1 3
1023 1 ,, 15 ,, 4 °	p. doz.
p. doz.	p. 100° s. d.
p. 100 s. d.	p. 100 or w.
1026 Biandus, white and pale rose, dwarf 8/61 3	1035 Fire King (new), fiery scarlet, crimson
1027 Byzantinus, rose-purple, very early 5/1 0	and white flaked, large flowers
1021 Byzantinus, rose-parpie, cery carry 31	1036 Formosissimus, scarlet, flaked white 2 6
1028 Cardinalis, bright scarlet and white 10/6 1 6	1036 FOI MOSISSIMUS, SELVICE, MARCE
1029 Colvilli, crimson-purple, flaked white 3/60 8	1037 General Scott(new), delicate rosy pink,
1020 Ottom, transcription Daile The Daile	with vermilion markings, beautiful 7 6
1030 ,, "The Bride," pure white,	1038 Insignis, deep scarlet, with crimson mark-
invaluable for cutting and	1038 Insignis, acepseuree, ween er emson mark
indoor culture	ings, free-flowering, good for massing
	in beds, borders, etc., and for
1001 ,, (, 62010 10280 10000	70/6 Y 6
1032 Delicatissimus, pure white, flaked	cutting10/61 6
crimson-lake, very beautiful and early 3 6	1039 LaVille deVersailles, white, with large
1000 The mandamentary fine worse shutted 816 1 2	rosy-crimson spots, most beautiful 12 6
1033 Elegantissimus, fine rose, spotted 8/61 3	1040 Magnificus, deep red, handsome 6
1034 Emicans, orange-scarlet, feathered 2 6	1040 magmineus, acty rea, nanasome
King Street Covent Garden, 1889.]	

	EARLY-FLOWERING GLADIOLI-contd. p. doz.	
1042	p. 100 s. d.	s, do a
1943	3 Pink Perfection (new), bright pinh	
	with deep carmine flakes 5 6 1047 Salmon Queen, clear salmon vinh	.4
	white shows	
1045	Ramosus, salmon-rose, flaked crimson 2 6 1049 Trimaculatus, rose, spotted white 8/6	3 (
	AUTUMN-FLOWERING GLADIOLI (Varieties of Gandavensis).	
	Bulling gunnlied December to Man.	
dane	co of rotten manure and plant the roots at a death of cl.	abun
	TIME OF PLANTING - From the middle of April to the less	
plan	it; when one planting only is made, we should recommend it being done early in May, but if successitings are made, commence middle of April, and continue fortible done early in May, but if successitings are made.	ional
	PLANTING TO ADVANTAGE - Groups of three to a did continue forting thy till the middle of June.	
diver	rsified colours, produce an exceedingly fine effect. The roots should be six inches from each other, in the plants are sufficiently advanced, place a stake in the control of the six inches from each other,	et or
***************************************	n the plants are sufficiently advanced, place a stake in the centre of the group, and fasten the plants to BARR AND SON'S SELECTIONS OF GLADIOLUS GANDAVENSIS.	it.
1050	8, d,	. 2
1051	5 bulbs each of 20 beautiful varieties 35 0 1054 3 bulbs each of 12 beautiful varieties 3 ,, 20 ,, 25 0 1055 12 in 12 splendid varieties 1055 12 in 12 splend	3. "
1052	1 ,, 20 ,, 106 12 in 12 spienoid varieties10/6 & i	
1053	A des. riftive list of Gladiolns Gandavensis Varieties ready in December, free by post on application	7 0
~	Gladiolus Gandavensis Varieties ready in December, free by post on application	
	man 700 1	,
1057	Brilliant Reds, and Scarlets, of 1,060 Vollows of the territory	
1058	Shades in mixture	4 6
1059	Roses of shades, in mixture24 63 3 1062 Fires and Salmon shades, mixed 30 0 Whites of shades, in mixture24 63 3 1062 Fine mixed, all colours	2 0
	flowers of great variety in colorus and marking fine both spikes of targe unassome	5
1	flowers of great variety in colours and markings, specially recommended	3 0
,	and of many beautiful colours, specially from most deadured types, flowers large	3 0
1	1067 " Isulos supplied 1sulos supplied	и 3
1	1066 PRENCHLEYENSIS, rich vermilion scarlet	0 10
	HARDY HYBRID GLADIOLI.	
loon	A very beautiful race of Hybrid Gladioli, the result of aversion the N. A.	9 t.11 g
in for	Gladioli, Cape species) with the best types of Gladiolis Gandavensis, The flowers are very distinct,	both
	We enumerate a few of the most be with and quite hardy.	
1069		
1070	Enfant de Nancy, deep blood-red, lower petals crimson-black Golden Sceptre, beautiful chromesyllon, milb large collects block block block	1 0
1072	Lafavette rosy salmon shaded velley and that if the blotch, very handsome	2 6
1073	Lemoinel, beautiful creamy white, shaded rose, lower petals blotched maroon-crimson and orange, large handsome spike	1 0
1074		0 9
1075	fine form	т 6
1076	W. E. Gumbleton, heartiful rose bushle anith, executions shaded scarlet on a pale yellow ground	ı o
1077	yellow, handsome	т о
TO ! !		
	A FEW RARE AND BEAUTIFUL CAPE SPECIES OF GLADIOLI	
l' With	The species of Gladiolus offered below we feet over will to	ints.
oe gr	the exception of <i>Purphreo-auratus</i> , <i>Sulphureus</i> , <i>Tristis</i> , and <i>Xanthospilus</i> , which are hardy, they show under a south wall, or during winter protected with a frame or handlight, or grown as pot-ple glass.	ould
under	r glass.	
1019	Alatus, a pretty wing-flowered dwarf species, bright salmon-scarlet, lower petals, bright yellow, very beautiful, June-flowering 2 ft	
1079	beautiful, Inne-flowering, 3 ft	1 0
1080 1081	Galeatus, flowers orange and yetlow, very dwarf	0 1
1082	Grandis, curious reddish brown colour, 2 ft. Hirsutus, flowers rosy white	0 1
1083	Milleri, large creamy-white fragrant flowers, early Præcox, pale rose, October-flowering.	0 1
1085	Præcox, pale rose, October-flowering	0 1
1086	rurpureo-auratus, a striking and distinct shaden with the	2 0
17187	Kingang (winds DCI 110%, St. 00% C) ()
1088	Ringens, bright orange and yellow flowers. Roseus, pretty bright rose flowers.	0
1089	Sulphureus, fine spike of flowers, canary-yellow, spring-flowering, if ft.	0 1
1030	Roseus, pretty bright rose flowers. Sulphureus, fine spike of flowers, canary-yellow, spring-flowering, \(\frac{3}{2} \) ft. Tenellus, a dwarf species, with curious reddish-brown and yellow flowers, very fragrant, June-flowering, \(\frac{3}{2} \) ft.	. 0
1092	at evening. Watsonianus, flowers bright scarlet, produced in March Xanthospilus, rose, very fine	0
1093	Xanthospilus roce years for the produced in March	0
	total, rose, very fine	
	Barr and So.	n.

AMARVLLIS.

Under this heading are arranged plants, different very much in character, and requiring separate treatment.

THE GUERNSEY AND BELLADONNA LILIES.

always uncertain, orders for them should be given as soon as possible after the 1st, and not later than the 1sth September. When executing orders for the Guernsey and Belladonna Lilies, we carefully examine the flower-buds, and send only such plants as give promise of good flowers. Delay in transit, neglecting to plant immediately, or, perhaps, an undeveloped defect in the flower bud, often leads to partial failure, and as we cannot hold ourselves responsible for such contingencies, purchasers are recommended to buy an extra quantity, extra the restrictions of the such contingencies, purchasers are recommended to buy an extra quantity, extra restriction of the such contingencies. as the roots are so very inexpensive.

CULTURE.—Immediately the Guernsey and Belladonna Lilies are received, pot them in light soil, prepared cocoa-fibre or moss, and give water liberally. Bulbs of Guernsey Lilies, purchased after the flowering season, should be potted and grown under glass. Bulbs of Belladonna Lilies may be planted under a south wall at a depth of one foot, and when established will flower annually. 1094 Belladonna Lily (Amaryllis belladonna), produces umbels of large white flowers, shaded and

HARDY AMARYLLIS.

Amaryllis Candida (Zephyranthes eandida) "The Flower of the West Wind," is a neat edging plant, and decorative in groups; in autumn it throws up a profusion of white Crocus-like flowers. Lutea (Sternbergia), "The Lily of the Field," is also a good hardy bulb, for edgings, and groups, its rich golden-yellow Crocus-like flowers, expanding in Autumn from the midst of a bright fresh green foliage. The varieties of Amaryllis Longifolia (Crinum) produce large umbels of beautiful funnel-shaped sweet-scented blossoms, and being perfectly hardy are admirable to plant in mixed flower borders. s. d. s. d.

1096 Candida (Zephyranthes candida), white, valuable as an edging, and beautiful in groups,

pallida (1101

VALLOTA PURPUREA, AND THE JACOBEA LILIES.

Vallota purpurea, known also as "The Scarborough Lily," is most valuable as an Autumn-flowering plant, and as a cut flower for filling vases.

We recommend it to be planted out of doors in May, and when in bud potted up for conservatory decoration.

Amaryllis formosissima, the Jacobea Lily and its variety Glauca, are quaintly-shaped beautiful flowers, they force well, and should be potted in succession for Spring decorare quaintly-shaped beautiful flowers, they force well, and should be potted in the flower for Summer-flowering, ation. In May the dry bulbs can be bedded out or planted in the flower borders for Summer-flowering.

1102 Vallota purpurea, bright searlet flowers in umbels (Established in pots)
152., 213. & 303. per doz.; 13. 6d., 23. 6d. & 1103 Amaryllis formosissima (The Jacobea Lily), rich dark crimson per doz., 5s. 6d. o 1104 per doz., 6s. 6d. o

CHOICE GREENHOUSE AMARYLLIS.

These are grand plants in the conservatory, and to cut for table bouquets and vases. With management, these magnificent Amaryllis may be had in bloom for many months. The unnamed seedlings offered we specially recommend; they are from the most advanced collection in Europe, and cannot fail to please, both as regards variety of colour and beauty of flower.

CULTURE.—Immediately after potting, place in a moist temperature, and, if convenient, plunge the pot to the rim in a gentle, steady, moist bottom heat; thus treated, a vigorous leaf growth is produced, and a large

umbel of flowers secured.

King Street, Covent Garden, 1889.

1105 CHOICE UNNAMED SEEDLING AMARYLLIS. Purchasers cannol fail to have amongst these, flowers of great beauty. The bulbs are full grown, and will all flowerper dozen, 25s.; each, 2s. 6d. NEW VARIETIES OF AMARYLLIS FROM THE FAMOUS LEIDEN COLLECTION.

THE ALTUNI.

The Lily is matchless amongst hardy plants for variety of colour, chasteness, and beauty of form. It commences flowering in May, and maintains a continuous unbroken succession of bloom from species of different countries, till the frosts of autumn destroy the last unexpanded flower buds; thus it is unequalled for its successional display, and is an important plant to associate in beds with Rhododendrons, Paonias, Double Pyrethrums, and Herbaceous plants. As a pot-plant the Lily is a general favourite.

BARR AND SON'S SELECTION OF LILIES.

	For descriptions	of varieties	B, new id.	eas in eutt	urat direct	ions, etc., see Danoull Catalogue.
1112	For Conservatory	decoration,	50 in 50	beautiful	varieties	
1113	11		25 in 25			
1114	37		12 in 12		**	
1115	For Flower border	decoration,	59 in 50	*1	7)	
1116		U	25 in 25	12	11	
1117	1)		12 in 12	11	11	7s. 6d.; 10s. 6d; 15s.; £1 1s. to £2 2s.
1118	For Rhododendron	bcds	25 in 25	11	11	
1119			12 in 12			158.; /1 18.; /2 28.

	LILIES	—continued.
1120		each—s. d. AURATUM (The White Golden-rayed Crimson-spotted Hill Lily of Japan). This is, indeed, the Queen of Lilies, and should have a place in every garden and
		conservatory. It is of simple culture and perfectly hardy. Out of-doors it should be planted 9 in. to 12 in. deep in good fibrous loam. Strong Englishgrown Bulbs, very solid and of great substance. Orders booked for delivery in October, November and December, 1s. 6d., 2s. 6d., and 3s. 6d. each;
		15s., 21s, and 3os. per doz.
1121	**	,, Bulbs from Japan. Orders booked for delivery in December, January, February, and March, 7/6, 10/6, 15/-, 21/-, and 30/- per doz.; 9d., 1/-, 1/6, & 2 6
1122		Tow what work the second and the land and to the the
1120	- 11	lilies, the petals are of great substance, very broad, overlap each
		other, and are beautifully spotted; the diameter of the flower is
1104		about 12 incheseach, 5s. 6d. & 7 6
1124	- 11	,, rubro-vittatum, large white flower, with broad deep crimson band down
		the centre of each petal, very handsome 10 6
1125	31	candidum (The Snow-White Madonna, or Common White Garden Lily), quite hardy,
		height 4 to 5 feetper 100, 15s.; per doz., 2s. 6d.
1126		,, extra large bulbsper 100, 21s.; per doz., 3s. 6d.
1127	1)	Longiflorum Harrisii (The Bermuda or Easter Lily), a very beautiful and graceful
		Lily, with long handsome snow-white fragrant flowers. Invaluable for early forcing.
		per doz. 10s. 6d. and 15t.; each, 1s. & 1 6
	For	descriptive list of Lilies, new ideas in cultural directions, etc., see Daffodil Catalogue.
	10,	activity that of section, the table to the section of the section

HELLEBOROUS OR CHRISTMAS AND LENTEN ROSES.

Plants supplied from October to March.

Christmas and Lenten Roses are hardy winter-flowering plants, covered with blossoms at a period of the year when plants in flower out-doors are a rarity. In this family there is much variety, both in flower and foliage, and established plants in flower borders and on rockwork, and as pot-plants, are highly decorative.

BARR AND SON'S SELECTIONS OF CHRISTMAS AND LENTEN ROSES.

For descriptions of varieties and cultural directions, see Daffodil Catalogue.

				w.	8	. 0	í.
1128	6 Lenten Roses	s in 6 vars10/6, 15/,	& 21	0	1131 25 Lenten Roses in 25 vars35/, 50/, & 6	3 /	0
1129	12 ,,	in 12 vars15/, 21/,	& 30	0	1132 6 Christmas Roses in 6 vars. 9/, 10/6, & 1	5	0
1130	18 ,,	in 16 vars25/, 30/,	& 42	0	1133 12 ,, in 6 vars. 18/, 21/, & 3		

HARDY HERBACEOUS PÆONIAS.

Plants supplied from October to March.

HARDY JUNE-FLOWERING CHINESE DOUBLE PÆONIAS.

These noble plants compete favourably, in general effect, with the finest hybrid Rhododendrons, whether it be in variety of tint, diversity of colour, profusion or duration of bloom. With these qualities combined to a handsome, massive foliage, accommodating habit, and easy culture, you have a plant to occupy the place of, or to associate with, the Rhododendron. These Pmonias succeed in any ordinary garden soil, and are equally adapted to intermingle with shrubs, or to take their place amongst herbaceous plants in flower borders and wild gardens.

BARR AND SON'S SELECTIONS OF DOUBLE CHINESE PÆONIAS.

For descriptions of varieties and cultural directions, see Daffodil Catalogue.

			8.	d.							đ.
1134 50 in 50	beautiful varie	tios84s.	& 105	0.1	1137	20 in 20	beautiful	moriation	20- 40-	00	u.
1002 00 1- 00	200001-01-01-10	#0-	0- 0-	~	2201	20 111 20	Doadbildi	AUTTEDIER	JUS., 428.,	∞ 50	U
1135 40 in 40	13 13	,70S.	85	0 [1138	12 in 12			158., 218.,	& 30	0
1136 30 in 30		559	S: 62	0	1120	6 in 6	"	,,			
2100 00 111 00	1) 1)		~ 03	0 1	1100	O TIT O	3.3	23	7/6, 10/6,	& 15	0

HARDY HERBACEOUS EUROPEAN DOUBLE PAONIAS.

Cultural treatment the same as for the Chinese Pæonias.									
1140 Double Red Paony, rich crimson, very large flowers, abundantly produced	These are	C	d. s.	6					
1141 Double Rose Paony, flowers openfull rose and pass off flesh colour, large and fine 1142 Double White Paony, flowers pale pink, passing off pure white, large and fine	varieties of	21	02	0					
1143 DOUDLE AUCUIOUG-HOWGICU FROMV. LATTE YICH CYTHICAN APIAIS SAMANIKAT	and dominan	21	02	0					
irregular, an æsthetically-shaped flower	in May.		02	0					

HARDY SPECIES AND VARIETIES OF SINGLE PEONIAS.

The species and varieties of Single Pæonias offered are new to gardens, although not new introductions, and we recommend them as fine border plants, possessing considerable character and diversity, in foliage, and habit of growth; some are tall with a fine bold outline, others dwarf and bushy; some have very large poppy-like flowers; others, flowers not unlike water-lilies.

BARR AND SON'S SELECTIONS OF SINGLE PARONIAS.

For descriptions of varieties and cultural directions, see Daffodil Catalogue.

1144	1	each	of 45 8	ingle	Pæonia	Species, 168/-	1147	12 in	12 Sin	gle Pæonia	a Specie	8, 21/-, 30/-, & 42/-
1145	1	11	30	9.7		,, 105/- & 126/-	1148	6 in	6 .			10/6, 15/-, & 21 -
1146	1	- 1	20			50/. 8: 63/-			,	, ,,	**	20/0, 20/-, 60 22,-

[Barr and Son,

A Select List of the Best Showy Herbaceous Hardy Perennials, free on application.

PART II.—DESCRIPTIVE LIST ALPHABETICALLY ARRANGED, OF VARIOUS BULBS AND TUBEROUS-ROOTED PLANTS.

Those marked thus * ripen tale and will be ready to send out from the middle of October to March. All other bulbs, etc., are ready for despatch from 1st September. Orders which combrace later ripening bulbs, etc., will be executed in two parts, carrying forward those not ready for delivery, till they are safe to move.

The height of the plants is given in feet and inches. In most cases cultural notes are added.		,
each- 1149 *Abobra viridifiora, an elegant hardy summer climber, with miniature scarlet fruits		α.
1150 *Achimenes 25 beautiful varieties, 1 root each, 10s. 6d.; 3 roots each, 25 varieties, 30s.		
1151 * ,, 12 beautiful varieties, 1 root each, 4s. 6d.; 3 roots each, 12 varieties, 12s. 6d. 1152 Agapanthus umbsllatus (the Blue African Lily), flowers in hindsome umbels, half-hardy	0	9
1153 ,, maximus. Same colour as above, but with larger flowers	I	6
albus (the White African Lily), flowers in handsome umbets, half-hardy fol. variegatis (the variegated African Lily), with silver-margined foliage	2	6
1156 ,, Mooreanus, small bright blue flowers in umbels a graceful species,		
per doz. 10s. 6d. 1157 Albuca canaliculata, bearing haudsome trusses of green and gold flowers, very fragrant, 1½ ft	I	0
1158 fastigiata, bearing thick spikes of white and green flowers, 11 ft	I	0
The Albucas are pretty and curious Cape bulbous plants. They may be grown in the greenhouse, or out of doors, planted under a south wall. Plant September or October.		
1159 Allium acuminatum, a beautiful species, with bright rose-coloured flowers in umbels, x ft. p. doz. 5/6	0	6
1160 ,, aureum (Moly), bright vellow flowers in umbels, 1 ft per 100, 7/6 ,, 15.	0	
1161 ,, azureum, handsome intense blue flowers, quite hardy, 13 ft, 55. 6d. 1162 ,, descendens, large dark red-purple flower heads, in compact umbels, 2 ft, 45. 6d.	0	
1163 ,, nigrum (magicum), large umbels of flowers, whitish with black centre; summer-	_	6
flowering, 3 to 4 ft, 5s. 6d. 1164 Murrayanum, rich rose-violet flowers, in umbels, 1 ft		6
1165 neapolitanum, white flowers, much used in bouquets, 15 inper 100, 5/6; ,, Is.	٠.	••
1166 ,, Ostrowskianum, (new), a beautiful new species from Asia Minor, with large heads of beautiful rose-coloured flowers	I	0
nedemontanum, rose-purple, drooping bell-shaped flowers in clusters, beautiful, \(\frac{1}{2} \) 11	I	6
1168 pendulinum (new), heads of graceful drosping bell-shaped pure white flowers, \(\frac{1}{2}\) ft. p. doz. 2/6 1169 pulohellum, graceful heads of charming bright rosy-purple flowers, in July , 75. 6d.	0	3
1170 Havum, small canary-yellow flowers in graceful drooping umbels, very		
effective, July per doz. 7s. on.	0	9
7172 ruhallum, rosy violet, very pretty, \(\frac{1}{2}\) II	0	4
1173 ,, triquetrum, flowers white, striped green, in graceful drooping umbels, very pretty, 1 ft. per 102, 158; per doz., 28. 6d.	0	٥ 3
All the Alliums are hardy and very showy. A, neapolitanum is easily forced, and the eut		3
blooms are prized for bouquets. A. azureum, ostrowskianum, pulchellum and its yellow variety,		
and li iquetrum are distinct and beautiful. 1174 *Alströmeria aurea, orange flowers, spotted carmine, valuable as a cut flower p. 100, 15/: p.doz. 2/6	0	3
1175 * , aurantiaca, flowers similar to A. aurea, bul deeper and richer in colour ,, 12/0; ,, 2/0	0	3
yellow markings, valuable as a cut flower	0	6
1177 * ,, peregrina alba, white, very beautiful flowers. 3178 * ,, rosea, rose-coloured flowers, beautifully spotted	5	6
1178 * ", psittacina, bright crimson flowers splashed green and mahogany, 3 ftper doz. 5s. 6d.		6
1180 * tricolor, charming white and yellow flowers, striped and blotched crimson , 35. 6d.	0	4
1181 * in fine mixture, 25. 6d. These beautiful plants are perfectly hardy, very easy to cultivate, and most valuable to cut	•••	•
for vases. Plant at a depth of one foot, and by preference close to a wall.		
1182 *Amorphophallus Rivieri (Umbrella Arum), a very curious and handsome plant, with large pılmate leaves, 2 to 3 feet in diameler, on a white spotted stem; plant in April	I	0
1183 *Anomatheea cruenta, a charming dwarf pot-plant, with small bright scarlet, crimson-blotched	0	2
howers; elegant for edgings out of doors, \(\frac{2}{3}\) fix; plant in Springper 100, 10s. 6d.; per doz. 1s. 6d. 1184 *Apios tuberosa, a rapid growing elegant hardy deciduous climber, for arbours, trellises, &c. p.doz. 5/6	0	6
1185 Arum cornutum, red flowers, spotted black, stem curiously marbled per doz. 4/0	0	6
dracunculus large purble red and black-blue flower, marbled stem, very handsome 3/6	0	9
1188 Italicum, strikingly variegated leaves, flowers greenish white, followed by spikes of oright	0	2
scarlet berries per doz. 2s. 6d. 1189 , tsnulfollum, a pretty and distinct species , 5s. 6d.	0	6
The above-named Arums are all hardy; Crinitum should be planted by preference on a warm		
border, or on the sunny sides of walls. 1190 *Bagonias, large-flowered varieties in colours for Bedding, crimson, scarlet, rose, white, orange,		
and yellow; each colour sparate per doz. 9r.; per 100, 03r.		
1192 6 1a 6 named baautiful varieties		
1193 , 12 in 12 named bsautiful varieties		
1194 double, handsome named varieties		
	I	0
flowers, charming ou rockwork, 1 lt. 1196 "Bessera elegans, a charming bulbous plant from Mexico, bearing umbels of drooping belt-shaped, bright vermition flowers; grow in pois, or on rockwork, 1 ft,	0	9
1197 *Bistia acutiloba, branching spikes of rose and white flowers in June, quite hardy, 1\frac{1}{2} it. 1198 Bloomeria aurea, beautiful golden flowers in umbels, quite hardy, 1 ftper doz. 4/6	3	6
1100 IMPORTABLE THE STREET SPICETE SPICETE STREET S	9	0
outer side striped brown flowers, last long in bloom, July, I ft	I	0
King Street, Covint Garden, 1889.]		

```
Bobartia aurantiaca. See Homeria.
36
 1208
                             alba, flowers white, quite hardy, 2 ft ....
        , atom, howers white, quite hardy, 2 ll.
, grandiflora, flowers bright blue, a charming dwarf plant, quite hardy, \(\frac{1}{2}\) ft, per doz. 1s. 6d.
, Howellii, bearing umbels of purplish blue flowers, handsome variety, \(\tau\) ft.
, volubits, a twining species with a terminal umbet of rose-purple flowers, half-hardy .....

Brunsvigia coranica, flowers delicate rose, powerfully orange-scented, \(\frac{3}{2}\) ft.

multiflora, large umbel of red flowers, \(\frac{3}{2}\) ft.

The Brunsvigia, or Giant Amaryliis, produce on stout stems, immense umbels, crowded with large flowers. Requires warm-house treatment.

Bulbocodium vernum early in Society this flowers this flowers.
 1209
 1210
 1211
 1212
 1213
       1214
 1215
 1216
 1217
 1218
        Calla. See Richardia.
 1219
        Calliprora flava, flowers yellow, with brown stripe, in umbels, a fine hardy bulb ...per doz., 3s. 6d.
                                                                                                                         4
        1220
 1221
                                                                         These are the Butterfly Tuips or
                                                                                                                          3
 1222
                                                                      Mariposa Lilies of California, and
                         blotch ...
                                                                                                                          6
                                                                      possess such delicacy and brilliancy of
                      elegans, blue, deepening into rich purple luteus, golden-yellow, with purple blotches
 1223
 1224
                                                                      colour that the most unobservant are
                                                                                                                      I
                      1225
                                                                      struck with their characteristic beauty.
                                                                                                                          3
 1226
                                                                      They bloom from June to July; height
                        crimson on yellow ground .....
                                                                      I ft. The bulbs are quite hardy, but
1227
                       pulchellus (Cyclobothra), golden-yellow
              ,,
1228
                      ruber, rosy white
splendens, purple-lilac, blotched crimson
                                                                      should be lifted when done flowering,
             -10
 1229
             ,,
                                                                      kept dry, and be planted late in autumn.
                                                                                                                          3
1230
                      venustus, pure white and crimson .....
      6
1232
                                                                                                                     ó
1233
1233 , Essettle tale, star-shaped billish phyle flowers, in long graceful reaemes, 15 (t. p. 100, 10)6; , 2/6
1234 , Frasert, a fine distinct species from California, with pale blue flowers, 15 (t. p. 100, 10)6; , 5/6
1235 , Leichtlini, spikes of large creamy-white flowers, robust growing species, rare

The Camassias are very handsome in the flower border, and perfectly hardy.

1236 *Chlidanthus fragrans, sweet-seemted, yellow flowers 4 to 5 inches long; flowers under glass in May,

Keep the roots dry during Winter per doz., 55. 6d.

1237 *Clivia nobilis, a beautiful bulbous plant for stove or warm greenhouse, bearing umbels of orange-

red and green flowers. 2 (t.
                                                                                                                      0
                                                                                                                          6
          6
                                                                                                                      3
1238
        Colchicum autumnale, rich rose-purple......per 100, 10s. 6d.; per doz., 1s. 6d.
                                  roseum, rose , , 7s. 6d; plenum, lilac, large and very double...
1239
                                                                                                          is. od.
1240
                                                                                                            3s. 6d.
                     1241
                                                                                                                     0
                                                                                                                         36
1242
                                                                                                                     2
1243
1244
            ,,
                                                                                                                     0
1245
            ,,
1246
                                                                                                                         9
1247
            ,,
                                                                                ..... per doz. 7s. 6d.
                     montanum (Merendera bulbocodinm), rich rose-lilac .....
1248
                     Parkinsoni, petals gracefully reflexed, and beautifully chequered rose-lilac.

speciosum, large flowers, ranging in colour from rose to deep crimson...per doz., 7s. 6d.
1249
            ,,
1250
         ,,
1251
1252
6
                                                                                                                     2
                                                                                                     [Barr and Son,
```

		-	-
1257	Cooperla pedunculata, this species opens its fragrant white flowers under glass at night, 1\frac{1}{2} ft	-8. 2	6
1258	Corydalis bulbosa, red, a fine native plant to naturalize, & ftper 100, 5s. 6d.; per doz. 1s. 6d.	0	3
1259	,, cava albiflora, true, white, a very elegant sweet-smelling Spring flower, rare, 1 ft	I	6
	For other beautiful species of Corydalis, see Hardy Plant Catalogue, free on application.		-
1260 1261	*Crinum aquaticum, flowers rosy red; stand this remarkable plant whilst growing in water, 3 ft	5	6
1262	* , erubescens, flowers white, 2 ft. * , Moorci (Makoyanum), fine large blush-rose flowers, handsome variety, ht. 2 ft.	7	6
1263	* , riparium, beautiful rose sweet-scented flowers, 2 ft	12	6
	These Crinums are truly grand warm greenhouse plants, with large Amaryllis-like flowers.		
1264	*Crocosmta aurea, bright orange flowers in graceful racemes; prixed in or out of doors, and for cut flowers in September; culture same as Spring-planted Gladioli, per 100, 7s. 6d.; per doz. 1s. 6d.	0	2
1265	Crown Imperial Crown upon Crown a ft) (per day as 6d	0	3
1266	Gold-striped foliage, a ft The Crown imperial (Fri-	I	6
1267	orange Crown, orange-red, 3 ft orange du harden	1	0
1268	" Single Welleys the effective in Spring, Its " Single	0	6
1269 1270	Waying and Languages and aft tall stem terminating in the	0	9
1271	Swardstom handsome oft 1 a cluster of penanti	0	9
1272	", Sulphurine, sulphur colour, 3 ft bett-sulpeu lowers, sur-	0	9
1273	in in Double Read, warmersome current, 3th. fresh green leanes	2	6
1274 1275	cummingla trimaculata, an exquisite greenhouse bulb, with beautiful blue flowers, spotted black,	0	4
12,0	summer-flowering, \(\frac{3}{2} \) ft.	4	6
1276	Cyanella capensis, a charming Cape bulb, producing branching spikes of numerous deep lilac and		
	yellow flowers, culture same as for the Ixia, it.	2	6
1077	Cyclobothra. See Calochortus. *Cypella Herbertii, an elegant hardy plant, with small Tigridia-like blossoms, yellow, striped red		
1211	and spotted black; lift the butbs in Autumn, and replant in Spring, 12 ftper doz. 3s. 6d.	0	4
1278	Cyrtanthus collinus, crimson, i ft.	7	6
1279	,, lutescens, pale yellow, interesting species These are remarkable for their pen-	2	6
1280 1281	,, Macowanii, brilliant orange	5	6
1282	odorus, crimson, 3 ft. whorl of long flowers, Green-	7	6
1283	,, pumilus, white, \frac{1}{2} ft house-culture. Summer-flowering	5	6
1284	sanguinens, blood red, very handsome, \(\frac{1}{2} \text{ft.} \\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	10	6
1995	Cypripedium, see Hardy Terrestrial Orchids on inside of front cover. *Dahlias, double, choicest named varietiespot-grown dry roots, per doz. 9s. & 12s.		
1286	* gingle not-grown dry roots of & rec		
1287	,, cactus red (Juarezi) pot-grown dry roots, per doz. 7s. 6d.	0	9
1288		0	9
1289 1290	Erythronium Dens-canis (Dog's Tooth Violet), purple, \(\frac{1}{2}\) ftper 100, 7s. 6d.; per doz. 1s. 3d. "", purpureum majus, purple, large-flowered, \(\frac{1}{2}\) ft. ,, 10s. 6d.; ", 1s. 6d.	0	3
1291		Ŭ	3
1292	,, majus, rose, large-flowered, 1 st ,, 12s. 6d.; ,, 2s. od.	0	3
1293	,, album, white, \(\frac{1}{2}\) ft, 75. 6d.; ,, 15. 3d.	_	
1294 1295	,, ,, majus, white, large-flowered, \(\frac{1}{2}\) ft ,, 12s. 6d.; ,, 2s. od. ,, mixed varieties, 5s. 6d.; ,, 1s. od.	0	3
1296	,, large-flowered varieties, 10s. 6d.; ,, 1s. 6d.		
1297	,, americanum, bright yellow, grows successfully in damp shady places, amongst grass		
1000	and decomposed leaves, planted 3 inches deep, \(\frac{1}{2}\) ftp. 100, 21s.; per doz. 3s. 6d.	0	6
1298 1299	,, glganteum, creamy white flowers, 6 to 120u a sprke, 1 st	3	-
	In spring there is no prettier sight than a mass or edging of Dog's-Tooth Violets, with variegated	,	
	foliage and graceful Cyclameu-like flowers, ranging in cotour from deep purple to the purest white.		
1300	Eucharis amazonica. The snow-white flowers of this handsome stove-plant are deliciously fragrant much prized for bouquets and ladies' hair, 1\frac{1}{2} ft., pots of strong established roots5s. 6d. &	7	6
1301	*Eucomis punctata, while, if ft.) These are remarkable hardy border plants, with	7	9
1302	*Eucomis punctata, while, 1\frac{1}{2} ft. \ These are remarkable hardy border plants, with \ * regla, while, 1\frac{1}{2} ft. \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	0	9
1303	Freesia Leichtlini major, creamy white, 1½ ft. Freesias are prized for their de- p. 100, 12/6 p. doz. 2/-	0	3
1304 1305		0	3
1306			
	chequered, 1 ft. "Snakeshead Fritillaries." Graceful p. doz. 2/6	0	3
1307	chequered, 1 ft.,	0	
1308	white a heaviful ture, and make charming pot-plants,		4
	variety, I ft and are very ejective planted in groups or you the dispute horder.	0	4
1309			
1310	armena a charming dragge species from Sunrya guith small rich vellogo hell-shated		
1310	flowers. It is admirably adapted for rockeries and select situations, and should be planted in		
	clumps of 6 to 12 bulbs, quite hardy, \(\frac{1}{2}\) ft., Home-grown Bulbs per doz. 3s. 6d.	0	4
1311	, Moggridgel, large golden yellow flowers, very handsome, \frac{1}{2} ft	ı	0
1312 1313	trampohatica (the Block Lily) envious black forwars a variety of ft	I	6
1314	lanceolata, small dull vinous purple, chequered yellow, very distinct, 1 ft. ,, 7s. 6d.	0	9
1315	latifolia var. "Rembrandt," large bold handsome flower, outside dusky plum-coloured,		
	mottled yellow, inside mahogany-brown, mottled yellow; fine broad foliage, 1½ ftper doz. 4s. 6d.	0	6
1316	mixed shades, flowers large and handsome	0	4
1317	Oranensis. A fine distinct Algerian species, with purple and yellow flowers	I	0
1318	pallidiflora, large bale vellow, handsome chequered flowers, I it	2	6
1319	persica (The Persian Lity), from Mount Ararat, dusky brown, small bell-shaped flowers, arranged on a spike, 2 ft	1	6
K	ing Street, Covent Garden, 1889.]		

```
1320
                 Fritillaria pudica, deep golden-yellow, bell-shaped flowers, very early, \frac{1}{2} ft....
                                           pyrenalca, fine plum-coloured bells, inside yellow and spotted, 13 ft. ...per doz., 3s. 6d. recurva, orange-scarlet, drooping bells, a remarkably distinct species, 1 ft. ... 15s. ...
   1321
   1322
   1323
                                            ruthenica, purple-violet flowers, 11 ft. ....
                  tristis, an elegant species from Greece, with small black flowers, on a slender stem, \(\frac{1}{2}\) ft...

Galaxia graminea, pale yellow, \(\frac{1}{2}\) ft....\
Charming greenhouse bulbs, bearing \(\frac{1}{2}\).

ovata, lilac, yellow centre, \(\frac{1}{2}\) ft.\
Castronema. See Cyrtanthus.
   1324
   1325
   1326
             Geissorhiza alba, pure white, $\frac{1}{2} \text{it.} ... Handsome Cape bulbs, resembling large Sparaxis.}

Rochensis, blue, crimson Rochensis has intense Tyrian-blue flowers with crimson centre, very beautiful, $\frac{1}{2} \text{it.} ... house or frame-culture.}

*Gelasine azurea, a beautiful South American bulbous plant, bearing umbels of deep blue flowers in
   1327
   1328
   1329
  1330
                      early summer, 1 St., half-hardy
  1334
   1335
                                       longifiora, producing elegant waxy-white long tubular flowers in Summer, warm
                                                      greenhouse culture
                  Habranthus Andersoni, see Zephyranthus. See also Hippeastrum.
                                                                                                                                             Hippeastrum.

It would not be possible to overrate the grandeur of this noble genus, whether grown in the greenhouse or stove. Place a blooming plant of the glowing Masdevalliu ignea, or M. Veitchii, side by side with Hemanthus punicous, and ask an observer which is the brightest, freshost, or most effective.
                 Hæmanthus albiflos, white, I ft....
                                              coccineus, scarlet, I ft. .....
                                                                                                                                                                                                                                                        6
  1337
  1338
                                               Katharinæ, brilliant orange-scarlet, 2ft.
                                                                                                                                                                                                                                                        6
                                                                                                                                                                                                                                               10
  1339
                                               pubescens, while, I ft. puniceus, orange-scarlet, I ft. tigrinus, deep scarlet, I ft. .....
                                                                                                                                                                                                                                                        6
                                                                                                                                                                                                                                                 3
                            .,
  1340
                                                                                                                                                                                                                                                        6
                                                                                                                                                                                                                                                 4
                            .
  1341
                                                                                                                                                                                                                                                        6
  3
                                                                                                                                                                                                                                                 I
                                                                                                                                                                                                                                                        0
                                                                                                                                                                                                                                                        0
                Hesperantha graminea, white, \(\frac{1}{2}\) ft. \( \) \( A \) genus with small tria-like flowers, which \( \) \( \) expand their sweet-smelling blossoms in \( \) \( \) the evening; frame-culture. \( \)
  1345
                                                                                                                                                                                                                                                        6
  1346
                                                                                                                                                                                                                                                        6
  1347
                                                                                                                                                                                                                                                        6
                 Hossea spiralis, rosy white flowers, resembling Leucojum autumnale, flowers in winter, hardy, 11 ft.
  1348
                Hippeastrum advenum coccineum, large

Hippeastrum advenum coccineum, large

Hippeastrum advenum coccineum, large

Hippeastrum advenum in the garden of the autumn, is in autumn, is in concern the late Rev. John Nelson. Plant close to a wall, at præstense was brilliant scarlet, is in roseum, rosy tilac, is in large the late Rev. John Nelson. Plant close to a wall, at noseum, rosy tilac, is in large the late Rev. John Nelson grow in pots in a green house.

Homeria aurantiaca, charming bright salmon-rose flowers in summer; hardy on light soils of the late Rev. John Nelson.
  1349
                                                                                                                                                                                                                                                        6
 3350
                                                                                                                                                                                                                                                        6
  1351
                                                                                                                                                                                                                                                        6
  1352
                                         rockwork .....
                                                                                                                   .....per 100, 15s.; per doz. 2s. 6d.
                                                                                                                                                                                                                                                       3
               1353
                                                                                                                                                                                                                                                       6
                                                                                                                                                                                                                                               0
 1354
                                              azureus. See Muscari azureum.
 1355 *Hyacinthus candicans (the Snow-white Summer-flowering Giant Hyacinth), see page 23.
  1356 *Hymenocallis amancaes, the golden-yellow Peruvian Daffodil, a rare species, 12ft.
                                                calathinum, the pearly, sweet-smelting White Sea Daffodil, 1\(\frac{1}{2}\)ft. ...per doz. 75, \(\xi\)d. littoralis. See Pancratium.
 1357 *
 1358 *
                                               undulata, beautifully fringed, large white delicate flowers, 12 ft.....per doz. 55. 6d.
                                                                                                                                                                                                                                               Ω
  The Hymenocallis are beautiful greenhouse bulbs, and may also be grown out-doors in favoured situations, planted close to a wall at a depth of 9 inches.
              *Imantophyllnm Aitoni. See Clivia nobilis.
                                     miniatum, rich clusters of orange-crimson flowers, 2 ft. Handsome bulbous plants for 3/6 & cyrtanthiflorum, orange, 2 ft. stovo or warm greenhouse.
  1359
                                                                                                                                                                                                                                                       6
* cyrtanthiflorum, orange, 21l.

*Ismene. See Hymenocallis.

1361 Ixiolirion Pallasi (montanum), light purple flowers, perfectly hardy, and exceedingly beautiful.

Plant late in Autumn, and lift when done flowering, 1\frac{1}{2}\text{lt.} \text{ per doz. 5s. 6d.}

1362 *Kollikeria argyrostigma, stove plant, with beautiful rich vetvety green, purple-tinged, spotled white foliage, and numerous spikes of small white-spotted red flowers \text{ per doz. 7s. 6d.}

1363 Lachenalia aurea, golden-yellow, \frac{3}{2}\text{ lt.} \text{ , 10s. 6d.}

1364 \text{ , Cami (new), flowers deepest old-gold colour, a vigorous grower, 1 ft. \text{ , contaminata, white and rose, Heliotrope-scented flowers, \frac{1}{2}\text{ft.} \text{ } \text{ . (programs white, sweet smelling flowers, 1 ft. \text{ . (programs minite, sweet smelling flowers, 1 ft. \text{ . (programs minite, sweet smelling flowers, 1 ft. \text{ . (programs minite, sweet smelling flowers, 1 ft. \text{ . (programs minite, sweet smelling flowers, 1 ft. \text{ . (programs minite, sweet smelling flowers, 1 ft. \text{ . (programs minite, sweet smelling flowers, 1 ft. \text{ . (programs minite, sweet smelling flowers, 1 ft. \text{ . (programs minite, sweet smelling flowers, 1 ft. \text{ . (programs minite, sweet smelling flowers, 1 ft. \text{ . (programs minite, sweet smelling flowers, 1 ft. \text{ . (programs minite, sweet smelling flowers, 1 ft. \text{ . (programs minite, sweet smelling flowers, 1 ft. \text{ . (programs minite, sweet smelling flowers, 1 ft. \text{ . (programs minite, sweet smelling flowers, 1 ft. \text{ . (programs minite, sweet smelling flowers, 1 ft. \text{ . (programs minite, sweet smelling flowers, 1 ft. \text{ . (programs minite, sweet smelling flowers, 1 ft. \text{ . (programs minite, sweet smelling flowers, 1 ft. \text{ . (programs minite, sweet smelling flowers, 1 ft. \text{ . (programs minite, sweet smelling flowers, 1 ft. \text{ . (programs minite, sweet smelling flowers, 1 ft. \text{ . (programs minite, sweet smelling flowers, 1 ft. \text{ . (p
 1360
                                                                                                                                                                                                                                                       6
                                                                                                                                                                                                                                                      6
                                                                                                                                                                                                                                                      6
                                           fragrans, white, sweet smelling flowers, 1 ft.

glaucina, pretty purplish flowers, 1 ft. Figured, Bot. Mag., Vol. 64, Tab. 3552

luteola, green, yeltow, and red, 1 ft. pet doz. 3s. 6d.

Nelsoni, beautiful deep golden-yeltow, 1 ft. First Class Certificate, 1881

pallida, large spikes of metallic blue and purple flowers, h indsome, 1 ft.
                           11
 1367
                           11
 1368
                           11
 1369
                           ..
 1370
                                           pendula, red, tipped green and purple; most beautiful, $\frac{1}{2}$ ft. per doz. 4s. 6d. pustulata, white, very distinct and remarkable foliage, 1 ft. quadricolor, yellow, tipped scarlet, very beautiful, 1 ft. per doz. 5s. 6d. tricolor, scarlet, yellow and green, 1 ft. per doz. 3s. 6d. viridis, green and white, 1 ft.
 1371
 1372
 1373
 1374
 1375
               The Lachenalias are beautiful and interesting plants, having curious spotted foliage and bearing spikes of brilliantly coloured flowers early in Spring. They are half-hirdy, and should be potted early in a compost of loam, sweet leaf soil, and sand, placed in a greenhouse or frame, and never allowed to suffer for want of water. See Plate in "The Garden," 1880.
              Littonia modesta, an elegant greenhouse climber, producing in great abundance, slender deep golden-cotoured bell-shaped flowers. May also be kept dry and plunted out-doors in April, in
                    avarm favoured situations ....
                                                                                                                                                                                                                  [Barr and Son,
```

each—s. d.
1377 Lycoris aurea, golden pendant flowers, October-flowering, 1 st Greenhouse bulbs of great (10 6
1278 radiata rosy carmine flowers June-flowering 14 ft \ Occurr, \
1379 *Malvastrum Gilliesii (figured in "The Garden" of 28th Jan., 1882). This charming hardy rock-
plant is profusely covered with crimson purple flowers throughout the summer months
1381 latifolia white \(\frac{1}{2}\) tt
1382 Melanthium junceum, pink 1 ft.
treatment as the Ixia. May-nowering,
1381 , uniflorum, white and yellow, \(\frac{3}{4}\) ft) The Gloriosa Lily (Methonica) is a charming stove (4 6
1386 * , superba, rich orange and yellow > climber; when trained on a globe or along a wire, \ 5 6
1397 * virageon wellow its solendid blossoms are seen to the best advantage. A 6
1388 Milla Dinora, pure white, large flowers; this is a beautiful western white, which should be grown
in pots under glass, or kept dry during winter, and planted out in Marchper doz. 7s. 6d. 9 9 1389 hyacintha lactea, pure white, an exceedingly useful plant for cut flowers, 2 ft. , 5s. 6d. 0 6
1200 laws maxima laws wich Turing burdle flowers I ft
1391 ,, longipes, beautiful white flowers borne in umbels
1200 Murrayana five lanender blue lined purple x ft
1393 ,, uniflora conspicua, white, shaded porcelain, if the per 100, 3s. 6d.; per doz. 6d
1394 illacina, porcelain, striped violet, \(\frac{1}{2} \) it
an edging. M. larg and Murrayang in Fune and Fulv produce large umbels of lovely coloured
howers: M. hyacintha lactea is very decorative; all are perfectly hardy. See Plate in "The Garden," 1880.
Modiola geranioides. See Malvastrum Guilesii.
1395 *Montbretta Pottsii, beautiful crimson-scarlet, small Gladioli-like flowers, with a branched spike like Crocosmia aurea, quite hardy, 2st. Figured in "The Garden," 1880, p. 100, 15/, p. doz. 2/6 0 3
and are committed and larger and deeper coloured formers than M. Pottii per doz as 6d o 4
1397 "Golden Sheat" (new), flowers larger than Crocosmizhora, and of a
beautiful deep golden yetlow
1398 *Nemastvlis Pringlii, a very deautiful new bulbons plant, bearing charming star-shaped azure-blue
flowers two inches across, in June, \(\frac{1}{2} \) ft. Hardy in warm spots on rockwork. Keep dry during winter, and plant early in spring
1399 Nerine corusca, bright dazzling scarlet with 20 to 25 flowers in a cluster, 1 ft. 26
1400 crispa, dark rose colour, curiously crisped and curled, winter-flowering, & ft 0 9
1101
1402 ,, Fothergillii, a superb variety with deep vermilion-scarlet flowers, 1 ft
1403 , undulata, rosy carmine, very beautiful, 1 It. 1404 Ophrys and Orchis, 12 in 12 distinct beautiful hardy varieties for psat borders
1406 Ornithogalum arabicum, white, black centre, handsome fragrant flowers in June, a very doc pol-
plant, 1½ ft.,
1407 , aureum, rich apricot orange, a deautifut and rare species, it it
2 inches
3 inches
g inchesper doz. 3s. 6d. 0 4 1409 ,, nutans, green and white, invaluable for cutting, or for naturalization, 1 ft., per 100, 10s. 6d.; per doz. 1s. 6d
3 inches
3 inches
g inches per doz. 3s. 6d. 0 4 1409 nutans, green and white, invaluable for cutting, or for naturalization, 1 ft., per 100, 10s. 6d.; per doz. 1s. 6d 1410 pyramidale, large beautiful white flower spike, 2 ft. per doz. 5s. 6d. 0 6 1411 pyramidale, large beautiful white flower spikes of flowers, pale yellow and green, 1 ft. per doz. 5s. 6d. 0 6 1412 , umbellatum (Star of Bethlehem), white, quite hardy, 1 ft., per 100, 3/6; per doz. 6d.
3 inches
3 inches per doz. 3s. 6d. 0 4 1409 nutans, green and white, invaluable for cutting, or for naturalization, 1 ft., per 100, 10s. 6d.; per doz. 1s. 6d 1410 pyramidale, large beautiful white flower spike, 2 ft. per doz. 5s. 6d. 0 6 1411 pyrsmaicum, producing in June long erect spikes of flowers, pale yellow and green, 1½ ft. per doz. 5s. 6d. 0 6 1412 umbellatum (Star of Bethlehem), white, quite hardy, 1 ft., per 100, 3/6; per doz. 6d. 1413 unifollum, a small pure white distinct species per doz. 5s. 6d. 0 6 The Ornithogalums are fine hardy berder plants. Arabicum and auroum should either be
3 inches per doz. 3s. 6d. 0 4 1409 nutans, green and white, invaluable for cutting, or for naturalization, 1 ft., per 100, 10s. 6d.; per doz. 1s. 6d 1410 pyramidale, large beautiful white flower spike, 2 ft. per doz. 5s. 6d. 0 6 1411 pyramidale, large beautiful white flower spike, 2 ft. per doz. 5s. 6d. 0 6 1412 pyramidale, large beautiful white flower spike, 2 ft. per doz. 5s. 6d. 0 6 1413 pyramidale, large beautiful white flower spike, 2 ft. per doz. 5s. 6d. 0 6 1414 pyramidale, large beautiful white flower spike, 2 ft. per doz. 5s. 6d. 0 6 1415 pyramidale, large beautiful white flower spike, 2 ft. per doz. 5s. 6d. 0 6 1416 pyramidale, large beautiful white flower spike, 2 ft. per doz. 5s. 6d. 0 6 1417 per doz. 5s. 6d. 0 6 1418 promithogalums are fine hardy berder plants. Arabicum and aureum should either be grown in pots or planted close to a wall, at a depth of 9 inches. *Pancratium calathinum. See Hymenocallis.
3 inches per doz. 3s. 6d. 0 4 1409 nutans, green and white, invaluable for cutting, or for naturalization, 1 ft., per 100, 10s. 6d.; per doz. 1s. 6d 1410 pyramidale, large beautiful white flower spike, 2 ft. per doz. 5s. 6d. 0 6 1411 pyramidum, producing in June long erect spikes of flowers, pale yellow and green, 1½ ft. per 100, 3fc; per doz. 5s. 6d. 0 6 1412 mubellatum (Star of Bethlehem), white, quite hardy, 1 ft., per 100, 3fc; per doz. 5s. 6d. 0 6 1413 per doz. 5s. 6d. 0 6 1414 numbellatum (Star of Bethlehem), white, quite hardy, 1 ft., per 100, 3fc; per doz. 5s. 6d. 0 6 1415 per doz. 5s. 6d. 0 6 1416 per doz. 5s. 6d. 0 6 1417 per doz. 5s. 6d. 0 6 1418 per doz. 5s. 6d. 0 6 1419 per doz. 5s. 6d. 0 6 1419 per doz. 5s. 6d. 0 6 1410 per doz. 5s. 6d. 0 6 1411 per doz. 5s. 6d. 0 6 1412 per doz. 5s. 6d. 0 6 1413 per doz. 5s. 6d. 0 6 1414 per doz. 5s. 6d. 0 6 1415 per doz. 5s. 6d. 0 6 1416 per doz. 5s. 6d. 0 6 1417 per doz. 5s. 6d. 0 6 1418 per doz. 5s. 6d. 0 6 1419 per doz. 5s. 6d. 0 6 1410 per doz. 5s. 6d. 0 6 1411 per doz. 5s. 6d. 0 6 1412 per doz. 5s. 6d. 0 6 1413 per doz. 5s. 6d. 0 6 1414 per doz. 5s. 6d. 0 6 1415 per doz. 5s. 6d. 0 6 1416 per doz. 5s. 6d. 0 6 1417 per doz. 5s. 6d. 0 6 1418 per doz. 5s. 6d. 0 6 1419 per doz. 5s. 6d. 0 6 1410 per doz. 5s. 6d. 0 6 1411 per doz. 5s. 6d. 0 6 1412 per doz. 5s. 6d. 0 6 1413 per doz. 5s. 6d. 0 6 1414 per doz. 5s. 6d. 0 6 1415 per doz. 5s. 6d. 0 6 1416 per doz. 5s. 6d. 0 6 1417 per doz. 5s. 6d. 0 6 1418 per doz. 5s. 6d. 0 6 1419 per doz. 5s. 6d. 0 6 1410 per doz. 5s. 6d. 0 6 1411 per doz. 5s. 6d. 0 6 1412 per doz. 5s. 6d. 0 6 1413 per doz. 5s. 6d. 0 6 1414 per doz. 5s. 6d. 0 6 1415 per doz. 5s. 6d. 0 6 1416 per doz. 5s. 6d. 0 6 1417 per doz. 5s. 6d. 0 6 1418 per doz. 5s. 6d. 0 6 1419 per doz. 5s. 6d. 0 6 1410 per doz. 5s. 6d. 0 6 1412 per doz. 5s. 6d. 0 6 1412 per doz. 5s. 6d. 0 6 1413 per doz. 5s. 6d. 0 6 1414 per doz. 5s. 6d. 0 6 1415 per doz. 5s. 6d. 0 6 1416 per doz. 5s. 6d. 0 6 1417 per doz. 5s. 6d
3 inches per doz. 3s. 6d. 0 4 1409 "nutans, green and white, invaluable for cutting, or for naturalization, 1 ft., per 100, 10s. 6d.; per doz. 1s. 6d 1410 "pyramidale, large beautiful white flower spike, 2 ft. per doz. 5s. 6d. 0 6 1411 "pyramidale, large beautiful white flower spikes of flowers, pale yellow and green, 1½ ft. per doz. 5s. 6d. 0 6 1412 "umbellatum (Star of Bethlehem), white, quite hardy, 1 ft., per 100, 3/6; per doz. 5s. 6d. 0 6 1413 "The Ornithogalums are fine hardy berder plants. Arabicum and aureum should either be grown in pots or planted close to a wall, at a depth of 9 inches. *Pancratium calathinum. See Hymenocallis. 1414 * "illyricum, white flowers, delightfully fragrant, suitable for pot-culture, or to plant under a south wall at a depth of a foot, 1½ ft. per 100, 3/6; per doz. 10s. 6d. 1 0
3 inches per doz. 3s. 6d. 0 4 1409 nutans, green and white, invaluable for cutting, or for naturalization, 1 ft., per 100, 10s. 6d.; per doz. 1s. 6d 1410 pyramidale, large beautiful white flower spike, 2 ft. per doz. 5s. 6d. 0 6 1411 pyramicum, producing in June long erect spikes of flowers, pale yellow and green, 1½ ft. per doz. 5s. 6d. 0 6 1412 numbellatum (Star of Bethlehem), white, quite hardy, 1 ft., per 100, 3/6; per doz. 5s. 6d. 0 6 1413 numbellatum (Star of Bethlehem), white, quite hardy, 1 ft., per 100, 3/6; per doz. 5s. 6d. 0 6 1414 numbellatum (Star of Bethlehem), white, quite hardy, 1 ft., per 100, 3/6; per doz. 5s. 6d. 0 6 1415 numbellatum (Star of Bethlehem), white, quite hardy, 1 ft., per 100, 3/6; per doz. 5s. 6d. 0 6 1416 numbellatum (Star of Bethlehem), white, quite hardy, 1 ft., per 100, 3/6; per doz. 5s. 6d. 0 6 1417 numbellatum (Star of Bethlehem), white, quite hardy, 1 ft., per 100, 3/6; per doz. 5s. 6d. 0 6 1418 numbellatum (Star of Bethlehem), white, quite hardy, 1 ft., per 100, 3/6; per doz. 5s. 6d. 0 6 1419 numbellatum (Star of Bethlehem), white, quite hardy, 1 ft., per 100, 3/6; per doz. 5s. 6d. 0 6 1410 numbellatum (Star of Bethlehem), white, quite hardy, 1 ft., per 100, 3/6; per doz. 5s. 6d. 0 6 1411 numbellatum (Star of Bethlehem), white, quite hardy, 1 ft., per 100, 3/6; per doz. 5s. 6d. 0 6 1412 numbellatum (Star of Bethlehem), white, quite hardy, 1 ft., per 100, 3/6; per doz. 5s. 6d. 0 6 1413 numbellatum (Star of Bethlehem), white, quite hardy, 1 ft., per 100, 3/6; per doz. 5s. 6d. 0 6 1414 numbellatum (Star of Bethlehem), white, quite hardy, 1 ft., per 100, 3/6; per doz. 5s. 6d. 0 6 1415 numbellatum (Star of Bethlehem), white, quite hardy, 1 ft., per 100, 3/6; per doz. 5s. 6d. 0 6 1416 numbellatum (Star of Bethlehem), white, quite hardy, 1 ft., per 100, 3/6; per doz. 5s. 6d. 0 6 1417 numbellatum (Star of Bethlehem), white, quite hardy, 1 ft., per 100, 3/6; per doz. 5s. 6d. 0 6 1418 numbellatum (Star of Bethlehem), white, quite hardy, 1 ft., per 100, 3/6
3 inches per doz. 3s. 6d. 0 4 1409 """ 1410 """ 1410 """ 1411 """ 1411 """ 1412 """ 1412 """ 1413 """ 1414 """ 1416 """ 1416 """ 1416 """ 1416 """ 1418 """ 1419 """ 1419 """ 1410 """ 1410 """ 1410 """ 1410 """ 1411 """ 1411 """ 1412 """ 1412 """ 1413 """ 1414 """ 1415 """ 1415 """ 1416 """ 1416 """ 1416 """ 1416 """ 1417 """ 1418 """ 1418 """ 1419 """ 1419 """ 1410 """ 1410 """ 1410 """ 1410 """ 1411 """ 1411 """ 1412 """ 1413 """ 1414 """ 1414 """ 1415 """ 1415 """ 1416 """ 1416 """ 1416 """ 1416 """ 1417 """ 1418 """ 1418 """ 1418 """ 1418 """ 1419 """ 1410 "" 1410 """ 1410 """ 1410 """ 1410 """ 1410 """ 1410 """ 1410 """ 1410 "" 1410 """ 1410 """ 1410 """ 1410 """ 1410 ""
3 inches per doz. 35. 6d. 0 4 1409 pramidale, large beautiful white flower spike, 2 ft. per doz. 15. 6d 1410 pyramidale, large beautiful white flower spike, 2 ft. per doz. 15. 6d 1411 pyramidale, large beautiful white flower spike, 2 ft. per doz. 55. 6d. 0 6 1412 pyramidale, large beautiful white flower spike, 2 ft. per doz. 55. 6d. 0 6 1413 pyramidale, large beautiful white flower spike, 2 ft. per doz. 55. 6d. 0 6 1414 pyramidale, large beautiful white flower spike, 2 ft. per 100, 3/6; per doz. 55. 6d. 0 6 1415 pyramidale, large beautiful practical properties per doz. 55. 6d. 0 6 1416 pyramidale, large beautiful practical properties per doz. 55. 6d. 0 6 1417 pyramidale, large beautiful practical properties per doz. 55. 6d. 0 6 1418 pyramidale, large beautiful practical properties per doz. 55. 6d. 0 6 1419 pyramidale, large beautiful practical properties per doz. 55. 6d. 0 6 1410 pyramidale, large beautiful practical properties per doz. 55. 6d. 0 6 1411 pyramidale, large beautiful practical properties per doz. 55. 6d. 0 6 1412 pyramidale, large beautiful practical properties per doz. 55. 6d. 0 6 1413 pyramidale, large beautiful practical properties per doz. 55. 6d. 0 6 1414 pyramidale, large beautiful practical properties per doz. 55. 6d. 0 6 1415 pyramidale, large beautiful practical properties per doz. 55. 6d. 0 6 1416 pyramidale, large beautiful practical properties per doz. 55. 6d. 0 6 1416 pyramidale, large beautiful practical properties per doz. 55. 6d. 0 6 1417 pyramidale, large beautiful practical properties per doz. 55. 6d. 0 6 1418 pyramidale, large beautiful practical properties per doz. 55. 6d. 0 6 1419 pyramidale, large beautiful practical properties per doz. 55. 6d. 0 6 1410 pyramidale, large beautiful practical properties per doz. 55. 6d. 0 6 14110 pyramidale, large beautiful practical properties per doz. 55. 6d. 0 6 14110 pyramidale, large beautiful practical properties per doz. 55. 6d. 0 6 14111 pyramidale, large beautiful practical properties per doz. 55. 6d
3 inches per doz. 35. 6d. 0 4 1409 nutans, green and white, invaluable for cutting, or for naturalization, 1 ft., per 100, 105. 6d.; per doz. 15. 6d 1410 pyramidale, large beautiful white flower spike, 2 ft. per doz. 55. 6d. 0 6 1411 pyramidale, large beautiful white flower spike, 2 ft. per doz. 55. 6d. 0 6 1412 pyramidale, producing in June long erect spikes of flowers, pale yellow and green, 1½ ft. per 100, 105. 5d.; per doz. 55. 6d. 0 6 1412 pyramidale, a small pure long erect spikes of flowers, pale yellow and green, 1½ ft. per 100, 3/6; per doz. 55. 6d. 0 6 1413 per doz. 55. 6d. 0 6 1414 per Ornithogalums are fine hardy berder plants. Arabicum and aureum should either be grown in pots or planted close to a wall, at a depth of 9 inches. *Pancratium calathinum. See Hymenocallis. 1414 per doz. 105. 6d. 1 0 1415 proving the foliation of the foliation of the foliation of the flowers of the flo
3 inches per doz. 3s. 6d. 0 4 1409 nutans, green and white, invaluable for cutting, or for naturalization, 1 ft., per 100, 10s. 6d.; per doz. 1s. 6d 1410 pyramidale, large beautiful white flower spike, 2 ft. per doz. 5s. 6d. 0 6 1411 pyramidale, large beautiful white flower spikes of flowers, pale yellow and green, 1½ ft. per doz. 5s. 6d. 0 6 1412 umbellatum (Star of Bethlehem), white, quite hardy, 1 ft., per 100, 3/6; per doz. 5s. 6d. 0 6 1413 The Ornithogalums are fine hardy berder plants. Arabicum and aureum should either be grown in pots or planted close to a wall, at a depth of 9 inches. *Pancratium calathinum. See Hymenocallis. 1414 "illyricum, white flowers, delightfully fragrant, suitable for pot-culture, or to plant under a south wall at a depth of a foot, 1½ ft. per doz. 10s. 6d. 1415 "illyricum, a beautiful greenhouse bulb, with pure white flowers 1 to 4 inches long, and resembling a Giant Trumpet Narcissus, 1 ft. 1416 "maritimum, beautiful white flowers, with long filamentous outer segments. A fine pot-plant, or for planting under a south wall at a depth of a foot, 2 ft. per doz. 7/6 1417 "Pardanthus sinensis (Leopard-spotted Flower), crimson-spotted orange flowers, 14 ft. 10 1418 "Pentlandia miniata. a beautiful greenhouse bulb, with hardsome crimson drooping flowers, 1½ ft. 10
nutans, green and white, invaluable for cutting, or for naturalization, 1 ft., per 100, 105. 6d.; per doz. 15. 6d. 1410 pyramidale, large beautiful white flower spike, 2 ft. per doz. 55. 6d. o 6 1411 pyramidale, large beautiful white flower spike, 2 ft. per doz. 55. 6d. o 6 1412 pyramidale, large beautiful white flower spike, 2 ft. per doz. 55. 6d. o 6 1413 pyramidale, large beautiful white flower spike, 2 ft. per doz. 55. 6d. o 6 1414 pyramidale, large beautiful white flowers, pale yellow and green, 1½ ft. per doz. 55. 6d. o 6 1415 pyramidale, large beautiful ended for cutting flowers, pale yellow and green, 1½ ft. per doz. 55. 6d. o 6 1416 pyramidale, large beautiful for white distinct species per doz. 55. 6d. o 6 1417 *Pardanthus are fine hardy berder plants. Arabicum and aureum should either be grown in pots or planted close to a wall, at a depth of 9 inches. **Pancratium calathinum. See Hymenocallis. 1414 "illyricum, white flowers, delightfully fragrant, suitable for pot-culture, or to plant under a south wall at a depth of a foot, 1½ ft. per doz. 105. 6d. I o 1415 "littorale, a beautiful greenhouse bulb, with pure white flowers I to 4 inches long, and resembling a Giant Trumpet Narcissus, 1 ft. per doz. 76 o 1416 "maritimum, beautiful white flowers, with long filamentous outer segments. A fine pot-plant, or for planting under a south wall at a depth of a foot, 2 ft. per doz. 77 o 1418 "Pentandia miniata, a beautiful greenhouse bulb, with handsome crimson drooping flowers, 1½ ft. 1 o 1419 "Phædranassas gloriosa, yellow, very fragrant, 14ft. p. doz. 5/6 The Phædranassas (Queen Lillies) o 6
nutans, green and white, invaluable for cutting, or for naturalization, 1 ft., per 100, 10s. 6d.; per doz. 1s. 6d. pyramidale, large beautiful white flower spike, 2 ft. per doz. 5s. 6d. pyramidale, large beautiful white flower spike, 2 ft. per doz. 5s. 6d. pyramidale, large beautiful white flower spike, 2 ft. per doz. 5s. 6d. pyramidale, large beautiful white flower spike, 2 ft. per doz. 5s. 6d. pyramidale, large beautiful white flowers, pike sef flowers, pale yellow and green, 1½ ft. per doz. 5s. 6d. 1412 "Unabellatum (Star of Bethlehem), white, quite hardy, 1 ft., per 100, 3/6; per doz. 5s. 6d. "The Ornithogalums are fine hardy berder plants. Arabicum and aureum should either be grown in pots or planted close to a wall, at a depth of 9 inches. "Pancratium calathinum. See Hymenocallis. 1414 "Illyricum, white flowers, delightfully fragrant, suitable for pot-culture, or to plant under a south wall at a depth of a foot, 1½ ft. per doz. 10s. 6d. 1415 "Illyricum, white flowers, delightfully fragrant, suitable for pot-culture, or to plant under a south wall at a depth of a foot, 2 ft. per doz. 10s. 6d. 1416 "Inluming a Giant Trumpet Narcissus, 1 ft. per white flowers 1 to 4 inches long, and resembling a Giant Trumpet Narcissus, 1 ft. 1417 "Pardanthus sinensis (Leopard-spotted Flower), crimson-spotted rowners, hardy, 2 ft. pot doz. 7/6 1418 "Pentlandia miniata, a beautiful greenhouse bulb, with handsome crimson drooping flowers, 1½ ft. 1 1419 "Phædranassa gloriosa, yellow, very fragrant, 1½ft. p. doz. 5/6 The Phædranassas (Queen Lilies) (1420 " rubro-viridis, rich crimson, tipped green, 1½ ft. according to the manuales bed 1421 " venturiosa, scarlet, brotrouding anthers, 1½ ft. according to the follow, planted at the control of the follower of the follow of the follow of the follower of the foll
nutans, green and white, invaluable for cutting, or for naturalization, I ft., per 100, 10s. 6d.; per doz. 1s. 6d. pyramidale, large beautiful white flower spike, 2 ft. per doz. 1s. 6d. pyramidale, large beautiful white flower spike, 2 ft. per doz. 5s. 6d. pyramidale, large beautiful white flower spike, 2 ft. per doz. 5s. 6d. pyramidale, large beautiful white flower spike, 2 ft. per doz. 5s. 6d. pyramidale, large beautiful white flower spike, 2 ft. per doz. 5s. 6d. 1411 print per doz. 5s. 6d. 1412 per doz. 5s. 6d. 1413 per doz. 5s. 6d. 1414 per doz. 5s. 6d. The Ornithogalums are fine hardy berder plants. Arabicum and aureum should either be grown in pots or planted close to a wall, at a depth of 9 inches. *Pancratium calathinum. See Hymenocallis. 1414 per doz. 1s. 6d. 1415 per doz. 5s. 6d. 1416 per doz. 5s. 6d. 1417 per doz. 5s. 6d. 1418 pentlandla miniata, a beautiful greenhouse bulb, with pure white flowers 1 to 4 inches long, and resembling a Giant Trumpet Narcissus, 1 ft. per doz. 5s. 6d. 1417 per doz. 5s. 6d. 1418 pentlandla miniata, a beautiful greenhouse bulb, with handsome crimson drooping flowers, 1½ ft. 10 depth of a foot, 2 ft. per doz. 7/6 or 1418 pentlandla miniata, a beautiful greenhouse bulb, with handsome crimson drooping flowers, 1½ ft. 10 depth of a foot, 4 prit to June. 1422 polygonatum multiflorum (Solomon) Seal), a graceful hardy plant. Valuable to naturalize in wild
nutans, green and white, invaluable for cutting, or for naturalization, 1 ft., per 100, 10s. 6d.; per doz. 1s. 6d. pyramidale, large beautiful white flower spike, 2 ft. per doz. 5s. 6d. pyramidale, large beautiful white flower spike, 2 ft. per doz. 5s. 6d. pyramidale, large beautiful white flower spike, 2 ft. per doz. 5s. 6d. pyramidale, large beautiful white flower spike, 2 ft. per doz. 5s. 6d. pyramidale, large beautiful white flowers, pike sef flowers, pale yellow and green, 1½ ft. per doz. 5s. 6d. 1412 """ """ """ """ """ """ ""
nutans, green and white, invaluable for cutting, or for naturalization, I ft., per 100, 10s. 6d.; per doz. 1s. 6d. pyramidale, large beautiful white flower spike, 2 ft. per doz. 1s. 6d. pyramidale, large beautiful white flower spike, 2 ft. per doz. 5s. 6d. pyramidale, large beautiful white flower spike, 2 ft. per doz. 5s. 6d. pyramidale, large beautiful white flower spike, 2 ft. per doz. 5s. 6d. pyramidale, large beautiful white flower spike, 2 ft. per doz. 5s. 6d. pyramidale, large beautiful white flowers, pike sef flowers, pale yellow and green, 1½ ft. per doz. 5s. 6d. 1412 "Unifolium, a small pure white distinct species per doz. 5s. 6d. The Ornithogalums are fine hardy berder plants. A rabicum and aureum should either be grown in pots or planted close to a wall, at a depth of 9 inches. *Pancratium calathinum. See Hymenocallis. 1414 * illyricum, white flowers, delightfully fragrant, suitable for pot-culture, or to plant under a south wall at a depth of a foot, 1½ ft. per doz. 10s. 6d. 1415 * illtorale, a beautiful greenhouse bulb, with pure white flowers 1 to 4 inches long, and resembling a Giant Trumpet Narcisuns, 1 ft. 1416 * maritimum, beautiful white flowers, with long filamentous outer segments. A fine pot-plant, or for planting under a south wall at a depth of a foot, 2 ft. per doz. 7/6 or 1417 *Pardanthus sinensis (Leopard-spotted Flower), crimson-spotted orange flowers, hardy, 2 ft. 10 or 1419 *Phadranassa gloriosa, yellow, very fragrant, 1½ ft. 2 depth of a foot, 2 ft. per doz. 7/6 or 1419 *Phadranassa gloriosa, yellow, very fragrant, 1½ ft. 2 depth of a foot, 4 ft mentalized at the grown under a south wall, planted at the grown under south wall, planted at the grown unde
nutans, green and white, invaluable for cutting, or for naturalization, 1 ft., per 100, 10s. 6d.; per doz. 1s. 6d. pyramidale, large beautiful white flower spike, 2 ft. per doz. 5s. 6d. o 6 1411 pyramidale, large beautiful white flower spike, 2 ft. per doz. 5s. 6d. o 6 1412 pyramidale, large beautiful white flower spike, 2 ft. per doz. 5s. 6d. o 6 1413 pyramidale, large beautiful white flower spike, 2 ft. per 100, 3/6; per doz. 5s. 6d. o 6 1414 pyramidale, large beautiful white flower spike, 2 ft. per 100, 3/6; per doz. 6d. o 6 1415 pyramidale, large beautiful preceive white distinct species per doz. 5s. 6d. o 6 1416 Pancratium calathinum. See Hymenocallis. 1417 pancratium calathinum. See Hymenocallis. 1418 pillyricum, white flowers, delightfully fragrant, suitable for pot-culture, or to plant under a south wall at a depth of a foot, 1½ ft. per 100, 3/6; per doz. 5s. 6d. o 6 1416 maritimum, beautiful preenhouse bulb, with pure white flowers 1 to 4 inches long, and resembling a Giant Trumpet Narcissus, 1 ft. per 100, 12 ft. per doz. 10s. 6d. I o 116 pot-plant, or for planting under a south wall at a depth of a foot, 2 ft. per doz. 7/6 o 9 1417 Pardanthus sinensis (Leopard-spotted Flower), crimson-spotted orange flowers, hardy, 2 ft. 1 o 1418 Pentlandia miniata, a beautiful greenhouse bulb, with handsome crimson drooping flowers, 1½ ft. 1 o 1419 Phabdranassas gloriosa, yellow, very fragrant, 1½ft. D. doz. 5/6 The Phadranassas (Quoen Lilies) o 6 1420 provinidis, rich crimson, tipped green, 1½ ft. green mader a south wall at a depth of a foot, 2 ft. per doz. 2/6 o 6 1421 provinidis ministan in crimson, tipped green, 1½ ft. green mader a south wall at a depth of a foot, 2 ft. per doz. 2/6 o 6 1422 polygonatum multiflorum (Solomon's Scal), a graceful hardy plant. Valuable to naturalize in wild a gardens and woods, or for early-forcing, 2 ft., strong crowns, per doz. 2/8 6d. o 3 1423 majus, possesses the same graceful habit and capability for forcing as 1422; but has larger blossoms strong crowns, per d
nutans, green and white, invaluable for cutting, or for naturalization, 1 ft., per 100, 105. 6d.; per doz. 11. 6d pyramidale, large beautiful white flower spike, 2 ft
nutans, green and white, invaluable for cutting, or for naturalization, 1 ft., per 100, 105. 6d.; per doz. 11. 6d pyramidale, large beautiful white flower spike, 2 ft
nutans, green and white, invaluable for cutting, or for naturalization, 1 ft., per 100, 105. 6d.; per doz. 15. 6d. pyramidale, large beautiful white flower spike, 2 ft. per doz. 55. 6d. pyramidum, producing in June long erect spikes of flowers, pale yellow and green 1½ ft. per 100, 105. 6d.; per doz. 15. 6d. pyramidum, producing in June long erect spikes of flowers, pale yellow and green 1½ ft. per 100, 3/6; per doz. 55. 6d. 1412 umbellatum (Star of Bethlehem), white, quite hardy, 1 ft., per 100, 3/6; per doz. 55. 6d. 1413 umbellatum (Star of Bethlehem), white, quite hardy, 1 ft., per 100, 3/6; per doz. 65. 6d. 1414 "maritimum sare fine hardy berder plants. Arabicum and aureum should either be grown in pots or planted close to a wall, at a depth of 9 inches. *Pancratium calathinum. See Hymenocallis. 1414 "maritimum, white flowers, delightfully fragrant, suitable for pot-culture, or to plant under a south wall at a depth of a foot, 1½ ft. per doz. 105. 6d. 1415 "maritimum, beautiful white flowers, with long flamentous outer segments. A fine resembling a Giant Trumpet Narcissus, 1 ft. 1416 "maritimum, beautiful white flowers, with long flamentous outer segments. A fine pot-plant, or for planting under a south wall at a depth of a foot, 2 ft. per doz. 7/6 of 1417 "Pardanthus sinensis (Leopard-spotted Flower), crimson-spotted orange flowers, hardy, 2 ft. 1 of 1418 "Pentelandia miniata, a beautiful greenhouse bulb, with handsome crimson drooping flowers, 1½ ft. 1 of 1419 "Phaddranassas gloriosa, yellow, very fragrant, 1½ft. p. doz. 5/6 The Phaddranassas (Queen Lilies) are handsome pot-plante June de the gardens and woods, or for early-forcing, 2 ft., strong crowns, per doz. 25. 6d. of 1422 "polygonatum multiflorum (Solomon's Seal), a graceful hardy plant. Valuable to naturalize in wild gardens and woods, or for early-forcing, 2 ft., strong crowns, per doz. 35. 6d. of 1425 "majus, possesses the same graceful hardy plant. Valuable to naturalize in wild gardens and woods, or for early-forcing, 2 ft., stron
nutans, green and white, invaluable for cutting, or for naturalization, 1 ft., per 100, 105. 6d.; per doz. 15. 6d. pyramidale, large beautiful white flower spike, 2 ft. per doz. 55. 6d. pyramidum, producing in June long erect spikes of flowers, pale yellow and green, 1½ ft. per doz. 55. 6d. fill mitolium, a small pure white distinct species per doz. 56. 6d. free Ornithogalums are fine hardy berder plants. Arabicum and aureum should either be grown in pots or planted close to a wall, at a depth of 9 inches. *Pancratium calathinum. See Hymenocallis illyricum, white flowers, delightfully fragrant, suitable for pot-culture, or to plant under a south wall at a depth of a foot, 1½ ft. per doz. 76. 6d. 1415 * littorale, a beautiful greenhouse bulb, with pure white flowers 1 to 4 inches long, and resembling a Giant Trumpet Narcissus, 1 ft. per doz. 76. 9 1416 * maritimum, beautiful white flowers, with long filamentous outer segments. A fine pot-plant, or for planting under a south wall at a depth of a foot, 2 ft. per doz. 76. 9 1417 *Pardanthus sinensis (Leopard-spotted Flower), crimson-spotted orange flowers, hardy, 2 ft. 10 1418 * Pentlandia miniata, a beautiful greenhouse bulb, with handsome crimson drooping flowers, 1½ ft. 10 1419 * Phadranassa gloriosa, yellow, very fragrant, 1½ ft. 10 doz. 1½ or rehandsome pot-plants, but may also be 1420 * rubro-viridis, rich crimson, tipped green, 1½ ft. or rehandsome pot-plants, but may also be 1420 * rubro-viridis, rich crimson, tipped green, 1½ ft. or proven under a south wall planted at the gardens and woods, or for early-forcing, 2 ft., strong crowns, per doz. 25. 6d. 0 1422 * Polygonatum multiflorum (Solomon's Seal), a graceful hardy flant. Valuable to naturalize in wild gardens and woods, or for early-forcing, 2 ft., strong crowns, per doz. 25. 6d. 0 1423 * majus, possesses the same graceful hardy flant. Valuable t
3 inches nutans, green and white, invaluable for cutting, or for naturalization, 1 st., per 100, 10s. 6d.; per doz. 1s. 6d. 1410 pyramidale, large beautiful white flower spike, 2 st. per 100, 10s. 6d.; per doz. 1s. 6d. pyramidum, producing in June long erect spikes of flowers, pale yellow and green, 1½ st. umbellatum (Star of Bethlehem), white, quite hardy, 1 st., per 100, 3/6; per doz. 5s. 6d. 1412 """ """ """ """ """ """ ""
3 inches
3 inches nutans, green and white, invaluable for cutting, or for naturalization, 1 ft., epr 100, 10s. 6d.; per doz. 1s. 6d 1410 pyramidale, large beautiful white flower spike, 2 ft
3 inches nutans, green and white, invaluable for cutting, or for naturalization, 1 ft., epr 100, 10s. 6d.; per doz. 1s. 6d 1410 pyramidale, large beautiful white flower spike, 2 ft
3 inches nutans, green and white, invaluable for cutting, or for naturalization, 1 ft., epr 100, 10s. 6d.; per doz. 1s. 6d 1410 pyramidale, large beautiful white flower spike, 2 ft
3 inches nutans, green and white, invaluable for cutting, or for naturalization, 1 ft., epr 100, 10s. 6d.; per doz. 1s. 6d 1410 pyramidale, large beautiful white flower spike, 2 ft
nutans, green and white, invaluable for cutting, or for naturalization, 1 ft., pyramidale, large beautiful white flower spike, 2 ft

```
potted, produce under glass a supply of useful flowers for months, 1½ ft. ..per 100, 6/6; per doz. 1/Solomon's Seal. See Polygonatum.
2 6
            1442 *
 they will flower under glass late in Autumn.

1444 Tropmolum azureum, true, a beautiful rare bulb. Flowers rich violet-blue, white centre, very pretty
                                brachyceras, a fine yellow-flowered species ......
                                pertaphyllum, red and green, perfectly hardy
polyphyllum, golden-yellow flowers in long trusses, quite hardy ..... per doz. 7/6; 9d. &
speciosum, rich scarlet flowers in elusters, quite hardy ..... per doz. 7/6; 9d. 15. &
 1446
                                                                                                                                                                                             O
 1447
 1448
1449
growing on in a house with a high temperature and a moist atmosphere, till the flower buds develope; at this stage, if the plants are for the conservatory or sitting room, remove to a greenhouse temperature. The bulbs for early flowering pot as soon as they can be procured, and plunge the pots in a temperature of about 60 degrees. The bulbs for succession keep dry or pot at once, to make root growth; in either case the temperature should not be below 50 degrees.

1455 *Tulbaghia alliacea, long umbels of indigo green and golden flowers, i. ft. \{ Protect stightly \{ p. doz. 10\} \foat 1 \\
1456 * \quad \text{violacea, charming red lilae flowers in neat umbels, i. ft. \} during winter, \{ \quad \choose 7 \\ \text{o} \end{arge}
1457 Urceolina aurea, a splendid warm-house bulb, with large golden-yellow flowers, tipped with rich green, and produced in graceful drooping terminal clusters \quad \text{o} \quad \text{o} \text{flow} \end{arge}
1458 Uropetalum hyacinthoides, rose, \{\frac{3}{4}\text{ft.} \quad \quad \quad \text{protect} \end{arge}
1459 \quad \text{violacea, clarming red lilae flowers spikes of these rare bulbs \{ \text{per doz. 2s. 6d. 0 3} \\
1459 \quad \text{viride, green, \{\frac{3}{4}\text{ft.} \quad \quad \quad \text{protect} \\ \quad \text{protect} \\ \quad \text{protect} \\ \quad \text{o} \\ 
6
                                   A SELECT LIST OF STRAWBERRIES.
        We have made a careful selection of the very best and most distinct varieties of Strawberries, and recom-
mend all of them, feeling confident they will give the greatest satisfaction; others sorts can also be had,
                                    Less quantities than 50 of a sort will be charged at a little higher rate.
                                         per 100 s. d.
                                                                                                          per 100 s. d.
                                                               Keen's Seedling, fine flavour... 3 6
King of Earlies (Laxton) new,
                                                                                                                                President, great cropper ..... 5
Sir Chas. Napier, heavy bearer 3
Bicton Pine, white, large ..... 3 6
British Queen, fine flavour ... 5
                                                          6
                                                                                                                                Sir J. Paxton, excellent var. ... 3
Dr. Hogg, very fine, late...... 5
Duke of Edinburgh, late, fine 5
                                                                   small and early, delicious flavr. 5
                                                                Laxton's Noble (new), large
and early, superior flavour...21
                                                                                                                                 The Kunberley, rich flav., late 5
                                                           6
                                                                                                                                Trollope's Victoria, free bearer 3
Eleanor, large and late ...... 3
Elton Pine, good cropper, late 3
Helen Gloede, large, fine flavr. 5
                                                               Laxton's Jubilee (new), large
                                                                                                                                 Vicomtesse Hericart de Thury,
                                                                   and late, fine flavour ......12
                                                                                                                           6
                                                                                                                                   very early, great eropper ... 3
Jas. Veitch, very large, early.. 3 6 Pauline, very early ..... 5 6 Waterloo, large and late ..... 12
Strawberry Plants, in small Pots, per 100, 25/-, 4/6 per dozen; in Fruiting Pots, per 100, 84/; per dozen, 12/-
```

GARDEN REQUISITES.

BOUQUET STALK WIRE, in bundles of 1 lb., finest, 11. 6d.; second, 13. 4d.; third, 13. 2d.; tblekest, 14.
BOUQUET STEEL WIRE, for wiring Camelias, Roses, Gardenias, &c., in bundles of 1 lb., 13 6d.
BOUQUET BINDING WIRE, per reel, 14. 6d.; Silvered Binding Wire, per reel, 14. 9d.
BOUQUET GUM, for fixing the petals of Geraniums, Primulas, &c., per bottle, 13. and 23.
BARR'S FLOWER AND FRUIT CONVEYANCE BOXES. No. 1, 14 in. by 10 in. by 8 in., 225. 6d.; No. 2, 18 in. by
13 in. by 10 in., 405.; No. 3, 23 in. by 16 in. by 14 in., 505. Lock and two keys with each box.
BARR'S PORTABLE INDOOR FRAMES. No. 1, 23 in. by 17 in., on stand, 905.; on dwarf feet, 845.; No. 2, 29 in.
by 20 in., on stand, 985.; on dwarf feet, 925.; No. 3, 35 in. by 23 in. on stand, 1055.; on dwarf feet, 985.
BARR'S LONDON MADE GARDEN SYMMERS. No. 1, 444. No. 2, 444. No.

by 20 in., on stand, 98s.; on dwarf feet, 92s.; No. 3, 35 in. by 23 in. on stand, 105s.; on dwarf feet, 98s. Illustration sent free on application.

BARR'S LONDON MADE GARDEN SYRINGES, No. 1, 21s.; No. 2, 15s.; No., -3, gentleman's size, 12s. 6d.; No. 4, light, for ladies, 10s. 6d. Small, for Fern Cases, 5s. 6d.

BARR'S IMPROVED HYDROPULT GARDEN EN SINE, No. 1, 50s., will throw a continuous stream of water 40 feet, and through a \(\frac{3}{2}\)-inch suction hose draw a supply of water 60 feet; No. 2, 42s., for ladies, will, through a \(\frac{1}{2}\)-inch hose, draw a supply of water 30 feet.

BASS MAPS, best Archangel, per doz., 21s.; each 2s.

BASS RAPHIA, a light material for tying, per lb., 1s. 6d.; specimen bundles, 6d. and 1s.

FERTILIZING Moss, in original bags, for plant culture, 2s. 6d.

FUMIGATOR, "THE PAXTON," recommended as the most useful and effective fumiliator, iu deal case, 20s.

FLOWER GATHERER, "THE SELBY," exceedingly useful for ladies, the scissors holding the flowers when cut, 5/6.

GLOVES, strong for pruning, best quality, 2/6 per pair. | GLOVES, Ladies, for gardening, best quality, 2s. 6d., Gent.'s, for pruning, best quality, 2/6 per pair. | and 3s. 6d. per pair. |

HYACINTH GLASSIS, Ornamental and Flain, in all colours and designs.

INSECT BRUSHES, "THE APHIS," each 2s. 6d.

KNIVES, SAYNOR'S, best quality, pruning, 2s., 2s. 6d., 3s., 3s. 6d., 4s. and 4s. 6d. eacb.

""" budding, 3s. and 3s. 6d. each.

LABELS, WOODEN, for pots and borders, painted; in bundles of 100, 3\(\frac{1}{2}\) inches, 10d.; 5\(\frac{1}{2}\) inches, 1s. 6d.; No. 1s, 4s.; No. 2, 3s.; No. 3, 3s. 6d.; No. 4, 3s.; No. 6, for roses, 2s. 6d.; No. 14, 1s. 6d.; No. 7, for fruit trees, 2s. Ink to write on metallic labels, per bottle, 6d. and 1s.

"The WILLESDEN INSOLUBLE METALLIC CARD LABELS." Sold in boxes of 100. Oval, for suspending: No. 1, 2\(\frac{1}{2}\) inches, 3s. 6d.; No. 2, 2\(\frac{1}{2}\) inches, 2s. 6d.; No. 4, 1\(\frac{1}{2}\) inches, 2s. 6d.; No. 4, 1\(\frac{1}{2}\) inches, 2s. 6d.; No. 6, 1\(\frac{1}{2}\) inch

TANNED, I inch mesh, about 2 yards wide, per yard run, 2d. About 4 yards wide, per yard run, 4d. Pencils, Wolff's, solid marking, for writing on wood, 3d.; extra thick, 6d.

SHREDS, WOOLLEN, best quality, per lb., 9d.

MEDICATED GARDEN SHREDS, bundles of 100, 2 incb, 6d.; 3 inch, 8d.; 4 incb, 1s.; 5 incb, 1s. 6d.

SCISSORS, SAYNOR'S, best for Vines, 3s. 6d.

BERHAUTS', for pruning 4s. 6d., 5s., and 6s. | French Secateurs, 5s. 6d. and 7s.

TIFFANY.—A light, cheap, shading material for conservatories; greenhouses, ctc.; No. 1, 20 yards long, 39 incbes wide; per piece, 5s.; No. 2, mannfactured with mineral solution, 6s. per piece; No. 3, double strength, 18 yards long by 36 in. wide, per piece, 7s.; No. 4, treble strength, per piece, 9s.

THERMOMETERS, in polished boxwood, best quality, each 2s. 6d. In iron, best quality, 3s. 6d.

VERBENA PEGS, GALVANIZED, per box of 1 gross, 1s.

WATERING CANS, best make, japanned green or red, with brass rose, 2 qt., 4/6; 4 qt., 5/6; 6 qt., 7/6; 8 qt., 9/6.

WIRE, COPPER, used for suspending labels, per bundle, 1s., 1s. 3d., and 2s. 6d.

MOODEN FLOWER STICKS, in bundles of 100, 12 inch, 1s. 3d.; 18 inch, 1s. 8d.; 24 inch, 2s. 6d.; 30 inch, 3s.; 36 inch, 3s. 6d.; 42 inch, 4s. 6d.; 48 inch, 6s.

Plant Insect Destroyers, Manures, and Soils.

Plant Insect Destroyers, Manures, and Soils.

STANDEN'S GARDENERS' AND AMATEURS' MANURE. 1/- and 2/6; largo canisters, 5/6, 10/6, and 21/-.

PERUVIAN GUANO, PURE, OUT OF BOND.-5d. per 1b.; per 10 lb., 3s. 6d.; per 28 lb., 7s. 6d.; 25/- per cwt.

JENSEN'S FI3H-POTASH GUANO, a highly recommended fertilizer, for all vegetables, flowers, exotics, and fruit-trees. Prices: 7 lbs., 2/-; 14 lbs., 4/-; 28 lbs., 6 6; 56 lbs., 10 6; 1 cwt., 16/-.

FLORÆVITA. For plants in pots, recommended as a safe and effective stimulating compound. Per bottle, 1/-.

NEW FRENCU COLD GRAFTING WAX, in tin boxes, 1/-, 1/6 and 2/-, valuable for grafting and budding.

FOWLER'S INSECTICIDE. In jars at 1/6, 3/-, 5/6, and 10/-.

MEALY BUG DESTROYER, per bottle, 1/-, 2/6, 5/-, and 10/-.

THE GISHURST COMPOUND, an effectual Insect-killer, boxes, 1/-, 3/-, and 10/6.

SUPERIOR TOBACCO PAPER, 1/6 per lb.; Superior Conacco Ead, 1/9 per lb.

TOBACCO POWDER. In canisters, 1/-, 2/6, and 5/- each. The "Duplex" Powder Distributor, 2/6 cach.

FIR TREE OIL, said to he the best and safest insect destroyer, hall-pint, 1/6; pint, 2/6; quart, 4/6.

"LETHORION" (VAPOUR CONE), a certain destroyer of all insect life affecting plants or trees. For 50 oubic feet, cones 6d. each; for 100, 9d. each; for 500, 1/3 cach; for 1000, 2/-. Further particulars on application.

SOILS. Loam, Peat, Lcaf Soil, and Prepared Potting Soil, per bushel, 3/6.

To have Dry and Warm Feet use GISHURSTINE as a Dubbing On the Soles and Uppers of Boots and Shoes.

GISHURSTINE is sold in Tin Boxes, 6d, and 1s.; by post 9d, and 1s. 3d.

BARR'S PREPARED CHARCOAL AND COCOA FIBRE.

For growing Ferns in Plant Cases, and Bulbs in Jardinets, Glasses, &c. In using the Prepared Cocoa Nut Fibre and Charcoal in Hyacinth glasses, after the glass has been filled with the preparation, water should then be added till the preparation can absorb no more. On the glass place the Bulb so as partially to rest the base on the preparation, then the it down with brown paper to the proper for the short. When the as you would a jam pot, leaving an opening in the centre of the paper for the shoot. When the Bulb has rooted well into the preparation, the paper may be removed, but care must be taken that the material in the glass is kept wet. No. 1 quality, 6/- per bushel; 2/- per peck. No. 2 quality, 4/6 per bushel; 1/6 per peck.



1889.

ORDER SHEET.—BULBS, PLANTS, TUBERS, &c.

(For Daffodils, Flag Iris, Lilies, Paonias, Michaelmas Daisies, Plantain Lilies, Day Lilies, Hepaticas, and a Select List of Showy Hardy Perennials, refer to DAFFODIL CATALOGUE which accompanies this for description and prices.)

BARR & SON,

12 & 13, KING STREET, COVENT GARDEN, LONDON, W.C.

Forward the articles na	med in this List per		
Railway to		Statio	n, and charge them to the
account of			on the governor to the
C: , , , , ,	y		
Signature of person ora			
3 Under the columns			
A FEW SPECIALTIES, p. 3.		write in Figures how man	
A ILW SELOIRBIES, p. 3.	Bulbs for Early-Forcing. Quantity. p. 100. doz.	Hyacinths, Choice Named—contd. Quantity. each—s. d.	Hyacinths, Choice Named—Contd. Quantity. each—s. d.
	174 Hyacinth, Dwarf s. d. s. d. White Roman	213 *Johanna 1 0	273 *Lord Melville 0 6
	extra fine bulbs 21 03 0 Good selected bulbs 15 0 6	214 *Kenan Hasselaar 0 9 215 *Lord Percy 1 0	274 *Marie 0 4 275 *Masterpiece 2 6
	175 Hyacinth, Rosy	216 *Norma 0 5	276 *Prince of Wales 1 3
	White Roman 12 62 o 176 Hyacintb, Blue	217 *Prince of Wales 1 3	277 *The Sultan 2 6 278 *William the First 0 6
BULBS & PLANTS TO NATURALIZE,	Roman 12 62 o 177 Narcissus, Paper	219 *Princess Hélène 1 6	279 *William III r 6
p ⋅ 4⋅	White 8 6r 6	220 *Princess of Teck 1 3 221 *Rubra maxima 1 0	Claret, Mauve and Purple-Violet 280 *Adeline Patti 0 10
	large-flowered	222 *Sultan's Favourite . o 6	281 *Haydn 0 8
	paper white 12 62 o	223 †The Competitor 1 o	282 *Jeschko 0 9 0 6 0 6
	Roman 8 61 6	Carmine, Crimson, Scarlet, etc.	284 *Lord Hartington 0 8
	bome-grown bulbs, extra strong 10 61 6	225 *Cynthia 0 8	285 *Peter Barr 1 o
FRUIT TREES, p. 4.	181 Single Duc Van Thol	226 †Disraeli	286 *The Shah 2 9 Pure White.
	Tulip, Scarlet edg. yellow 5 60 10	228 *Fireball o 6	287 *Albus superbissimus o 6
	182 ,, Scarlet 6 01 0 183 ,, Rose10 61 6	229 *Garibaldi 2 3 230 *Gertrude 0 6	288 *Albus maximus o 10 289 *Baroness Van Tuyll o 5
COLLECTIONS OF BULBS, p. 5.	184 ,, Yellow12 61 9	231 *Jeanie Deans 1 6	290 *Belle Blanchisseuse o 8
A. For Conservatory.	185 ,, White17 62 6 186 ,, Violet12 62 o	232 *Josephine o 9	291 *Goschen 3 6 292 *Grand Vainqueur 0 8
B. For Conservatory.	187 Jonquil, Single,	233 *King of the Belgians r 3 234 *King of the Reds 3 6	293 *Grande Vedette 0 8
	ex. large bulbs 7 61 3 ,, Db'e. ,, 12 62 0	235 *Koh-i-noor 2 6	294 *La Grandesse 0 9
C. For Flower Garden.	189 Scilla sibirica, very	236 *Lord Macaulay 0 8	295 †Lady of the Lake 1 0 296 †La Tour d'Auvergne 0 8
D. For Naturalization.	large bulbs. 4 60 9 190 Elwes Snowdrops,	237 *Mr. Robert Steiger. 0 4 238 *Mrs. Beecher Stowe 0 8	297 *L'Innocence 1 0
BARR'S	home-grown bulbs, extra strong . 12 62 o	239 †Princess Louise 2 0	298 *MadameV. der Hoop o 6 299 *Mina 1 o
BEDDING HYACINTHS,	191 Iris reticulata 6 192 Iris persica 6	240 *Queen of Hyacinths o 8 241 *Queen of Naples 1 3	300 *Mont Blanc 0 9
Quantity. s. d 150 150 in 8 varieties 30 0		242 *Romeo o 9	301 *Nectar 1 6 302 †Prince of Waterloo 0 8
151 75 in 8 varieties 15 6	Barr's Prepared Mixture of Char- coal and Cocoa-Fibre, for growing	243 *Solfaterre 0 8 244 *Stanley 2 6	303 †Princess Alice 1 3
152 50 in 8 varieties 10 6 153 25 in 8 varieties 5 6	bulbs in glasses, jardinets, etc. See page 33 of Catalogue.	245 *Von Schiller 0 8	304 *Queen Mab 0 9
per 100. doz.	No. 1 quality, p. bushel, 6/;	246 *Vuurbaak 3 0	305 *Snowball 1 0 1 0 2 6
s. d. s. d 154 Delicate Rose 17 62 6	p. peck, 2/ ,, 2 ,, p. bushel, 4/6;	Blue, Azure, Porcelain, etc 247 †Bloxberg 0 5	White shaded Rose, Blush, etc.
155 Rich Deep Rose 17 62 6 156 Brilliant Crim 16 02 6	p. peck, 1/6	248 *Blondin 0 8	307 †Anna Maria 0 6 308 *Anna Paulowna 0 6
157 Fine Light	NAMED HYACINTHS,	249 *Cœlestina 1 0 250 *Couronne de Celle 0 6	309 *Dolly Varden o 8
Azure-Blue 17 62 6 158 Full Porcelain-	SELECTIONS. £ s. d 193 100 extra choice var. 5 5 0	251 *Czar Peter 0 8	310 *Giganteus 0 5 311 *Grandeur à Merveille 0 6
Blue 21 03 0 159 Rich Dark Blue 16 02 6	194 50 ditto 2 10 0	252 *Grand Lilas 0 8 253 *Leonidas 0 5	312 *La Franchise 0 8
160 Fine Pure White 23 03 6	195 25 ditto 1 5 0 196 12 ditto 0 15 0	254 *Lord Byron 1 0	313 †La Virginité 0 4 314 *Mammoth 0 8
Rose 21 03 0	197 100 extra fine var 4 4 0	255 *Lord Derby 0 9	314 *Mammoth 0 8 315 *Princess Amalia 1 6
162 Barr's Rainbow Mixture, 1st size 17 63 o	198 50 ditto 2 2 0 199 25 ditto 1 1 0	256 *Marie Roze 2 6 0 6	316 *Princess Marie I o
163 Barr's Rainbow	200 12 ditto10/6 & 0 12 0	258 *Queen of the Blues 1 3	317 *Tubæfiorus 0 6 318 *Voltaire 0 5
Mixture, 2nd size 12 62 o Miniature Hyacinths.	201 3 each of 30 very fine varieties 3 3 0	259 *Regulus 0 6 260 *W. E. Gladstone 1 6	Yellow.
SELECTIONS. s. d 164 r8 in 6 varieties 5 6	202 3 each of 20 var. 2 2 0	261 †Van Speyk 0 8	319 * Bird of Paradise 2 0 320 * Citronnière 0 8
165 r2 in 6 ,, 3 ó	203 3 each of 15 ,, 1 10 0 204 1 each of 12 ,,	Dark Porcelain, Purple, Black, etc.	321 *Duc de Malakoff 0 9
166 Fine mixed varieties, 3s. per doz.; per 100 21 0	5/6, 7/6 & 0 9 0	262 *Anna Bolena 1 0 263 *Argus 0 4	322 *Heroine 0 9 323 *Herman 0 6
167 Choice mixed vars., 4s. per doz.; per 100 30 0	Hyacinths, Choice Named. each Rose, Rose-pink, Blush, etc. s. d.	264 *Baron Van Tuyll o 4	324 *Ida r o
Miniature Hyacinths, Named.	205 *Bella Donna 1 0 206 †Bouquet Royal 0 8	265 *Charles Dickens 0 5 286 †C. Dickens, double 0 6	325 *King of Holland o 8
168 Acbilleseach o 4	207 *Cavaignac 1 3	267 *Duke of Connaught o 9	326 *Obelisque 1 3 327 †Minerva 1 3
169 Juno ,, 0 4	208 *Cosmos o 6	268 †Garrick 0 5	328 *Primrose Perfection 2 6
171 Queen of Lilacs ,, 0 4	209 †Dukeof Wellington o 8 210 *Fabiola o 9	269 *General Havelock o 8 270 *Grand Maître o 9	329 *Queen of Yellows 3 6 330 *Rowland Hill 1 6
172 Medusa ,, 0 4	211 *Frederick the Great 1 0	271 *Hamlet 0 8	331 *Sonora o 8
173 Apollo ,, o 4	212 †Grootvorst 0 5	272 *King of the Blues o 8	332 *Van Vondel 2 0

DAFFODILS (Narcissi.)						
		HUS NARCISSI—Contd.		gle Tulips—Continued. per 100. p.doz.	-	tch Crocus—Contd.
Daffodil seed, per packet, 1 & 2 6.	Quantity.	per doz. each. s. d. s. d.	Quantity.	s. d. s. d.	Quantity.	p.1000, 100, doz. Golden-yel. 9/6, 1/3, /4
Barr's High-Class and Distinct	377	Her Majesty 7 60 9		Thomas Moore 10 61 6	526	LargeGolden-
Hardy Daffodils.—From No. 1 List.	378	Louis le Grand 4 60 6		Van der Neer 761 3		yellow 15/, 2/0, /4
Quantity.	379	Orientalis 3 60 5		Van Vondel 10 61 6	528	Extra large
SELECTIONS OF DAFFODILS 333 3 each of 100 var. 150/,	380	Paper White	454	Vermilion Brilliant 15 02 6	529	Golden-yel. 25/, 3/0, /6 Clotbof Silver16/6, 2/0, /4
200/, 250/, & 300/	381	p. 100, 8/6 1 60 3 , NewLarge-flowd.	455	Vesuvius 10 61 6	530	Clothof Gold 15/, 2/0, /4
334 1 ,, 100 var. 55/, 70/,		per 100, 12/6 2 00 4		Wouverman 5 6I o	531	
90/, & 105/ 335 3 ,, 50 var. 63/, 84 ¹ ,	382	SirWalter Scott 5 6 0 6		Yellow Prince II 6I 9	532	Sulphureus concolor3/6, /9
335 3 ,, 50 var. 63/, 64/,		Staten General 260 4	Reautiful	New Early Single Tulips.	533	,, striatus 3/6, /9
336 I ,, 50 var. 21/, 30/,	384	The Scilly White		per doz. each		,, 50.000
42/, & 63/ 337 3 ,, 25 var. 21/, 30/,	385	per 100, 15/ 2 60 4 WhitePerfection 8 60 9	458	Bride of Haarlem Golden 6 60 8	Choice	named Large-flowered
42/, & 63/			459	Koh-i-Noor 7 60 9		Crocus.
338 I ,, 25 var. 7/6, 10/6,		rith Yellow or Orange Cup		Lac Dorée 3 6		LARGE BULBS.
339 10 ,, 12 var. 30/, 42/,		Apollo 4 6 6		Le Matelas 560 6		1000 in 10 splendid var. 25/
339 10 ,, 12 var. 30/, 42/, 60/, & 84/		Batburst 3 60 5		Nelly 7 60 9	535	500 in 10 ,, ,, 13/6
340 5 ,, 12 var. 15/, 21/,		Charles Dickens 3 6 o 5 GrandSoleil d'Or 2 6 o 4		Ophir d'Or 560 6	536	250 in 10 ,, ,, 7/
30/, & 42/				Roi Pepin 5 60 6	537	100 in 15 ,, ,, 3/6
341 3 ,, 12 var. 10/6, 15/, 21/, & 30/		JauneSupreme 3 60 5 Sir I. Newton 3 60 5		Van Vondel	538	Extra fine mixed, p. 100, 2/6, p. 1000, 24/
342 I ,, 12 var. 3/6, 5/6,				white 12 61 3		p. 100. p. doz.
7/6, & 12/	Intern	nedius, beautiful small Tazettas.	466	White Hawk 3 60 4	539	Barr's New s. d. s. d. Golden-Yellow 4 6o 9
Special Selections from the	392	Bifronsp. 100, 15/2 60 3	RADR	Double Tulips. AND SON'S SELECTIONS.	540	Czar Peter 3 60 6
Separate Groups12 each 6 species Hoop Petticoat		"Sunset"10 61 0		s. d.	541	David Rizzio 2 60 6
Daffodils, 18/		e-Polyanthus Narcissi.	1	5 each 15 varieties 10 6	542	Diamond 5 60 10
6 ,, 6 ,, ,, ,, 9/6		Double Roman	468		543	Emilius 3 00 6
3 ,, 6 ,, ,, ,, 5/	331	p. 100, 8/6 1 60 3	469		544	King of Blues 4 6o 8
1 ,, 39 vars. Yell, Trmp. ,, 55/	395	Nobilissimus 4 60 6	470	I ,, I2 ,, 2 0	545	La Neige 4 00 8
1 ,, 14 ,, Two-clrd. ,, ,, 18/		T-SCENTED JONQUILS.		p. 100. p. doz. s. d. s. d.	546	Madame Mina 2 60 6
1 ,, 26 ,, Wh.&Sulp.,, ,, 65/		per 100. doz.		Choice mixed 5 60 10	547	Mr. Thackeray 3 60 6
I ,, I3 ,, Double Daffodils 7/6		Single large bulbs 7/61 3	472	Double Duc	548	Mrs. B. Stowe 3 60 6
I ,, 30 ,, Incomparabilis		,, smaller bulbs 5/6o 10	474	Van Thol 4 6 9 Cour. de Cerise 8 6 3	549	Mont Blanc 2 60 6
hybrid Daffodils 40/ 1 ,, 13 ,, Barr's bybrid',, 12/6	1	minor 6	ł	Couronne des	550	Ne Plus Ultra 260 6
1 ,, 18 ,, Leeds' ,, ,, 42/		double10/61 6	210	Roses 21 03 6	551	Pride of Albion 3 oo 6
1 ,, 11 ,, Hume's, Backbouse's		,, ex.lrg.bulbs 12/62 o	,	Gloria Solis 6 61 o	552	Purple Albion 3 6o 6
and Nelson's hybrid ,, 30/	The G	reen-flowered Jonquil.	477	Imp.Rubrorum 15 02 6	553	Purple Gem 5 60 10
I ,, 8 ,, Macleay's, Sabin's,	401	Jonquilla viridiflora 2 6	478	La Candeur 4 6 0 9		Purpurea gran-
Bernard's and Tridy- mus bybrid Daffs. 25/			479	Lac d'Haarlem 10 6		diflora 2 6 6
1 ,, 18 ,, Burbidge's ,, ,, 18/6		TULIPS.		Leonard de Vinci 15 02 6	555	Queen Victoria 2 6o 6
1 ,, 23 ,, Many-flowd. ,, 9/		EARLY SINGLE.	481	Mariage de ma	556	Reine Blanche 4 60 9
Special Selections, £10 10s.,£21,	BARR	AND SON'S SELECTIONS.	400	Fille 18 62 6 Murillo 11 61 9	557	Sir Walter Scott 2 6 o 6
£30, £40, & £50	400	s. d.	483	Overwinnaar 8 61 3	Choice ar	nd Rare Species of Crocus.
Barr's Showy Hardy Daffodils		5 each 30 varieties 25 0	484			SELECTIONS.
Greatly reduced in Price, for Naturalization, Beds, Forcing, etc.		3 ,, 30 ,, 16 0	485	-	558	3 each of the coll. 125/
SELECTIONS OF DAFFODILS.		3 ,, 20 ,, 10 6	486	,	559	I ,, ,, 45/
s. d.		3 ,, 10 ,, 5/6 & 7 6	487		560	3 each 30 var. 42/, 50/, 63/
343 1000 in 10 varieties 75 0		10 ,, 20 ,, 25 0 5 ., 20 ,, 13 6			561	1 ,, 30 ,, 15/, 18/, 22/6
,, in 20 ,,105 0		3	489	Tournesol Yel. 15 02 3		3 ,, 20 ,, 21/, 30/, 42/
,, in 30 ,,130 o	408	J		Yellow Rose 6 61 o	563	1 ,, 20 ,, 7/6, 10/6, 15/
344 500 in 10 varieties 37 6	205	I " 20 " 3 0 p. 100. p. doz.		lowering Single Tulips.	564	3 ,, 12 ,, 15/, 21/, 30/
,, in 20 ,, 55 0	4.11	s. d. s. d.	111ay-1	Choice Mixed 7 61 3	565	1 ,, 12 ,, 5/6, 7/6, 10/6
,, in 30 ,, 70 0		Choice mixed 5 60 10		Parrot Tulips.	ECC	p. doz. each
345 100 in 10 varieties 8 6		Duc Van Thol 560 10	492	Admiral de Constan-	566	Alatavicus 10 61 0
,, in 20 ,, 11 6		Adeline 17 62 6		tinople 1 6	567	Ancyrensis o Asturicus,
in 30 I5 0	'LL'S	Artus 6 61 0	493	Coffee Colour I 3	568	p 100, 21/ 3 60 4
,, ,, ,, ,,						
346 50 in 10 varieties 4 6	415	Bacchus 6 6I o	494	Large Yellow 1 3	569	Aureus 3 60 4
346 50 in 10 varieties 4 6 ,, in 17 ,, 5 6	415	Bride of Haar-	495	Feu Brilliant 2 0	569 570	,, lacteus 10 61 0
346 50 in 10 varieties 4 6 4 6 5 6 5 6 10 6	415	Bride of Haar- lem 18 02 6	495 496	Feu Brilliant 2 0 Monster Rouge 2 6		,, lacteus 10 61 o
346 50 in 10 varieties 4 6 5 6 5 6 10 6 347 30 in 10 varieties 3 6	415	Bride of Haar- lem 18 02 6	495 496 497	Feu Brilliant 2 0 Monster Rouge 2 6 Markgraaf Van Baden 1 6	570 571	,, lacteus 10 61 0 ,, sulphureus p. 100, 3/6, 0 9
346 50 in 10 varieties 4 6 4 6 5 6 10 6 347 30 in 10 varieties 3 6 3 6 5 6	415 416 417 418 419	Bride of Haar- lem 18 o2 6 Brutus, Red 8 61 3 California 15 o2 6 Canary Bird 12 62 o	495 496 497 498	Feu Brilliant	570 571	,, lacteus 10 61 0 ,, sulphureus p. 100, 3/6, 0 9 ,, ,, pallidus 10 61 0
346 50 in 10 varieties 4 6 4 6 5 6 10 6 10 6 347 30 in 10 varieties 3 6 5 6 5 6 5 6 5 6 8 6	415 416 417 418	Bride of Haar- lem	495 496 497 498 499	Feu Brilliant	570 571	,, lacteus 10 61 0 ,, sulphureus p. 100, 3/6, 0 9 ,, ,, pallidus 10 61 0 ,, ,, striatus
346 50 in 10 varieties 4 6 ,, in 17 ,, 5 6 347 30 in 10 varieties 3 6 , in 15 ,, 5 6 , in 15 ,, 5 6 , in 30 ,, 8 6 348 12 in 12 var., 2/6, 3/6, & 4 6	415 416 417 418 419 420	Bride of Haar- lem	495 496 497 498 499 Sing	Feu Brilliant	570 571 572 573	,, lacteus 10 6 1 0 ,, sulphureus p. 100, 3/6, 0 9 ,, ,, pallidus 10 6 1 0 ,, ,, striatus p. 100, 3/6 0 9 Balansæ 2 6
346 50 in 10 varieties 4 6 ,, in 17 ,, 5 6 347 30 in 10 varieties 3 6 , in 15 ,, 5 6 , in 30 ,, 8 6 348 12 in 12 var., 2/6, 3/6, & 4 6 per 1000, 100, doz.	415 416 417 418 419 420	Bride of Haar- lem	495 496 497 498 499 Sing	Feu Brilliant	570 571 572 573	,, lacteus 10 61 0 ,, sulphureus p. 100, 3/6, 0 9 ,, ,, pallidus 10 61 0 ,, ,, striatus p. 100, 3/6 0 9 Balansæ
346 50 in 10 varieties 4 6 ,, in 17 ,, 5 6 347 30 in 10 varieties 3 6 , in 15 ,, 5 6 , in 30 ,, 8 6 348 12 in 12 var., 2/6, 3/6, & 4 6 per 1000, 100. doz 349 Cboice mixed 30/, 4/6, 1 0	415 416 417 418 419 420 421	Bride of Haar- lem	495 496 497 498 499 Sing	Feu Brilliant	570 571 572 573 574 575	,, lacteus 10 61 0 ,, sulphureus p. 100, 3/6, 0 9 ,, ,, pallidus 10 61 0 ,, ,, striatus p. 100, 3/6 0 9 Balansæ
346 50 in 10 varieties 4 6 ,, in 17 ,, 5 6 347 30 in 10 varieties 3 6 , in 15 ,, 5 6 36	415 416 417 418 420 421 422 423	Bride of Haar- lem	495 496 497 498 499 Sing 500	Feu Brilliant	570 571 572 573 574	,, lacteus 10 6 1 0 ,, sulphureus p. 100, 3/6, 0 9 ,, pallidus 10 6 1 0 ,, striatus p. 100, 3/6 0 9 Balansæ
346 50 in 10 varieties 4 6 , in 17 ,, 5 6 , in 25 ,, 10 6 347 30 in 10 varieties 3 6 , in 15 ,, 5 6 , in 30 ,, 8 6 348 12 in 12 var., 2/6,	415 416 417 418 420 421 422 423 424	Bride of Haar- lem	495 496 497 498 499 500	Feu Brilliant	570 571 572 573 574 575 576 576	,, lacteus 10 6 I 0 ,, sulphureus p. 100, 3/6, 0 9 ,, pallidus 10 6 I 0 ,, striatus p. 100, 3/6 0 9 Balansæ 2 6 Bannaticus 5 6 0 6 Biflorus estriatus I 0 ,, pusillus p. 100, 10/6 2 6 0 3
346 50 in 10 varieties 4 6 4 6 4 6 5 6 10 6 10 6 347 30 in 10 varieties 3 6 5 6 5 6 5 6 8 6 8 6 8 6 8 6 8 6 8 6 12 var., 2/6, 3/6, & 4 6 per 1000, 100, doz. 349 Cboice mixed 30/, 4/6, 1 0 350 Fine mixed 37/6 1 3 351 Great Nonsuch 63/, 7/6 1 3 352 Pyrenean mixed Trump. Daffs. 63/, 7/6, 1 3	415 416 417 418 419 420 421 422 423 424 425	Bride of Haar- lem	495 496 497 498 499 500 501 502 503	Feu Brilliant	570 571 572 573 574 575 576 577	,, lacteus 10 61 0 ,, sulphureus p. 100, 3/6, 0 9 ,, pallidus 10 61 0 ,, striatus p. 100, 3/6 0 9 Balansæ
346 50 in 10 varieties 4 6 4 6 4 6 5 6 10 6 10 6 347 30 in 10 varieties 3 6 5 6 5 6 10 6 10 8 6 10 8 6 10 8 6 10 8 6 10 8 6 10 8 6 10 8 6 10 8 6 10 9 8 6 10 9 8 6 10 9 8 6 10 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9		Bride of Haar- lem	495 496 497 498 499 500 501 502 503 504	Feu Brilliant	570 571 572 573 574 575 576 577 578	,, lacteus 10 61 0 ,, sulphureus p. 100, 3/6, 0 9 ,, pallidus 10 61 0 ,, striatus p. 100, 3/6 0 9 Balansæ
346 50 in 10 varieties 4 6 4 6 4 6 5 6 10 6 10 6 347 30 in 10 varieties 3 6 5 6 5 6 5 6 8 6 8 6 8 6 8 6 8 6 8 6 12 var., 2/6, 3/6, & 4 6 per 1000, 100, doz. 349 Cboice mixed 30/, 4/6, 1 0 350 Fine mixed 37/6 1 3 351 Great Nonsuch 63/, 7/6 1 3 352 Pyrenean mixed Trump. Daffs. 63/, 7/6, 1 3		Bride of Haar- lem	495 496 497 498 499 500 501 502 503 504 505	Feu Brilliant	570 571 572 573 574 575 576 577 578 579	,, lacteus 10 61 0 ,, sulphureus p. 100, 3/6, 0 9 ,, pallidus 10 61 0 ,, striatus p. 100, 3/6 0 9 Balansæ
346 50 in 10 varieties 4 6 , in 17 ,, 5 6 , in 25 ,, 10 6 347 30 in 10 varieties 3 6 , in 15 ,, 5 6 , in 30 ,, 8 6 348 12 in 12 var., 2/6, 3/6, & 4 6 per 1000, 100, doz 349 Cboice mixed 30/, 4/6, 1 0 350 Fine mixed 20/, 3/6, 0 351 Great Nonsuch 63/, 7/6 1 3 352 Pyrenean mixed Trump. Daffs. 63/, 7/6, 1 3 352 Burbidgei & Poeticus, in mixture 63/, 7/6, 1 3		Bride of Haar- lem	495 496 497 498 499 500 501 502 503 504 505 506	Feu Brilliant	570 571 572 573 574 575 576 577 578 579 580 581	,, lacteus 10 61 0 ,, sulphureus p. 100, 3/6, 0 9 ,, pallidus 10 61 0 ,, striatus p. 100, 3/6 0 9 Balansæ
346 50 in 10 varieties 4 6 , in 17 ,, 5 6 , in 25 ,, 10 6 347 30 in 10 varieties 3 6 , in 15 ,, 5 6 , in 30 ,, 8 6 348 12 in 12 var., 2/6, 3/6, & 4 6 per 1000, 100. doz 349 Cboice mixed 30/, 4/6, 1 0 350 Fine mixed 20/, 3/6, 0 9 351 Great Nonsuch 63/, 7/6 1 3 352 Burbidgei & Poeticus, in mixture 63/, 7/6, 1 3 351 Burbidgei & Poeticus, in mixture 63/, 7/6, 1 3		Bride of Haar- lem		Feu Brilliant	570 571 572 573 574 575 576 577 578 579	,, lacteus 10 61 0 ,, sulphureus p. 100, 3/6, 0 9 ,, pallidus 10 61 0 ,, striatus p. 100, 3/6 0 9 Balansæ
346 50 in 10 varieties 4 6 4 6 4 6 10 17 , 5 6 10 6 347 30 in 10 varieties 3 6 10 6 15 , 5 6 16 16 16 17 18 6	415 416 417 418 429 420 421 422 424 425 426 427 428 429	Bride of Haar- lem		Feu Brilliant	570 571 572 573 574 575 576 577 578 579 580 581	,, lacteus 10 6 1 0 ,, sulphureus p. 100, 3/6, 0 9 ,, pallidus 10 6 1 0 ,, striatus p. 100, 3/6 0 9 Balansæ 2 6 Bannaticus 5 6 0 6 Biflorus estriatus 1 0 ,, pusillus p. 100, 10/6 2 6 0 3 ,, Weldeni 5 6 0 6 ,, alba 7 6 0 9 Boryi 5 6 0 6 Cancellatus 5 6 0 6 ,, cilicicus 1 0
346 50 in 10 varieties 4 6 , in 17 ,, 5 6 , in 25 ,, 10 6 347 30 in 10 varieties 3 6 , in 15 ,, 5 6 , in 30 ,, 8 6 348 12 in 12 var., 2/6, 3/6, & 4 6 per 1000. 100. doz 349 Cboice mixed 30/, 4/6, 1 0 350 Fine mixed 20/, 3/6, 0 9 351 GreatNonsuch 63/, 7/6 1 3 352 Pyrenean mixed Trump. Daffs. 63/, 7/6, 1 3 352 Burbidgei & Poeticus, in mixture 63/, 7/6, 1 3 353 6 ea. 20 varieties 42 0		Bride of Haar- lem		Feu Brilliant	570 571 572 573 574 576 576 577 578 579 580 581 582 583	,, lacteus 10 61 0 ,, sulphureus p. 100, 3/6, 0 9 ,, pallidus 10 61 0 ,, striatus p. 100, 3/6 0 9 Balansæ
346 50 in 10 varieties 4 6 , in 17 ,, 5 6 , in 25 , 10 6 347 30 in 10 varieties 3 6 , in 15 ,, 5 6 , in 30 ,, 8 6 348 12 in 12 var., 2/6,	415 416 417 418 429 421 422 423 424 426 427 428 429 430	Bride of Haarlem		Feu Brilliant	570 571 572 573 574 575 576 577 578 580 581 582 583 584	,, lacteus 10 61 0 ,, sulphureus p. 100, 3/6, 0 9 ,, pallidus 10 61 0 ,, striatus p. 100, 3/6 0 9 Balansæ
346 50 in 10 varieties 4 6 , in 17 ,, 5 6 347 30 in 10 varieties 3 6 348 12 in 12 var., 2/6, 348 12 in 12 var., 2/6, 349 Cboice mixed 30/, 4/6, 1 350 Fine mixed 20/, 3/6, 0 351 GreatNonsuch 63/, 7/6, 1 352 Byreholdgei & Poeticus, in mixture 63/, 7/6, 1 352 Byreholdgei & Poeticus, in mixture 63/, 7/6, 1 353 6 ea. 20 varieties 42 0 354 3 ,, 20 ,, 21 0 355 6 ,, 12 ,, 15/8 21 0		Bride of Haarlem		Feu Brilliant	570 571 572 573 574 575 576 577 578 579 580 581 582 583 584	,, lacteus 10 61 0 ,, sulphureus p. 100, 3/6, 0 9 ,, pallidus 10 61 0 ,, striatus p. 100, 3/6 0 9 Balansæ
346 50 in 10 varieties 4 6 , in 17 ,, 5 6 , in 25 ,, 10 6 347 30 in 10 varieties 3 6 , in 15 ,, 5 6 , in 30 ,, 8 6 348 12 in 12 var., 2/6, 3/6, & 4 6 per 1000, 100, doz 349 Cboice mixed 30/, 4/6, 1 0 350 Fine mixed 20/, 3/6, 0 9 351 Great Nonsuch 63/, 7/6 1 3 352 Pyrenean mixed Trump. Daffs. 63/, 7/6, 1 3 352 Burbidgei & Poeticus, in mixture 63/, 7/6, 1 3 352 Burbidgei & Poeticus, in mixture 63/, 7/6, 1 3 353 6 ea. 20 varieties 42 0 354 3, 20 , 21 0 355 6 , 12 , 15/ & 21 0 356 3 ,, 12 , 8/ & 11 0 357 2 ,, 12 , 5/6 & 7 6		Bride of Haarlem		Feu Brilliant	570 571 572 573 574 575 576 577 578 579 580 581 582 583 584 586 586	,, lacteus 10 61 0 ,, sulphureus p. 100, 3/6, 0 9 ,, pallidus 10 61 0 ,, striatus p. 100, 3/6 0 9 Balansæ
346 50 in 10 varieties 4 6 , in 17 ,, 5 6 347 30 in 10 varieties 3 6 348 12 in 12 var., 2/6, 348 12 in 12 var., 2/6, 349 Cboice mixed 30/, 4/6, 1 0 350 Fine mixed 20/, 3/6, 0 9 351 GreatNonsuch 63/, 7/6, 1 3 352 Pyrenean mixed Trump. Daffs. 63/, 7/6, 1 3 352 Burbidgei & Poeticus, in mixture 63/, 7/6, 1 3 352 Burbidgei & Poeticus, in mixture 63/, 7/6, 1 3 353 6 ea. 20 varieties 42 0 354 3 ,, 20 ,, 21 0 355 6 ,, 12 ,, 15/8 21 0 356 3 ,, 12 ,, 8/8 11 0		Bride of Haarlem	495 496 497 498 499 500 501 502 503 504 505 506 507 508 509 511 512	Feu Brilliant	570 571 572 573 574 575 576 577 578 580 581 582 583 584 585 586 587	,, lacteus 10 61 0 ,, sulphureus p. 100, 3/6, 0 9 ,, pallidus 10 61 0 ,, striatus p. 100, 3/6 0 9 Balansæ
346 50 in 10 varieties 4 6 , in 17 ,, 5 6 , in 25 ,, 10 6 347 30 in 10 varieties 3 6 , in 15 ,, 5 6 , in 30 ,, 8 6 348 12 in 12 var., 2/6, 3/6, & 4 6 per 1000, 100, doz 349 Cboice mixed 30/, 4/6, 1 0 350 Fine mixed 20/, 3/6, 0 9 351 Great Nonsuch 63/, 7/6 1 3 352 Pyrenean mixed Trump. Daffs. 63/, 7/6, 1 3 352 Burbidgei & Poeticus, in mixture 63/, 7/6, 1 3 352 Burbidgei & Poeticus, in mixture 63/, 7/6, 1 3 353 6 ea. 20 varieties 42 0 355 6 6, 12 ,, 15/ & 21 0 355 6 3, 12 ,, 15/ & 21 0 356 3 ,, 12 ,, 8/ & 11 0 357 2 ,, 12 ,, 5/6 & 7 6		Bride of Haarlem		Feu Brilliant	570 571 572 573 574 576 576 577 578 579 580 581 582 583 584 585 586 587 588	,, lacteus 10 61 0 ,, sulphureus p. 100, 3/6, 0 9 ,, pallidus 10 61 0 ,, striatus p. 100, 3/6 0 9 Balansæ
346 50 in 10 varieties 4 6 4 6 4 6 4 6 4 6 5 6 10 6		Bride of Haarlem		Feu Brilliant	570 571 572 573 574 576 576 577 578 581 582 583 584 585 586 586 587 588	,, lacteus 10 61 0 ,, sulphureus p. 100, 3/6, 0 9 ,, pallidus 10 61 0 ,, striatus p. 100, 3/6 0 9 Balansæ
346 50 in 10 varieties 4 6 , in 17 ,, 5 6 , in 25 , 10 6 347 30 in 10 varieties 3 6 348 12 in 15 ,, 5 6 348 12 in 12 var., 2/6,		Bride of Haar- lem		Feu Brilliant	570 571 572 573 574 576 576 577 578 581 582 584 585 586 587 588 586 587 588 589 590 591	,, lacteus 10 61 0 ,, sulphureus p. 100, 3/6, 0 9 ,, pallidus 10 61 0 ,, striatus p. 100, 3/6 0 9 Balansæ
346 50 in 10 varieties 4 6 , in 17 ,, 5 6 , in 25 , 10 6 347 30 in 10 varieties 3 6 348 12 in 15 ,, 5 6 36, & 4 6 376, & 4 6 36, & 4 6 349 Cboice mixed 30/, 4/6, 1 0 350 Fine mixed 20/, 3/6, 0 9 351 GreatNonsuch 63/, 7/6 1 3 352 Pyrenean mixed Trump.Daffs. 63/, 7/6, 1 3 352 Burbidgei & Poeticus, in mixture 63/, 7/6, 1 3 352 Burbidgei & Poeticus, in mixture 63/, 7/6, 1 3 353 6 ea. 20 varieties 42 0 354 3 ,, 20 ,, 21 0 355 6 ,, 12 ,, 15/6 & 7 6 358 1 ,, 12 ,, 3/6 & 7 6 358 1 ,, 12 ,, 3/6 & 5 6 Polyanthus Narcissi. For Beds, Borders, Rustic Baskets, Flower Boxes, etc 359 20 ea. 5 varieties 21 0		Bride of Haar- lem		Feu Brilliant	570 571 572 573 574 576 576 577 578 581 582 583 584 585 586 587 588 589 590 591	,, lacteus 10 61 0 ,, sulphureus p. 100, 3/6, 0 9 ,, pallidus 10 61 0 ,, striatus p. 100, 3/6 0 9 Balansæ
346 50 in 10 varieties 4 6 , in 17 ,, 5 6 , in 17 ,, 5 6 347 30 in 10 varieties 3 6 348 12 in 12 var., 2/6,		Bride of Haarlem	495 496 497 498 499 500 501 502 503 504 505 506 507 508 509 511 512 513 514 515 516	Feu Brilliant	570 571 572 573 574 576 576 577 578 581 582 584 585 586 587 588 586 587 588 589 590 591	,, lacteus 10 61 0 ,, sulphureus p. 100, 3/6, 0 9 ,, pallidus 10 61 0 ,, striatus p. 100, 3/6 0 9 Balansæ
346 50 in 10 varieties 4 6 , in 17 ,, 5 6 , in 25 ,, 10 6 347 30 in 10 varieties 3 6 , in 15 ,, 5 6 36, 5 6 36, 4 6 36, 4 6 36, 4 6 376, 4 6 36, .		Bride of Haarlem	495 496 497 498 499 500 501 502 503 504 505 506 507 508 509 511 512 513 514 515 516	Feu Brilliant	570 571 572 573 574 576 576 576 577 578 580 581 582 583 584 585 586 587 589 599 591 592 594	,, lacteus 10 61 0 ,, sulphureus p. 100, 3/6, 0 9 ,, pallidus 10 61 0 ,, striatus p. 100, 3/6 0 9 Balansæ
346 50 in 10 varieties 4 6 , in 17 ,, 5 6 , in 25 ,, 10 6 347 30 in 10 varieties 3 6 , in 15 ,, 5 6 , in 30 ,, 8 6 348 12 in 12 var., 2/6, 3/6, & 4 6 per 1000, 100, doz 349 Cboice mixed 30/, 4/6, 1 0 350 Fine mixed 20/, 3/6, 0 9 351 Great Nonsuch 63/, 7/6 1 3 352 Pyrenean mixed Trump. Daffs. 63/, 7/6, 1 3 352 Burbidgei & Poeticus, in mixture 63/, 7/6, 1 3 352 Burbidgei & Poeticus, in mixture 63/, 7/6, 1 3 353 6 ea. 20 varieties 42 0 354 3 ,, 20 ,, 21 0 355 6 ,, 12 ,, 15/ & 21 0 355 6 ,, 12 ,, 15/ & 21 0 356 3 ,, 12 ,, 8/ & 11 0 357 2 ,, 12 ,, 5/6 & 7 6 358 1 ,, 12 ,, 35.6d.& 5 6 Polyanthus Narcissi. For Beds, Borders, Rustic Baskets, Flower Boxes, etc 359 20 ea. 5 varieties 21 0 360 10 ,, 5 ,, 10 6 361 5 ,, 5 ,, 5 6 362 3 ,, 5 ,, 3 6		Bride of Haarlem	495 496 497 498 499 500 501 502 503 504 505 506 507 508 509 511 512 513 514 515 516	Feu Brilliant	570 571 572 573 574 575 576 577 578 580 581 582 583 584 585 586 587 589 590 591 593	,, lacteus 10 61 0 ,, sulphureus p. 100, 3/6, 0 9 ,, pallidus 10 61 0 ,, striatus p. 100, 3/6 0 9 Balansæ
346 50 in 10 varieties 4 6 , in 17 ,, 5 6 , in 25 ,, 10 6 347 30 in 10 varieties 3 6 , in 15 ,, 5 6 , in 30 ,, 8 6 348 12 in 12 var., 2/6, 3/6, & 4 6 per 1000, 100, doz 349 Cboice mixed 30/, 4/6, 1 0 350 Fine mixed 20/, 3/6, 0 9 351 GreatNonsuch 63/, 7/6 1 3 352 Burbidgei & Poeticus, in mixture 63/, 7/6, 1 3 352 Burbidgei & Poeticus, in mixture 63/, 7/6, 1 3 352 Burbidgei & Poeticus, in mixture 63/, 7/6, 1 3 353 6 ea. 20 varieties 42 0 356 3 ,, 20 , 21 0 355 6 ,, 12 ,, 15/8 21 0 355 6 ,, 12 ,, 15/8 21 0 355 6 ,, 12 ,, 15/8 21 0 357 2 ,, 12 ,, 5/6 & 7 6 358 1 ,, 12 ,, 35.6d. 5 6 26 Polyanthus Narcissi For Beds, Borders, Rustic Baskets, Flower Boxes, etc 359 20 ea. 5 varieties 21 0 360 10 ,, 5 ,, 10 6 361 5 ,, 5 ,, 5 6		Bride of Haarlem	495 496 497 498 499 500 501 502 503 504 505 506 507 508 509 511 512 513 514 515 516 517	Feu Brilliant	570 571 572 573 574 575 576 577 578 580 581 582 583 584 585 586 587 588 589 591 592 593	,, lacteus 10 61 0 ,, sulphureus p. 100, 3/6, 0 9 ,, pallidus 10 61 0 ,, striatus p. 100, 3/6 0 9 Balansæ
346 50 in 10 varieties 4 6 , in 17 ,, 5 6 , in 25 ,, 10 6 347 30 in 10 varieties 3 6 , in 15 ,, 5 6 36, & 4 6 36, & 7, /6, I 3 36, //6, I 3 36,		Bride of Haarlem	495 496 497 498 499 500 501 502 503 504 505 506 507 508 509 511 512 513 514 515 516 517	Feu Brilliant	570 571 572 573 574 575 576 577 578 580 581 582 583 584 585 586 587 589 590 591 592 593	,, lacteus 10 61 0 ,, sulphureus p. 100, 3/6, 0 9 ,, pallidus 10 61 0 ,, striatus p. 100, 3/6 0 9 Balansæ
		Bride of Haar- lem		Feu Brilliant	570 571 572 573 574 575 576 577 578 580 581 582 583 584 586 587 588 589 590 591 592 593 594 595	,, lacteus 10 61 0 ,, sulphureus p. 100, 3/6, 0 9 ,, pallidus 10 61 0 ,, striatus p. 100, 3/6 0 9 Balansæ
346 50 in 10 varieties 4 6 , in 17 , , 5 6 10 6		Bride of Haarlem		Feu Brilliant	570 571 572 573 574 575 576 577 578 589 584 585 586 587 588 589 591 592 593 594 595 596 597	,, lacteus 10 61 0 ,, sulphureus p. 100, 3/6, 0 9 ,, pallidus 10 61 0 ,, striatus p. 100, 3/6 0 9 Balansæ
346 50 in 10 varieties 4 6 , in 17 , , 5 6 10 6 347 30 in 10 varieties 3 6 36 10 6 348 12 in 12 var., 2/6,		Bride of Haarlem		Feu Brilliant	570 571 572 573 574 575 576 577 578 580 581 582 583 584 586 587 588 589 590 591 592 593 594 595	,, lacteus 10 61 0 ,, sulphureus p. 100, 3/6, 0 9 ,, pallidus 10 61 0 ,, striatus p. 100, 3/6 0 9 Balansæ
346 50 in 10 varieties 4 6 , in 17 , , 5 6 10		Bride of Haarlem	495 496 497 498 499 500 501 502 503 504 506 507 508 511 512 513 514 515 516 517 518 519 520 521	Feu Brilliant	570 571 572 573 574 575 576 576 577 578 580 581 582 583 584 585 586 587 589 599 591 592 593 594 595	,, lacteus 10 61 0 ,, sulphureus p. 100, 3/6, 0 9 ,, pallidus 10 61 0 ,, pallidus 10 61 0 ,, striatus p. 100, 3/6 0 9 Balansæ
346 50 in 10 varieties 4 6 , in 17 ,, 5 6 , in 25 , 10 6 347 30 in 10 varieties 3 6 348 12 in 15 ,, 5 6 36, & 4 6 376, & 4 6 376, & 4 6 376, & 4 6 376, & 4 6 376, & 4 6 376, & 4 6 350 Fine mixed 20, 3/6, 0 9 351 GreatNonsuch 63/, 7/6, 1 3 352 Burbidgei & Poeticus, in mixture 63/, 7/6, 1 3 352 Burbidgei & Poeticus, in mixture 63/, 7/6, 1 3 352 Burbidgei & Poeticus, in mixture 63/, 7/6, 1 3 353 6ea. 20 varieties 42 0 353 6ea. 20 varieties 42 0 355 6, 12 ,, 15/8 21 0 356 3, 12 ,, 8/8 11 0 357 2,, 12 ,, 5/6 & 7 6 358 1, 12 ,, 35.6d.& 5 6 Polyanthus Narcissi. For Beds, Borders, Rustic Baskets, Flower Boxes, etc 359 20 ea. 5 varieties 21 0 360 10 ,, 5 ,, 10 6 361 5 ,, 5 ,, 5 6 362 3 ,, 5 ,, 3 6 364 Fine mixed, p. 100, 103. 6d., p. doz., 13. 6d. POLYANTHUS NARCISSI. White, with Citron, Yellow, or Orange Cup. per doz. each s. d. s. d.		Bride of Haarlem	495 496 497 498 499 500 501 502 503 504 505 506 507 508 509 511 512 513 514 515 516 517	Feu Brilliant	570 571 572 573 574 575 576 576 577 578 580 581 582 583 584 585 586 587 589 590 591 592 593 594 595 596 597 598	,, lacteus 10 61 0 ,, sulphureus p. 100, 3/6, 0 9 ,, pallidus 10 61 0 ,, striatus p. 100, 3/6 0 9 Balansæ
346 50 in 10 varieties 4 6 , in 17 ,, 5 6 , in 25 , 10 6 347 30 in 10 varieties 3 6 348 12 in 15 ,, 5 6 36, & 4 6 374 BazelmanMajori 5 6 6 374		Bride of Haarlem	495 496 497 498 499 500 501 502 505 506 507 508 509 511 512 513 514 515 516 517 518 519 520 521	Feu Brilliant	570 571 572 573 574 575 576 576 577 578 580 581 582 583 584 585 586 587 589 599 591 592 593 594 595	,, lacteus 10 61 0 ,, sulphureus p. 100, 3/6, 0 9 ,, pallidus 10 61 0 ,, striatus p. 100, 3/6 0 9 Balansæ
346 50 in 10 varieties 4 6 , in 17 ,, 5 6 , in 25 , 10 6 347 30 in 10 varieties 3 6 348 12 in 12 var., 2/6,		Bride of Haarlem		Feu Brilliant	570 571 572 573 574 575 576 577 578 580 581 582 583 584 585 586 587 588 590 591 592 593 594 595 596 597 598 599	,, lacteus 10 61 0 ,, sulphureus p. 100, 3/6, 0 9 ,, pallidus 10 61 0 ,, striatus p. 100, 3/6 0 9 Balansæ
346 50 in 10 varieties 4 6 , in 17 , , 5 6 10 6 347 30 in 10 varieties 3 6 37 37		Bride of Haarlem		Feu Brilliant	570 571 572 573 574 575 576 577 578 580 581 582 583 584 585 586 587 588 590 591 592 593 594 595 596 597 598 599 600 601 602	,, lacteus 10 61 0 ,, sulphureus p. 100, 3/6, 0 9 ,, pallidus 10 61 0 ,, striatus p. 100, 3/6 0 9 Balansæ

Rare Spe	cies Croous—Contd.	EADIN	ELOWEDING COLLIAG		IDIOPO	Bulbous	Iris Species—Continued.
Quantity.		EAKLY- Quantity.	FLOWERING SCILLAS		IRISES.	Quantity.	p. doz. each
	s. d. s. d.		Sibirica, p. 1000,	BARR	English Iris. AND SON'S SELECTIONS.	702	s. d. s. d. Iberica Heylandiana 7 6
603	Obesus, per 100, 10/6, 160 3		21/, p. 100, 2/6, p. doz. /6	Quantity.		793	,, Van Houttena7 6
604	Ochroleucus 5 60 6		Sibirica, larger bulbs,	712	g each 24 varieties 15 o	794	Juncea 5 6 0 6
605	Olivieri 4 60 6		p. 1000, 30/, p. 100, 3/6,		I ,, 24 ,, 5 6	795	Lusitanica 5 60 6
606	Pulcbellus 10 61 0	655	p. doz., o 8 Bifolia, p. 1000, 42/, each	714	3 ,, 12 ,, 8 0	796	,, sordida,
607	,, albus 6		. 100, 5/6; p. doz. 1 o	735	n. doz.		per 100, 18/ 3 60 4
608	Reticulatus 7 60 9	656	,, alba, ,, 4 6o 6	716	Fine mixd. per 100,5/6 1 0	797	
609	Salzmanni 4 60 6	657	" rosea " 10 61 o		Choice ,, ,, 7/6 I 3 Named var, mixed	798	Pavonia major 1 6
610	Sativusp. 100 3/, 0 6	658	Unifolia, ,, 460 6	141	per 100, 12/6 2 0		Paradoxa 6
611	,, Cartwright-	707 4 37 37	LOWEDING COLLING		p. doz. each	799	Persica 3 60 4
612	ianus 10 61 0		LOWERING SCILLAS	718	s. d. s. d. Abigail 3 60 4	800	Reticulata, 5/6 & 7 6 0 9
613	,, Pallasii o		Wood Hyacinths. p.100. p.doz.	719	Adrian 3 60 4	801	,, cyanea 6
614	Serotinus 7 60 9	659	Campanulata s. d. s. d.	720	Amphimachus 3 6o 4	802	,, Krelagei 7 60 9
615	Sieberi 4 60 6	660	grandiflora 15 02 6	721	Amusant 3 6 0 4	803	Rosenbachiana5 6
616	Speciosus	661	,, aperta 15 02 6	722	Armida 3 6o 4	805	Sindjarensis 6 Susiana 4 6 6
617	p. 100, 5/6 1 0 Stellaris	662	,, ,, compacta 15 02 6	723	Blanche 3 60 4		Suworowi 4 60 6
011	p. 100, 3/6 o g	663	" Emperor . 21 03 6	724	" Fleure 3 6o 4		The transfer of
618	Suaveolens 760 9	664	,, rosea 15 02 6	725	Cavaignac 3 60 4	807	Tingitana 10 61 0
619	Suterianus 3 6	665	Patula major 15 o2 6	726	Cleo 3 60 4	808	Vartani 6
620	Tommasinianus,	666	Nutans carnea 15 02 6	727	Gertrude 3 60 4		
621	p. 100, 21/ 3 60 4 Tournefortii 4 60 6	6665	,, lilacina 2 6	728	Graaf Bentink 3 60 4		IXIAS. s. d.
622	,, splendens 6	667	" grandiflora	729	Grande Celeste 4 6 0 6	809	3 each of 30 varieties 15 0
623	Vernus George		alba, per	731	Grande Blanche 3 60 4 Henri IV 3 60 4	810	3 ea. of 20 vars 10 6
	Maw 25 02 6	668	1000, 70/ 10 61 6	732	Hypocrates 3 60 4	811	3 ea. of 10 vars 5 6
624	,, Leedsii 5 6o 6	669	,, rosea 10 61 6	733	King of Blues 3 60 4		1 ea. of 12 vars. 1/6 & 2 6
625	,, Leucor- hyncus10 61 0	670	Choice mixed.	734	La Charmante 3 6. 0 4		Choice mixed p. doz.
626	,, leucostigma 7 60 9		p. 1000, 30/ 4 6o 10	735	Le Liban 3 60 4	914	p. 100, 7/6 I 6
627	,, Petro-	671	Fine mixed,	736	La Superbe 3 6 0 4	215	Fine mxd. p. 100, 5/6 1 0 Alice 2 6
628	Polowsky 7 6o 9		p. 1000, 21/ 3 60 8	737	La Vierge 3 6 0 4	816	Azurea 2 6
628	Vitellinus 15 01 6	672	EnglisbBlueBells,	738	Lilacinus 3 6 4	817	Beauty of Norfolk 2 6
049	Zonatus 5 6 6	673	per 1000, 21/ 3 60 8 Large Wbite	739	L'Unique 3 6 0 4	818	Bucephalus 1 6
	SNOWDROPS.		Scillas, per	740		819	Comet 1 6
	n 1000, 100, doz.	CEA	1000, 60/ 8 61 3	741	Snow 5 60 6 Mont Blanc 3 60 4	829	Conqueror 1 6
630	Double 23/, 2/6, /5	674	,, Red Scillas 8 6I 3	742	Palatinus 3 60 4	821	Crateroides, p. 100, 5/6 1 0
631	Single 21/, 2/6, /5		Sundry Scillas.	743	Peleus 3 60 4	822	Duchess of Edinburgh 2 6
632		675	Autumnalis I 60 3	744	Perfecta 3 60 4	823	Ella 4 6
633	Single,	676	,, japonica,	745	Pharon 3 60 4	824	Elvira 1 6
	large bulbs 30/, 3/6, /6	677	per 100, 10/6 1 60 3 Ciliaris 9	746	Romulus 3 60 4	825	Emperor of China 3 6
	Giant Snowdrops.	678	Peruviana 5 6 0 6	747	Simon 3 60 4	826	Erubescens major 1 6
634	Galanthus Elwesii, coll.	679	,, alba 7 6o 9	748	Vainqueur 3 60 4	827	Glory 1 6
	bulbs, largest selected,p. 1000, 45/; per 100, 5/6;		Verna p. 100, 12/6 2 00 3	749	Victoria 3 60 4	828	Golden Drop I o
	per doz. 1/			750	Wapen van	829	Gracebus 1 6
•••••	,, strong selected, p. 1000,		PUSCHKINIA.		Rotterdam 3 6 o 4	830	Hector 1 6
635	38/; p. 100, 4/6; p. doz. /9 Galanthus Elwesii, home-	681	Libanotica com-		Spanish Iris.		Hercules I O Josephine I 6
030	grown, strong selected	1	pactap.100, 21/3 60 4	BARR	AND SON'S SELECTIONS.	833	Lady Carey 1 6
	bulbs, per 100, 10/6;	1	MUSCARI.	751	3 each 24 varieties 12 6	834	Lady Slade 1 3
	p. doz. 1/6 p. doz. each	682	p. 100 p. doz.	752	I ,, 24 ,, 5 0	835	Magnifica 2 0
636	,, plicatus 3 60 4	683	Argœi 6 Armeniacum 5	753	3 ,, 12 ,, 6 6	836	Magnum bonum 1 6
637	,, Imperati 2 6o 3	684	Atlanticum 5 6	754	p. 1000. 100. doz. Fine mixed, 15/200 4	837	Nitens 1 6
638	,, latifolius 5 6o 6	685	Azureum 0	755	Choice mx. 25/ 3 00 6	838	Pallas 1 6
777	TITED LOOKEN	686	Botryoides	756	Named varie-	839	Pearl 1 6
	INTER ACONITE.	0.05	cœruleum 260 6		ties, mixed 10 61 6	840	Prestios 2 6
639	Winter Aconite, fine roots,	687	,, album 21 03 o	757	Alexander p. doz. each 2 60 3	841	Proestans 2 6
	p. doz., /6; p. 100, 2/6; per 1000, 21/	688	,, pallidum2 6	758	Armida 2 60 3	842	Rosea plena I 6
		690	,, roseum 7 6 Commutatum 10 61 6	759	Aurora 2 60 3	843	Sarnia's Glory 2 6
	CHIONODOXA.	691	Heldreichii 5 6	760	Batburst 2 60 3	844	Smiling Mary 1 6 Sunbeam 1 0
640	Lucilize, collected bulbs,	692	Moschatum 5 6	761	Beauty 2 60 3	846	Protection of
	strong selected, p. 1000, 38/; p.100, 4/6; p.doz. 1/	693	,, major 0	762	California 3 60 4	847	Virgilius 1 6
641	Luciliæ, home-grown bulbs,	694	,, flavum,	763	Cleon 260 3		Viridiflora 2 6
	selected, 1st size, p.1000, 63/; p. 100, 7/6; p. doz.	695	each 7/6 Plumosum	764	Cleopus 2 60 3		Vulcan 2 6
	1/3		monstrosum. 10 61 6	766	Clymene 2 60 3 Darius 2 60 3		
••••••	,, selected,2nd size,p.1000, 45/, p.100, 5/6; p.doz. 1/	696	Racemosum 5 6I o	767	Diomedes 2 60 3		MORPHIXIAS.
642	Sardensis, collected bulbs,	LILY	OF THE VALLEY.	768	F. Nightingale 360 4		
	strong selected, p. 1000,		p. doz. each	769	Gem 3 60 4		Paniculata buff 1 6
643	42/; p. 100, 5/6; p.doz. 1/ Sardensis, home - grown	697		770	Gen. Havelock 2 60 3	851	,, alba, 2 6
	selected bulbs, 1st size,		Selected clumps 15 01 9	771	Gen. Wyndham 3 6o 4	852	,, rosea, 2 6
	p.1000, 63/; p. 100, 7/6; p. doz. 1/3	059	Berlin Crowns p. 100, 7/6; per	772	Jupiter 2 60 3	853	,, mixed 2 6
,,	" selected bulbs, 2nd size,		bundle of 25, 2/6	773	La Seduisante 260 3		CDADAVIC
	p. 1000, 45/; p. 100, 5/6;	700	Devonshire Crowns," Vic-		La Vestale 2 60 3		SPARAXIS. s. d.
644	per doz. 1/ Cretensis, home - grown		toria," p. 100,		Louis le Grand 260 3	854	5 each of 12 varieties 10 6
	bulbs, per 100, 21/:		8/6 ; p. bundle	776	Louis Philippe 2 6o 3 Ne Plus Ultra 2 6o 3	855	3 ,, 12 ,, 6 6
645	per doz. 3/6 ,, albiflora, home-grown	701	of 25, 2/6 Dutch Crowns,	777	T1 11 4	856	2 ,, 12 ,, 4 6 1 ,, 12 ,, 2 6
	bulbs p. 100, 30/;p.doz.4/6		p. 100, 5/6;	779	Poilomele 2 60 3 Regulus 2 60 3	858	Choice mixed, p. doz.
646	Gigantea, collected bulbs,		p. 1000, 42/	780	Romulus 2 60 3		p. 100, 7/6 I 6
	selected, p. 100, 21/; per doz. 3/6		DIELYTRA.	781	Satisfaisante 260 3	859	Fine mixed, p. 100, 5/6, 1 0
	Ji*	702	Spectabilis, clumps, each.	782	Snowball 3 60 4	860	Angelique 1 6
SNOW	FLAKES (Leucojum).		p. doz. 5/6 & 7/6 s. d.		Venus 2 60 3	861	Delicata 2 6
51.0 77	p.doz. each	703	Spectabilis alba 2 6	784	Victoria 3 60 4	862	Garibaldi 5 6
647	Autumnale 3 6o 4		Spectabilis fol. aureo-	Requision	ul Bulbous Iris Species.	863 864	Josephine 2 0 Lady Carey 2 6
648	Trichophyllum 15 0. 1 6		variegatis, p. doz. 7/6 o 9		Alata o	865	Leopard 1 6
649	Æstivum, p. 100, 6/6 1 00 3		SPIRÆAS.	786	Arenaria 2 6	866	Maculata 2 0
650	Pulchellum 3 60 4	709	Japonica, strong	787	Bakeriana 5 6	867	Nain 1 6
	Vernum, cul-		clumps, p.doz. 7/6 o 9	787½		868	Queen Victoria 2 0
	tivated bulbs	709	,, fol. aureo-reticu-	788	Caucasica 2 6	869	Tricolor 1 6
	per 1000, 75/: per 100, 8/6 1 60 3	710	tis, clumps p. doz.10/6 1 0 Palmata, clumps,	789	Gatesii 10 6	870	,, alba 2 o
652	,, carpathicum		per doz. 7/6 o o		Histrio 6	871	,, grandiflora 1 6
	p. 100, 21/ 3 60 4	711	,, alba 2 6	791	Iberica, p.doz. 10/6 1/&1/6	872	Victor Emmanuel 1 6

.....1079

.....1080

.....1081

.....1032

Hardy Cyclamen.

.....1003 12 vars., 3 roots each, 30/

.....1004 12 ,, 1 ,,

.....1006

... 12 6...2 0

945 5 each 25 varieties. 15 01005

ANEMONES.

Double Poppy Anemones.

of Gladioli.

Concolor r o

Galeatus..... I o

Gracilis I o

I O

Grandis

Hirsutus

vars.....25/, 30/ & 42 0

6 vars. ...9/, 10/0 & 15 0

.....1131 25 Lenten Roses in 25 vars......35/, 50/ & 63 o

.....1133 12 Christmas Roses in 6 vars....18/, 21/ & 30 c

.....1132 6 Christmas Rosesin

	BARR & SON'S ORDER	SHEETAUTUMN, 1889	5
DEONIAG	Quantity. p. doz. each	Quantity. p. doz. each	Quantity. p. doz. each.
PÆONIAS.	8. a. 8. a.	s. d. s. d1285 *Dahlias, double, per	s. d. s. d1356 *Hymenocallis
HARDY DOUBLE CHINESE. Quantity. s. d.		doz., o/ & 12/	amancaes15 o
1134 50 in 50 vars. 84/ & 105 0	1204 *Boussingaultia	1286 * ,, single, p. doz.,	1357 ,, calathinum 7 60 9
1135 40 in 40 ,, 70/ & 85 0	haselloides 4 6 6	9/ & 12/ 1287 * ,, cactus red. 7 60 9	1358 ,, undulata5 60 61359 *fmantophyllum
1136 30 in 30 ,, 55/ & 63 0	1205 *Bravoa gemini 9	1288 * ,, ,, white 7 60 9	miniatum3/6 & 5/6
1137 20 in 20 ,, 30/,42/ & 50 0	1206 Brodiæa cocci 0	1289 Erythronium	1360 * ,, cyrtanthiflorum3 6
1138 12 in 12 ,, 15/, 21/ & 30 0	, ,	Dens-canis,	1361 Ixiolirion Pallasi 5 60 6
1139 6 in 6 ,, 7/6,10/6 & 15 0	1000	p. 100, 7/6 1 3 1290 ,, ,, purpureum	1362 *Kollikeria ar-
Hardy Double Europæan Pæonias. p. doz. each		majus, per	gyrostigma 7 60 91363 Lachenalia aureaio/6i o
s. d. s. d.	1211 volubilis o 6	1291 ,, roseum	1364 ,, Cami (new) 6
1140 Douhle Red 15 01 6141 Douhle Rosc 21 02 0	1212 Brunsvigio coronico a 6	p. 100, 7/6 I 3	1365 ,, contaminata 1 6
1142 Double White 21 02 0	1213 ,, multiflora 6	p. 100, 12/6 2 00 3	1366 ,, fragrans 1 6
1143 DouhleAnemone-	1214 Bulhocodium ver-	1293 ,, album	1367 ,, glaucina 6
flowered 21 02 0	num, 100, 6/6 1 01215 Buphane toxicaria	p. 100, 7/6 1 3	1368 ,, luteola 3 60 4
Single Hardy Pæonias.	major 15 0	1294 ,, ,, ,, majus p. 100, 12/6 2 00 3	1369 ,, Nelsoni 1 o
1144 1 each, 45 vars., 168/	1216 ,, minor 12 6	1295 ,, ,, mixed,	1370 ,, pallida 1 6
1145 1 ,, 30 ,, 105/ & 126/	1217 *Caladium, 12 in 12 var, 21/, 30/ & 42/	p. 100, 5/6 1 0 1296 ,, ,, ,, large-	1371 ,, pendula 4 60 6
1146 I ,, 20 ,, 50/ & 63/ 1147 I ,, 12 ,, 21/, 30/ & 42/	1010 # 6: 6: 6	flowered,	1372 ,, pustulata 6
1148 1 ,, 6 ,,10/6,15/&21/	12/, 15/, & 21/	p. 100, 10/6 1 6	1373 ,, quadricolor 5 6 61374 ,, tricolor 3 6 4
11.112220 1 11 0 11.20/01.20/01.20/	1219 Camprora nava 3 60 4	1297 ,, americanum, p. 100, 21/, 3 60 4	1375 ,, viridis 6
PART II.	1220 Calocbortus alhus 1 3	1298 ,, giganteum 1/6 & 2 6	1376 *Littonia modesta3 6
BULBS, TUBERS, & PLANTS.	1221 ,, coeruleus 31222 ,, citrinus 6	1299 ,, ,, roseum 6	1377 Lycoris aurea 10 6
(For Select List of Showy Hardy		1300 Eucharis amazonica,	1378 ,, radiata 6
Perennials, see Daffodil Catalogue,	1224 ,, luteus o	pots of established roots, 5/6, & 7/6	1379 * MalvastrumGilliesii o 9
which accompanies).	1005	1301 *Eucomis punctatac 9	1380 Massonia corymbosa 1 o
Those indicated by * will not be ready to send out till after the middle of		1302 * ,, regia 9	1381 ,, latifolia o
October. p. doz. each	1227 ,, pulchellus 3	1303 FreesiaLeichtlini major p. 100, 12/6 2 00 3	1382 Melanthium junceum 1 0
1149 *Ahohra viridiflora 1 o	,1228 ,, ruber 3	1304 Freesia refracta	1383 ,, purpureum 6
1150 *Achimenes, 1 each of 25 varieties, 10/6	1229 ,, splendens 3	alha, p. 100, 10/6 1 60 3	1384 ,, uniflorum1 o1 6
25 varieties, 10/01151 *,, ,, 3 each 25 vars , 30/	1230 ,, venustus 3	1305 ,, bybrids in mix- ture, p. 100, 7/61 3	1386 * ,, superba 5 6
*,, I each of 12 vars., 4/5	Caryuorca nuua 0	1306 Fritillaria	1387 * ,, virescens 4 6
*,, 3 each of 12 vars., 12/6	1232 Camassia atro- cœrulea 3 6o 4	meleagris, dark chequered 2 60 3	1388 *Milla hiflora 7 60 9
1152 Agapantbus umhel-	1233 ,, esculenta	1307 ,, ,, light	1389 ,, hyacintha
latus 0 91153 ,, maximus 1 6	per 100, 10/6 2 60 3 ,, Fraseri 5 60 6	chequered 3604	lactea 5 6 6 1390 ,, iaxa maxima 7 6 0
1154 ,, alhus I o		1308 ,, ,, white 3 6 o 4	1390 ,, iaxa maxima 7 60 91391 ,, longipes 7 60 9
1155 ,, fol. var 2 6		p. 100, 7/6, I 3	1392 ,, Murrayana 7 60 9
1156 ,, Mooreanus	1237 *Clivia nohilis3 6	1310 ,, armena 3 60 4	1393 ,, uniflora con-
per doz. 10/6 1 o1157 Albuca canaliculata 1 o	1238 Colchicum au-	1311 ,, Moggridgei 10 61 0	spicua, p. 100, 3/6 o 6
1158 ,, fastigiata 0		1312 ,, Burnati 10 61 0	1394 ,, ,, lilacina p. 100, 4/6 o 8
1159 Allium acum- 560 6	per 100, 7/6 1 00 3	1313 ,, Kamschaticar5 o 1 6	1395 *Montbretia Pottsii,
1160 ,, aureum	1240 ,, ,, plenum 3 60 4	1314 ,, lanceolata 7 60 91315 ,, latifolia var.	p. 100, 15/ 2 60 31396 * ,, crocosmiæ-
p. 100, 7/6 1 0	1241 ,, ,, album	Rembrandt 4 60 6	flora 2 6 0 4
1161 ,, azureuni 5 6 6 5 6 6	p. 100, 15/ 2 60 31242 ,, ,, , plenum 6	1316 ,, ,, mixed 3 6 o 4	1397 * ,, ,, '' Golden
1162 ,, descendens 4 60 61163 ,, nigrum 5 60 6	1243 (,,' ,, striatum	1317 ,, oranensis o	Sheaf"
1164 ,, Murrayanum 7 60 9	p. 100, 17/6 2 60 3	1318 ,, pallidiflora 2 6	1399 Nerine corusca 6
1165 ,,neapolitanum	1244 ,, atro-purpur- 7 60 91245 ,, byzantinum	1319 ,, persica 1 6	1400 ,, crispa 0
р. 100, 5/6 го	D 100, 21/ 3 60 4	1320 ,, pudica 6	1401 ,, flexuosa 3 6
1166 ,, Östrowskia- num 10 61 0	1246 ,, crociflorum 7 60 9	1321 ,, pyrenaica 3 6o 41322 ,, recurva 15 0 1 6	1402 ,, Fothergillii3 6
1167 ,, pedemontanum1 6	1247 ,, luteum 7 60 9	1323 ,, ruthenica 1	1403 ,, undulata 6
1168 ,, pendulinum 2 6o 3	1248 ,, montanum 0 9	1324 ,, tristis 6	1404 Ophrys and Orchis,
1169 ,, pulchellum 7 60 9	1249 ,, Parkinsoni 1	1325 Galaxia graminea o 9	1405 ,, ,, 6 in 6 var., 7/6
1170 ,, ,, flavum 7 60 9	1250 ,, speciosum 7 6o 9	1326 ,, ovata 0 9	1406 Ornithogalum ara-
1171 ,, roseum 3 6o 4	1252 ,, variegatum	1327 Geissorhiza alba 1 6	bicum, p. 100, 21/3 60 4
3 -1110 4	p. 100, 7/6 I 30 3	1328 ,, Rochensis 6	1407 ,, aureum 6
per 100, 15/ 260 3	1253 *Commelina tu-	1329 ,, violacea 1 0	1408 ,, montanum 3 6o 41409 ,, nutans,
1174 *Alstræmeria	berosa 2 6o 3	1330 *Gelasine azurea2 61331 *Geranium tuber-2 60 3	p. 100, 10/6 1 6
aurea, p. 100, 15/2 60 31175 * ,, aurantiaca	1255 *Conanthera bifolia7 6	1331 *Geranium tuber-2 60 31332 *Gesnera, p. doz.	1410 ,, pyramidale 5 60 6
p. 100, 12/6 2 60 3	1256 Cooperia Drum2 6	15/ & 21/, ea. 1/6 & 2/6	1411 ,. pyrer.aicum 5 6o 61412 ,, umbellatum
1176 * ,, hæmantha 4 6o 6	1257 ,, pedunculata 6	1333 *Gloxinia, p. doz.	p. 100, 3/6 o 6
1177 * ,, peregrina alba5 6	1258 Corydalis hulbosa	10/6, 15/, & 21/ ea. 1/, 1/6 & 2 6	1413 ,, unifolium 5 60 6
1178 * ,, ,, rosea2 61179 * ,, psittacina. 5 60 6	p. 100, 5/6 1 60 3	1334 * ,, mixed 7 6	1414 *Pancratium illyricum 10 61 o
1180 * ,, tricolor 3 60 4	1260 *Crinum aqua5 6	1335 * ,, longiflora 6	1415 * ,, littorale 6
1181 * ,, fine mixed 2 6	1261 * ,, erubescens 10 6	1336 Hæmanthus alb2 6	1416 * ,, maritimum 7 60 9
1182 *Amorphophallus	1262 * ,, Moorei 6	1337 ,, coccineus 6	1417 *Pardanthus sinensis I o
Rivieri t o	1263 * ,, riparium 12 6	1338 ,, Katbarinæ 10 61339 ,, puhescens3 6	1418 *Pentlandia miniata 1 o
1183 *Anomatheca cruenta p. 100 10/6 1 60 3	1264 *Crocosmia aurea	1339 ,, puhescens3 61340 ,, puniceus4 6	1419 *Phædranassa
1184 *Apios tuberosa 5 60 6	per 100, 7/6 1 60 3	1340 ,, puniceus 6	gloriosa 5 6o 6
1185 Arum cornutum 4 60 6	c. upon c. 7 60 9	1342 *Hedychium	1420 * ,, rubro-viridis3 61421 * ,, ventricosa5 6
1186 ,, crinitum 7 60 9	1266 ,, ,, Gold-strip1 6	Gardnerianum1 o	1421 * ,, ventricosa5 61422 *Polygonatum
1187 ,, dracunculus 3 6o 41188 ,, italicum 2 6o 3	1267 ,, ,, Orangec. 9 01 0	1343 * ,, coronarium o1344 * ,, pallidum 1 o	multiflorum 260 3
1188 ,, italicum 2 60 3	1268 ,, ,, Single Red 5 6o 6	1345 Hesperantha	1423 * ,, ,, majus3 ó . o 4
1190 *Begonias, Bedding,	1269 ,, ,, ,, Yellow 10 61 o	graminea 1 6	1424 *Richardia æthi-
in separate colours,	1270 ,, ,, Max. red 7 6 0 91271 ,, ,, Swordstem 6 6 0 9	1346 ,, pilosa 6	opica 7 6 0 91425 * ,,albo maculata 3 6 4
p.doz.9/, p.100,63/ 1191 *Begonias, Bedding,	1271 ,, ,, Swordstem 6 6 0 91272 ,, ,, Sulphurine 7 6 0 9	1347 ,, pumila 6	1425 * ,, also maculata 3 6 6 1426 * ,, liastata 3 6
choice mixed p. doz.	1272 ,, ,, Swiphurine 7 6 9 1273 ,, ,, DoubleRed 2 6	1348 Hessea spiralis 6	1427 * ,, melanoleuca 7 60 9
5/5 & 7/6 1192 *Begonias,6 in 6 vars. 5/6,	1274 ,, ,, Mixed 3 6o 4	1349 Hippeastrum adven. coccincum 6	1428 *Rigidella immaculata 2 6
7/6, 10/6, & 15/	1275 Cummingia tri4 6	1350 ,, prætense 6	1429 Romulea Clusii 5 60 6
1193 * ,, 12 in 12 vars.,	1276 Cyanella capensis2 6	1351 ,, roseum	1430 ,, speciosa
10/6, 15/, 21/, & 30/ 1194 * ,, double, p. doz.,	1277 *Cypella Herbertii 3 60 4	1352 Homeria aurantiaca	per 100, 7/6 1 6
421, 481, & 631	1278 Cyrtanthus col 7 6	p. 100, 15/ 2 60 3	1431 ,, bulbocodium
1195 Bellevalia spicata1 o	1279 ,, lutescens 6	1354 Hyacinthus	1432 Salvia patens 560 6
1196 *Bcssera elegans 7 60 91197 *Bletia acutiloba3 6	1280 ,, Macowanii 5 6	amethystinus per 100, 10/5 1 6	1433 ,, ,, alba 10 61 0
1197 *Bletia acutiloba 6 6	1281 ,, obliquus7 6	1355 *Hyacinthus candicans	1434 Sanguinaria cana-
1199 ,, Clevelandii1 o	1283 ,, pumilus 5 6	p. 100, 12/6 & 15/;	densis major 7 6o 9
1201 *Bomarea Caldasiana 7 6	1284 ,, sanguineus 10 6	p. doz., 2/6 & 3/0 each, /4 & 0 6	1435 Schizostilis coccinea p. 1co, 6/6 1 0
	of number and name is		
ine rotation	i of number and name is t	ine same in Order Sheet	as in Catalogue.

6			DARK	CC
Quantity.	p. doz. eac		Quantity	7.].
1436	s. d. s. Sparaxis pulcher-		146	
1427	rimaeach 1/6 & 2 *Stenomesson flavum 2		146	
1437		6	146	
1438	* ,, incarnata	0	146	
1439	*Tecophylæa cyanocrocus3	6	146	
1440	*Tigridia conchi- 3 6o	4	146	7
1441	*,, grandiflora 3 6o	4	ASELE	CT I
1442	* ,, ,, alba 5 6o	6	Z	ess
1443	Tritonia Scillaris I	0		of
1444	Tropæolum azurcum 2	6		at
1445	,, brachyceras3	6	F	Bicto
1446	,, Jarratti 10/61	0		Britis
1447	" pentaphyllum I	6		or. I
1448	,, polyphyllum	Ĭ		Duke
	p. doz. 7/6, 9d. & 1	0		lear
1449	speciosum 9d.,1/,&I	6		ltor
1450	,, tricolor 7 60	9		lele
1451	,, tuberosum 3 6o	4		as.
1452	*Tuberose, Dble,			ieer
,,,,,,	American			King
	" Pearl"			Laxt
1453	p. 100, 25/ 3 60 * ,, ,, Excelsior	4		Laxt
	Pearl			Pauli
	p 100, 35/ 5 60	6	1	resi
1454	* ,, Dble.ex.Early			sir C
	(African) p. 100, 25/4 60	6		Sir J.
1455	*Tulbaghia	Ŭ		nη. Che
	alliacea 10 61	0		roll
1456	* ,, violacea 7 60	9	~	√ico:
1457	Urceolina aurea7	6	····· \	Th
1458	Uropetalum hya-			Vate
1450	cintboides 2 6o	3	5	Strav
1459	,, viride 2 60 Wacbendorfia brevi-	3		sm 4/6
1460	io 61	0		Po
1461	" thyrsiflora 10 61	0		do

	1	
Quantity	5.).	p. doz. each s. d. s. d.
146	2 Watsonia, 6 in	
146		
146		
146		
146	**	-
146	**	
	CT LIST of STRA	
	Less quantities the	
	of a sort will be c	harged
	at a little higher	rate.
т.	O' Din.	p. 100-s. d.
	Bicton Pine	
	British Queen	
	Or. Hogg	
-	Duke of Edinburgi	
	Eleanor	
	Iton Pine	
	lelen Glocde	9
	as. Veitch	_
	Keen's Seedling	
	King of Earlies	
	Laxton's Noble	
	Laxton's Jubilee	
	Pauline	
	President	
	oir Chas. Napier	
	Sir J. Paxton	
	The Kimberley	
_	Trollope's Victoria	_
	Vicomtesse Herica	,
1	Waterloo	3 6
5	Strawberry Plant:	s, in
	small pots, p. 100	0, 25/,
	4/6 p. doz.; in Fr Pots, p. 200, 84/	
	doz. 12/	, per
		•

HARDY TERRESTRIAL ORCHI	os.
Quantitye.	ıch
Bletia hyacinthina, s.	d.
p. doz. 15/ 1	6
Cypripedium acaule, 1/6 & 2	6
,, calceolus I	6
,, macranthum 3	ó
,, montanum ·2	6
,, parviflorum 2	6
,, pubescens 2	6
,, spectabile, 2/6& 3	6
One of each of the above-	
named species of	
Cypripediums, 15/	
Habenaria bifolia I	0
,, ciliaris I	6
,, fimbriata I	6
Ophrys and Orchis, 12	
in 12 distinct beautiful hardy varieties, 15/	1
Ophrys and Orchis, 6	- 1
in 6 distinct beautiful	1
hardy varieties, 7/6	
Ophrys apifera I	0
Satyrium albidum 2	6
,, carneum I	6
,, princeps 3	6
,, coriifolium 3	6
,, crectum 2	6
Barr's Prepared Mixture of Ch	ar-
coal and Cocoa-Fibre, for grow	ing
coal and Cocoa-Fibre, for grow bulbs in glasses, jardinets, etc. page 33 of Catalogue.	See
page 33 of Catalogue.	
No. 1 quality, p. bushel, 6/	; ,
p. peck,	
,, 2 ,, p. bushel, 4/6; p. peck,	
p. peck,	1/0

BARR'S "PURE" LAWN GRASSES.

See page 2 of Cover.

Quantity.

No. 1. Thames Embankment
Lawn Grasses, pcr lb. 1/5,
per 10 lbs. 12/1, per 20 lbs. 22/6,
pcr 56 lbs. upwards, 1/1 per lb.

No. 2. Fine Lawn Grass Mixture, per lb. 1/4, per 10 lbs.
12/9, per 20 lbs. 24/6; per
56 lbs. upwards, 1/2 per lb.

No. 3. Extra Fine Lawn Grass
Mixture, per lb. 1/8, per 10 lbs.
15/6, per 20 lbs. 30/, per 56 lbs.
and upwards, 1/5 per lb.

No. 4. Hunter's New Mixture
of Dwarf Growing Grasses,
per lb. 2/, per 10 lbs. 19/, per
20 lbs. 37/, per 56 lbs. and
upwards, 1/9 per lb.

Dutch Clover Finest White,
per lb. 1/6.

Watson's Weed - Destroying
Lawn-Sand, per cask of 1 ewt.
34/; half, 18/; quarter, 9/6;
canisters, 2/6 and 5/6.

GARDEN REQUISITES, see page 33.

... To have Dry and Warm Feet use GISHURSTINE as a Dubbing on the Soles and Uppers of Boots and Shoes, 6d. & 1/; by post, 9d. & 1/3.

BARR & SON,

Bulb Order.—Autumn, 1889.

12 & 13, King St., Covent Garden,

NDON.

AFFIX A
HALFPENNY
STAMP.